

Title	Finite element analysis of polymer-encapsulated ZnO nanowire-based sensor array intended for pressure sensing in biometric applications
Authors	Dauksevicius, Rolanas;Gaidys, Rimvydas;O'Reilly, Eoin P.;Seifikar, Masoud
Publication date	2016
Original Citation	Dauksevicius, R., Gaidys, R., O'Reilly, E. P. and Seifikar, M. (2016) 'Finite Element Analysis of Polymer-encapsulated ZnO Nanowire-based Sensor Array Intended for Pressure Sensing in Biometric Applications', Procedia Engineering, 168, pp. 864-867. doi:10.1016/j.proeng.2016.11.292
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1016/j.proeng.2016.11.292
Rights	© 2016 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license ( <a href="http://creativecommons.org/licenses/by-nc-nd/4.0/">http://creativecommons.org/licenses/by-nc-nd/4.0/</a> ). - <a href="http://creativecommons.org/licenses/by-nc-nd/4.0/">http://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Download date	2023-09-27 21:28:37
Item downloaded from	<a href="https://hdl.handle.net/10468/3493">https://hdl.handle.net/10468/3493</a>



30th Eurosensors Conference, EUROSENSORS 2016

# Finite element analysis of polymer-encapsulated ZnO nanowire-based sensor array intended for pressure sensing in biometric applications

Rolanas Dauksevicius<sup>a,\*</sup>, Rimvydas Gaidys<sup>a</sup>, Eoin P. O'Reilly<sup>b</sup>, Masoud Seifikar<sup>b</sup>

<sup>a</sup> Kaunas University of Technology, Institute of Mechatronics, Studentu str. 56, Kaunas 51424, Lithuania

<sup>b</sup> Tyndall National Institute, Dyke Parade, Prospect Row, Cork, Ireland, Department of Physics, University College Cork, Cork, Ireland

## Abstract

This work presents results of finite element analysis of an array of ZnO nanowires with bottom-bottom electrode configuration, which are integrated onto a multi-layer chip stack and encapsulated within a polymer. The dynamically-deformed array constitutes a representative part of a high-resolution pressure sensor intended for reliable identification of the smallest fingerprint features such as shape of the ridges and pores. Parametric study was performed in order to predict the most rational values of the Young's modulus and thickness of the encapsulation layer in terms of magnitude and variability of the piezoelectric signals. The results also demonstrate the impact of nanowire aspect ratio and load orientation on the generated electrical signals.

© 2016 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Peer-review under responsibility of the organizing committee of the 30th Eurosensors Conference

**Keywords:** ZnO; piezoelectric nanowires; pressure sensor; finite element model; piezoelectric signals; polymer encapsulation; Young's modulus

## 1. Introduction

Piezoelectric nanostructures in the form of nanoparticles, nanorods, nanowires, nanowalls, nanotubes, nanofibers or nanofilms have been extensively studied in recent years with the aim of implementing them as transducers in optical, chemical, biological, gas, temperature, humidity, strain, force or pressure sensing applications [1-2]. The most widely used piezoelectric nanomaterials include semiconducting wurtzite compounds (e.g. ZnO, GaN, InN, CdS), ferroelectrics (e.g. PZT, BaTiO<sub>3</sub>, NaNbO<sub>3</sub>, LiNbO<sub>3</sub>), piezoelectric polymers (e.g. PVDF) and nanocomposites. In particular, the last 10 years have witnessed an upsurge of research activity on ZnO nanostructures.

\* Rolanas Dauksevicius. Tel.: +370-37-300-538; Fax: +370-37-300-892.

E-mail address: [rolanas.dauksevicius@ktu.lt](mailto:rolanas.dauksevicius@ktu.lt)




Fig. 1. (a) COMSOL model of the periodic array of ZnO NW-based piezo-pixels encapsulated in PMMA-based polymer (each NW has two tungsten electrodes at the root that are connected to an external capacitor  $C_{ext} = 10$  fF). NW dimensions: width  $w_{NW} = 0.5$   $\mu\text{m}$ , height  $h_{NW} = 5 - 15$   $\mu\text{m}$ , inter-NW gap  $d_{NW} = 8$   $\mu\text{m}$ . (b) Distribution of electric potential in the deformed sensor array (side bar – in mV), which was obliquely loaded with pressure load  $F_h = F_v = 1$  MPa ( $w_{NW} = 0.5$   $\mu\text{m}$ ,  $h_{NW} = 2.5$   $\mu\text{m}$ , height of polymer layer (cap) above the NWs  $h_{pol} = 1.5$   $\mu\text{m}$ ).

Stand-alone or arrayed nanorods and nanowires (NWs) constitute an attractive ultralow-power high-resolution strain, force or pressure sensing technology, which is targeted for different applications such as e-skin [3] or fingerprint scanning [4]. It is expected that further advancements in the field of individually-addressable piezoelectric NWs and their arrays could lead to the development of next-generation compact fingerprint sensors of very high spatial resolution (several thousand dpi), which would offer reliable detection of the smallest fingerprint features such as the shape of the ridges and sweat pores [5].

Piezoelectric NW arrays have to be encapsulated in a polymeric medium, which serves the dual purpose of force transfer and physical protection. The key challenge in development of encapsulated NW-based fingerprint sensors is to identify a (co)polymer with a suitable blend of mechanical and physico-chemical properties, ensuring both high sensitivity to minute load variations and proper protection against mechanical damages and external contamination. Therefore, determination of the appropriate Young's modulus of the encapsulant is important. An overly hard polymer would degrade force transfer, thereby reducing electrical output, while very soft one would compromise sensor robustness. In addition, tuning the thickness of the encapsulation layer is required in order to maximize the output and minimize spurious signals induced by the effects related to mechanical crosstalk.

This paper reports on finite element (FE) analysis of a dynamically-loaded encapsulated array of 5 piezo-pixels – vertical ZnO NWs with bottom-bottom (side) electrodes connected to the external capacitors – in order to predict the near-optimal values of the Young's modulus ( $E_{pol}$ ) and thickness of the polymer layer above the NWs (cap height –  $h_{pol}$ ). Reported numerical results also demonstrate the influence of NW aspect ratio ( $AR_{NW}$ ) and load orientation on the electrical responses.

## 2. Finite element analysis of the encapsulated ZnO nanowires with bottom-bottom electrode configuration

COMSOL Multiphysics<sup>®</sup> was used to implement a 2-D FE model of the PMMA-encapsulated ZnO NW-based pressure sensing array, which includes 5 piezo-pixels and the associated chip stack layers (Fig. 1). *Piezo-pixel* refers here to a piezoelectric NW that is connected to an external capacitor ( $C_{ext} = 10$  fF) [6]. The piezo-pixel is configured so as to collect charges through tungsten side electrodes located at the root of the NW, which is in contrast to the conventional top-down contacting configuration [7]. The top of the encapsulation layer is subjected to downward ramping load that imitates pressing with a fingertip [6]. It is assumed that the array is loaded by a fingertip region corresponding to a ridge edge, i.e. the ridge presses NW1, NW2 and NW3, while the remaining NW4 and NW5 are not directly loaded. Outputs of these unloaded NWs are considered to be spurious signals that would degrade sensor resolution. Therefore, the design targets for the case of equal load  $F_1 = F_2 = F_3$  are: i) to maximize mean voltage ( $V_m = (V_{NW1} + V_{NW2} + V_{NW3})/3$ ) and minimize standard deviation ( $\sigma_v$ ) [7]; ii) to minimize spurious signals ( $V_{NW4}, V_{NW5}$ ).




Fig. 2. Surface plot of the average voltage outputs  $V_m$  and their variability  $\sigma_v$  as a function of polymer cap height and Young's modulus for the case of oblique load  $F_h = F_v = 1$  MPa for: (a)-(b)  $AR_{NW} = 5$  ( $w_{NW} = 0.5 \mu\text{m}$ ,  $h_{NW} = 2.5 \mu\text{m}$ ); (c)-(d)  $AR_{NW} = 30$  ( $w_{NW} = 0.5 \mu\text{m}$ ,  $h_{NW} = 15 \mu\text{m}$ ).

Parametric study was performed in order to determine the near-optimal values of  $E_{pol}$  and  $h_{pol}$  by examining surface plots, which were constructed for the cases of low and high aspect ratio NWs when the array is deformed by pressure load of different orientation (Figs. 2-3). Here, the term *near-optimal* implies the highest  $V_m$  accompanied by the lowest possible  $\sigma_v$ . Comparison of Fig. 2(c-d) and Fig. 3 indicates strong dependence of  $V_m$  and  $\sigma_v$  on the load orientation: i) more complex variation of  $V_m$  and  $\sigma_v$  is observed with changing  $E_{pol}$  and  $h_{pol}$  when horizontal load component is introduced; ii) the variation trends are opposite for the vertical and oblique loading cases, i.e. in the latter case the values of  $V_m$  and  $\sigma_v$  increase with larger  $h_{pol}$  and they also increase when  $E_{pol} > 0.2$  GPa and in the former case – the outputs rapidly decrease with larger  $h_{pol}$  (for softer polymer) and they are strongly reduced when  $E_{pol} > 0.2$  GPa. Furthermore, the plots in Fig. 2 reveal that increase in NW aspect ratio also leads to a more complex variation of  $V_m$  and  $\sigma_v$  with changing  $E_{pol}$  and  $h_{pol}$ . The observed complex dependence on the load orientation makes it challenging to unambiguously identify the near-optimal values of  $E_{pol}$  and  $h_{pol}$  since the character of the pressure load in real life will change from person to person. Thus, the recommendation for the near-optimal values is based on the assumption that in majority of cases there will be at least some horizontal load component during the actual fingerprint sensor usage. Therefore, in order to be on the safe side the recommended values of near-optimal  $E_{pol}$  and  $h_{pol}$  are about 0.2 GPa and 2 – 4  $\mu\text{m}$ , respectively. It should be noted that the values for  $h_{pol}$  are the same as for the case of piezo-pixels with conventional top-bottom electrode configuration. Meanwhile, the recommendation to use  $E_{pol} \approx 0.2$  GPa is more stringent in the current case since for the top-bottom configuration the voltage outputs are essentially insensitive to increasing  $E_{pol}$  within the wide range of  $\sim 0.1 - 1$  GPa [7].

Comparison of outputs generated at near-optimal  $E_{pol}$  and  $h_{pol}$  by the NW array having different electrode configurations demonstrates that the bottom-bottom configuration outperforms the top-bottom one, i.e. at  $AR_{NW} = 30$




Fig. 3. Surface plot of the average voltage outputs  $V_m$  and their variability  $\sigma_v$  as a function of polymer cap height and Young's modulus for the case of pure vertical load  $F_v = 1$  MPa for  $AR_{NW} = 30$  ( $w_{NW} = 0.5$   $\mu\text{m}$ ,  $h_{NW} = 15$   $\mu\text{m}$ ).

the average voltage is larger about 2 times both for the vertical and oblique ( $F_h = F_v$ ) loading cases. At  $AR_{NW} = 5$  the increase in  $V_m$  reaches  $\sim 15$  times for the oblique loading case. The largest distinction between the two configurations is the considerably larger variability of voltage outputs generated by the equally loaded NW1, NW2 and NW3 in the case of bottom-bottom configuration (even under pure compression as evident in Fig. 3(b)).

### 3. Conclusion

This paper reported on multiphysics finite element analysis of the encapsulated periodic array of ZnO nanowire-based piezo-pixels with bottom-bottom electrode configuration. Results of the parametric study demonstrate that a softer polymeric layer ( $E_{pol} \approx 0.2$  GPa) of relatively low thickness ( $h_{pol} \approx 2 - 4$   $\mu\text{m}$ ) is preferred for the encapsulation of the array if one attempts to maximize sensor signals that are generated under oblique pressure load with vertical component being the predominant one. Reported numerical results also suggest that due to the pronounced variability of the voltage signals generated by the individual nanowires, the piezo-pixels with bottom-bottom electrodes may yield lower native resolution of a fingerprint sensor. Therefore, additional simulation-assisted design efforts should be dedicated in the future for examining this issue more thoroughly.

### Acknowledgements

This work has been supported through EC funding for the FP7 ICT-2013.3.3 project PiezoMAT (611019) as well as by the Lithuanian Agency for Science, Innovation and Technology.

### References

- [1] K. Jenkins, V. Nguyen, et al., Piezotronic Effect: An Emerging Mechanism for Sensing Applications, *Sensors*. 15 (2015), 22914–22940.
- [2] R. Yu, S. Niu, et al., Piezotronic effect enhanced performance of Schottky-contacted optical, gas, chemical and biological nanosensors, *Nano Energy*. 14 (2015), 312–339.
- [3] B.P. Nabar, Z. Celik-Butler, et al., Self-Powered Tactile Pressure Sensors Using Ordered Crystalline ZnO Nanorods on Flexible Substrates Toward Robotic Skin and Garments, *IEEE Sens. J.* 15 (2015), 63–70.
- [4] C. Pan, L. Dong, et al., High-resolution electroluminescent imaging of pressure distribution using a piezoelectric nanowire led array, *Nat. Photonics*. 7 (2013), 752–758.
- [5] Project summary, FP7 project “High-Resolution Fingerprint Sensing with Vertical Piezoelectric Nanowire Matrices (PiezoMAT)”. [http://www.piezomat.eu/Project\\_Summary](http://www.piezomat.eu/Project_Summary) (accessed 19 July 2016).
- [6] R. Dauksevicius, R. Gaidys, et al., Finite element modeling of ZnO nanowire with different configurations of electrodes connected to external capacitive circuit for pressure sensing applications, *Proc. IEEE EuroSimE 2015*, 1–5.
- [7] R. Dauksevicius, R. Gaidys, et al., Numerical study of near-optimal parameters of polymeric encapsulation layer containing a periodic array of piezoelectric nanowires used for force sensing, *Proc. IEEE EuroSimE 2016*, 1–6.