


**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	The importance of interaction strength for food web dynamics and ecosystem functioning
Author(s)	O'Gorman, Eoin J.
Publication date	2009-09
Original citation	O'Gorman, E.J. 2009. The importance of interaction strength for food web dynamics and ecosystem functioning. PhD Thesis, University College Cork.
Type of publication	Doctoral thesis
Link to publisher's version	http://library.ucc.ie/record=b1898015~S0 Access to the full text of the published version may require a subscription.
Rights	© Eoin J. O'Gorman, 2009. http://creativecommons.org/licenses/by-nc-nd/3.0/ 
Item downloaded from	http://hdl.handle.net/10468/164

Downloaded on 2021-06-21T13:27:43Z

REFERENCES:

- Allan J.D. (1976). Life-history patterns in zooplankton. *American Naturalist*, 110, 165-180.
- Allen M.F., Swenson W., Querejeta J.I., Egerton-Warburton L.M. & Treseder K.K. (2003). Ecology of mycorrhizae: A conceptual framework for complex interactions among plants and fungi. *Annual Review of Phytopathology*, 41, 271-303.
- Allison G. (2004). The influence of species diversity and stress intensity on community resistance and resilience. *Ecological Monographs*, 74, 117-134.
- Anderson J.E., Kriedemann P.E., Austin M.P. & Farquhar G.D. (2000). Eucalypts forming a canopy functional type in dry sclerophyll forests respond differentially to environment. *Australian Journal of Botany*, 48, 759-775.
- Bady P., Doledec S., Fesl C., Gayraud S., Bacchi M. & Scholl F. (2005). Use of invertebrate traits for the biomonitoring of European large rivers: the effects of sampling effort on genus richness and functional diversity. *Freshwater Biology*, 50, 159-173.
- Baird D. & Milne H. (1981). Energy-flow in the Ythan Estuary, Aberdeenshire, Scotland. *Estuarine Coastal and Shelf Science*, 13, 455-472.
- Balvanera P., Pfisterer A.B., Buchmann N., He J.S., Nakashizuka T., Raffaelli D. & Schmid B. (2006). Quantifying the evidence for biodiversity effects on ecosystem functioning and services. *Ecology Letters*, 9, 1146-1156.
- Barnett A. & Beisner B.E. (2007). Zooplankton biodiversity and lake trophic state: Explanations invoking resource abundance and distribution. *Ecology*, 88, 1675-1686.
- Beisner B.E., Haydon D.T. & Cuddington K. (2003). Alternative stable states in ecology. *Frontiers in Ecology and the Environment*, 1, 376-382.
- Bellwood D.R., Hoey A.S. & Choat J.H. (2003). Limited functional redundancy in high diversity systems: resilience and ecosystem function on coral reefs. *Ecology Letters*, 6, 281-285.
- Bender E.A., Case T.J. & Gilpin M.E. (1984). Perturbation experiments in community ecology - theory and practice. *Ecology*, 65, 1-13.
- Benedetti-Cecchi L. & Cinelli F. (1997). Confounding in field experiments: Direct and indirect effects of artifacts due to the manipulation of limpets and macroalgae. *Journal of Experimental Marine Biology and Ecology*, 209, 171-184.
- Berg M.P., Stoffer M. & van den Heuvel H.H. (2004). Feeding guilds in Collembola based on digestive enzymes. *Pedobiologia*, 48, 589-601.
- Berlow E.L. (1999). Strong effects of weak interactions in ecological communities. *Nature*, 398, 330-334.
- Bersier L.F. & Sugihara G. (1997). Scaling regions for food web properties. *Proceedings of the National Academy of Sciences of the United States of America*, 94, 1247-1251.

- Bjelke U. & Herrmann J. (2005). Processing of two detritus types by lake-dwelling shredders: species-specific impacts and effects of species richness. *Journal of Animal Ecology*, 74, 92-98.
- Blackburn T.M., Cassey P., Duncan R.P., Evans K.L. & Gaston K.J. (2004). Avian extinctions and mammalian introductions on oceanic islands. *Science*, 305, 1955-1958.
- Blackburn T.M. & Gaston K.J. (1997). A critical assessment of the form of the interspecific relationship between abundance and body size in animals. *Journal of Animal Ecology*, 66, 233-249.
- Blackburn T.M. & Gaston K.J. (1999). The relationship between animal abundance and body size: A review of the mechanisms. In: *Advances in Ecological Research, Vol 28*. Academic Press Ltd London, pp. 181-210.
- Blackburn T.M., Petchey O.L., Cassey P. & Gaston K.J. (2005). Functional diversity of mammalian predators and extinction in island birds. *Ecology*, 86, 2916-2923.
- Borer E.T., Seabloom E.W., Shurin J.B., Anderson K.E., Blanchette C.A., Broitman B., Cooper S.D. & Halpern B.S. (2005). What determines the strength of a trophic cascade? *Ecology*, 86, 528-537.
- Borgmann U. (1987). Models on the slope of, and biomass flow up, the biomass size spectrum. *Canadian Journal of Fisheries and Aquatic Sciences*, 44, 136-140.
- Borrvall C. & Ebenman B. (2006). Early onset of secondary extinctions in ecological communities following the loss of top predators. *Ecology Letters*, 9, 435-442.
- Botta-Dukat Z. (2005). Rao's quadratic entropy as a measure of functional diversity based on multiple traits. *Journal of Vegetation Science*, 16, 533-540.
- Bret-Harte M.S., Garcia E.A., Saetre V.M., Whorley J.R., Wagner J.L., Lippert S.C. & Chapin F.S. (2004). Plant and soil responses to neighbour removal and fertilization in Alaskan tussock tundra. *Journal of Ecology*, 92, 635-647.
- Briand F. & Cohen J.E. (1987). Environmental correlates of food chain length. *Science*, 238, 956-960.
- Brose U., Berlow E.L. & Martinez N.D. (2005). Scaling up keystone effects from simple to complex ecological networks. *Ecology Letters*, 8, 1317-1325.
- Brose U., Jonsson T., Berlow E.L., Warren P., Banasek-Richter C., Bersier L.F., Blanchard J.L., Brey T., Carpenter S.R., Blandenier M.F.C., Cushing L., Dawah H.A., Dell T., Edwards F., Harper-Smith S., Jacob U., Ledger M.E., Martinez N.D., Memmott J., Mintenbeck K., Pinnegar J.K., Rall B.C., Rayner T.S., Reuman D.C., Ruess L., Ulrich W., Williams R.J., Woodward G. & Cohen J.E. (2006a). Consumer-resource body-size relationships in natural food webs. *Ecology*, 87, 2411-2417.
- Brose U., Williams R.J. & Martinez N.D. (2006b). Allometric scaling enhances stability in complex food webs. *Ecology Letters*, 9, 1228-1236.
- Brown J.H. (1995). *Macroecology*. University Chicago Press.
- Brown J.H. & Gillooly J.F. (2003). Ecological food webs: High-quality data facilitate theoretical unification. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 1467-1468.

- Brown J.H. & Nicoletto P.F. (1991). Spatial scaling of species composition - body masses of North-American land mammals. *American Naturalist*, 138, 1478-1512.
- Bruno J.F. & O'Connor M.I. (2005). Cascading effects of predator diversity and omnivory in a marine food web. *Ecology Letters*, 8, 1048-1056.
- Bulling M.T., White P.C.L., Raffaelli D.G. & Pierce G.J. (2006). Using model systems to address the biodiversity-ecosystem functioning process. *Marine Ecology-Progress Series*, 311, 295-309.
- Byers J.E., Cuddington K., Jones C.G., Talley T.S., Hastings A., Lambrinos J.G., Crooks J.A. & Wilson W.G. (2006). Using ecosystem engineers to restore ecological systems. *Trends in Ecology & Evolution*, 21, 493-500.
- Byrnes J., Stachowicz J.J., Hultgren K.M., Hughes A.R., Olyarnik S.V. & Thornber C.S. (2006). Predator diversity strengthens trophic cascades in kelp forests by modifying herbivore behaviour. *Ecology Letters*, 9, 61-71.
- Byrnes J.E., Reynolds P.L. & Stachowicz J.J. (2007). Invasions and extinctions reshape coastal marine food webs. *PLoS ONE*, 2, e295.
- Caldeira M.C., Hector A., Loreau M. & Pereira J.S. (2005). Species richness, temporal variability and resistance of biomass production in a Mediterranean grassland. *Oikos*, 110, 115-123.
- Calder W.A. (1984). *Size, function, and life history*. Harvard University Press, Cambridge Mass.
- Cardinale B.J., Harvey C.T., Gross K. & Ives A.R. (2003). Biodiversity and biocontrol: emergent impacts of a multi-enemy assemblage on pest suppression and crop yield in an agroecosystem. *Ecology Letters*, 6, 857-865.
- Cardinale B.J., Srivastava D.S., Duffy J.E., Wright J.P., Downing A.L., Sankaran M. & Jouseau C. (2006). Effects of biodiversity on the functioning of trophic groups and ecosystems. *Nature*, 443, 989-992.
- Carpenter S.R., Kitchell J.F., Hodgson J.R., Cochran P.A., Elser J.J., Elser M.M., Lodge D.M., Kretchmer D., He X. & Vonende C.N. (1987). Regulation of lake primary productivity by food web structure. *Ecology*, 68, 1863-1876.
- Case T.J. (2000). *An illustrated guide to theoretical ecology*. Oxford University Press, New York.
- Castilla J.C. (1988). Ecosistemas Intermareales y Submareales de fondos duros en el Cono Sur de Sudamérica: Una oportunidad única para estudios regionales integrados. *Informe Unesco Ciencias del Mar*, 47, 115-123.
- Castilla J.C. & Duran L.R. (1985). Human exclusion from the rocky intertidal zone of Central Chile - the effects on *Concholepas concholepas* (Gastropoda). *Oikos*, 45, 391-399.
- Chalcraft D.R. & Resetarits W.J. (2003). Predator identity and ecological impacts: Functional redundancy or functional diversity? *Ecology*, 84, 2407-2418.
- Chapin F.S., Zavaleta E.S., Eviner V.T., Naylor R.L., Vitousek P.M., Reynolds H.L., Hooper D.U., Lavorel S., Sala O.E., Hobbie S.E., Mack M.C. & Diaz S. (2000). Consequences of changing biodiversity. *Nature*, 405, 234-242.
- Christianou M. & Ebenman B. (2005). Keystone species and vulnerable species in ecological communities: strong or weak interactors? *Journal of Theoretical Biology*, 235, 95-103.

- Chu Y., He W.M., Liu H.D., Liu J., Zhu X.W. & Dong M. (2006). Phytomass and plant functional diversity in early restoration of the degraded, semi-arid grasslands in northern China. *Journal of Arid Environments*, 67, 678-687.
- Cohen J.E., Beaver R.A., Cousins S.H., Deangelis D.L., Goldwasser L., Heong K.L., Holt R.D., Kohn A.J., Lawton J.H., Martinez N., O'Malley R., Page L.M., Patten B.C., Pimm S.L., Polis G.A., Rejmanek M., Schoener T.W., Schoenly K., Sprules W.G., Teal J.M., Ulanowicz R.E., Warren P.H., Wilbur H.M. & Yodzis P. (1993a). Improving food webs. *Ecology*, 74, 252-258.
- Cohen J.E., Jonsson T. & Carpenter S.R. (2003). Ecological community description using the food web, species abundance, and body size. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 1781-1786.
- Cohen J.E. & Newman C.M. (1991). Community area and food chain length - theoretical predictions. *American Naturalist*, 138, 1542-1554.
- Cohen J.E., Pimm S.L., Yodzis P. & Saldana J. (1993b). Body sizes of animal predators and animal prey in food webs. *Journal of Animal Ecology*, 62, 67-78.
- Coleman F.C. & Williams S.L. (2002). Overexploiting marine ecosystem engineers: potential consequences for biodiversity. *Trends in Ecology & Evolution*, 17, 40-44.
- Coll M., Lotze H.K. & Romanuk T.N. (2008). Structural degradation in Mediterranean Sea food webs: Testing ecological hypotheses using stochastic and mass-balance modelling. *Ecosystems*, 11, 939-960.
- Commuto J.A. (1982). Importance of predation by infaunal polychaetes in controlling the structure of a soft-bottom community in Maine, USA. *Marine Biology*, 68, 77-81.
- Cornwell W.K., Schilck D.W. & Ackerly D.D. (2006). A trait-based test for habitat filtering: Convex hull volume. *Ecology*, 87, 1465-1471.
- Costello M.J. (1992). Abundance and spatial overlap of gobies (Gobiidae) in Lough Hyne, Ireland. *Environmental Biology of Fishes*, 33, 239-248.
- Costello M.J. & Myers A.A. (1996). Turnover of transient species as a contributor to the richness of a stable amphipod (Crustacea) fauna in a sea inlet. *Journal of Experimental Marine Biology and Ecology*, 202, 49-62.
- Crumrine P.W. & Crowley P.H. (2003). Partitioning components of risk reduction in a dragonfly-fish intraguild predation system. *Ecology*, 84, 1588-1597.
- Cyr H., Downing J.A. & Peters R.H. (1997). Density-body size relationships in local aquatic communities. *Oikos*, 79, 333-346.
- Daily G.C. (1997). *Nature's Services: Societal Dependence on Natural Ecosystems*. Island Press, Washington, DC.
- Damuth J. (1981). Population-density and body size in mammals. *Nature*, 290, 699-700.
- Damuth J. (1987). Interspecific allometry of population-density in mammals and other animals - the independence of body-mass and population energy-use. *Biological Journal of the Linnean Society*, 31, 193-246.

- Dang C.K., Chauvet E. & Gessner M.O. (2005). Magnitude and variability of process rates in fungal diversity-litter decomposition relationships. *Ecology Letters*, 8, 1129-1137.
- Danovaro R. & Fabiano M. (1997). Seasonal changes in quality and quantity of food available for benthic suspension-feeders in the Golfo Marconi (north-western Mediterranean). *Estuarine Coastal and Shelf Science*, 44, 723-736.
- Davic R.D. (2003). Linking keystone species and functional groups: A new operational definition of the keystone species concept - Response. *Conservation Ecology*, 7.
- De Bello F., Leps J. & Sebastia M.T. (2006). Variations in species and functional plant diversity along climatic and grazing gradients. *Ecography*, 29, 801-810.
- De Ruiter P.C., Neutel A.M. & Moore J.C. (1995). Energetics, patterns of interaction strengths, and stability in real ecosystems. *Science*, 269, 1257-1260.
- De Ruiter P.C., Wolters V., Moore J.C. & Winemiller K.O. (2005). Food web ecology: Playing Jenga and beyond. *Science*, 309, 68-+.
- DeAngelis D.L. (1980). Energy-flow, nutrient cycling, and ecosystem resilience. *Ecology*, 61, 764-771.
- Decocq G. & Hermy M. (2003). Are there herbaceous dryads in temperate deciduous forests? *Acta Botanica Gallica*, 150, 373-382.
- Dimitrakopoulos P.G., Siamantziouras A.S.D., Galanidis A., Mprezetou I. & Troumbis A.Y. (2006). The interactive effects of fire and diversity on short-term responses of ecosystem processes in experimental Mediterranean grasslands. *Environmental Management*, 37, 826-839.
- Doak D.F., Bigger D., Harding E.K., Marvier M.A., O'Malley R.E. & Thomson D. (1998). The statistical inevitability of stability-diversity relationships in community ecology. *American Naturalist*, 151, 264-276.
- Downing A.L. (2005). Relative effects of species composition and richness on ecosystem properties in ponds. *Ecology*, 86, 701-715.
- Duffy J.E., Carinale B.J., France K.E., McIntyre P.B., Thebault E. & Loreau M. (2007). The functional role of biodiversity in ecosystems: incorporating trophic complexity. *Ecology Letters*, 10, 522-538.
- Duffy J.E., Richardson J.P. & Canuel E.A. (2003). Grazer diversity effects on ecosystem functioning in seagrass beds. *Ecology Letters*, 6, 637-645.
- Dumay O., Tari P.S., Tomasini J.A. & Mouillot D. (2004). Functional groups of lagoon fish species in Languedoc Roussillon, southern France. *Journal of Fish Biology*, 64, 970-983.
- Dunne J.A., Williams R.J. & Martinez N.D. (2002). Network structure and biodiversity loss in food webs: robustness increases with connectance. *Ecology Letters*, 5, 558-567.
- Ehrlich P.A. & Ehrlich A.H. (1981). *Extinction: the causes and consequences of the disappearance of species*. Random House New York, New York.
- Eklof A. & Ebenman B. (2006). Species loss and secondary extinctions in simple and complex model communities. *Journal of Animal Ecology*, 75, 239-246.
- Eklof P. & VanKooten T. (2001). Facilitation among piscivorous predators: Effects of prey habitat use. *Ecology*, 82, 2486-2494.

- Elgar M.A. & Harvey P.H. (1987). Basal metabolic rates in mammals allometry phylogeny and ecology. *Functional Ecology*, 1, 25-36.
- Elton C.S. (1927). *Animal Ecology*. Sidgwick & Jackson, London.
- Elton C.S. (1958). *Ecology of invasions by animals and plants*. Chapman & Hall, London.
- Emmerson M. & Yearsley J.M. (2004). Weak interactions, omnivory and emergent food-web properties. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 271, 397-405.
- Emmerson M.C. & Raffaelli D. (2004). Predator-prey body size, interaction strength and the stability of a real food web. *Journal of Animal Ecology*, 73, 399-409.
- Emmerson M.C., Solan M., Emes C., Paterson D.M. & Raffaelli D. (2001). Consistent patterns and the idiosyncratic effects of biodiversity in marine ecosystems. *Nature*, 411, 73-77.
- Emmerson M.E., Montoya J.M. & Woodward G. (2005). Body size, interaction strength and food web dynamics. In: *Dynamic Food Webs: Multispecies assemblages, ecosystem development, and environmental change* (ed. De Ruiter PC, Wolters, V., Moore, J.C.). Academic Press Amsterdam, pp. 167-178.
- Enquist B.J., Brown J.H. & West G.B. (1998). Allometric scaling of plant energetics and population density. *Nature*, 395, 163-165.
- Ernst R., Linsenmair K.E. & Rodel M.O. (2006). Diversity erosion beyond the species level: Dramatic loss of functional diversity after selective logging in two tropical amphibian communities. *Biological Conservation*, 133, 143-155.
- Estes J.A. & Palmisano J.F. (1974). Sea otters - their role in structuring nearshore communities. *Science*, 185, 1058-1060.
- Fagan W.F. & Hurd L.E. (1994). Hatch density variation of a generalist arthropod predator - population consequences and community impact. *Ecology*, 75, 2022-2032.
- Field C.B., Behrenfeld M.J., Randerson J.T. & Falkowski P. (1998). Primary production of the biosphere: Integrating terrestrial and oceanic components. *Science*, 281, 237-240.
- Finke D.L. & Denno R.F. (2005). Predator diversity and the functioning of ecosystems: the role of intraguild predation in dampening trophic cascades. *Ecology Letters*, 8, 1299-1306.
- Fischer J., Lindenmayer D.B., Blomberg S.P., Montague-Drake R., Felton A. & Stein J.A. (2007). Functional Richness and Relative Resilience of Bird Communities in Regions with Different Land Use Intensities. *Ecosystems*, 10, 964-974.
- Fonseca C.R. & Ganade G. (2001). Species functional redundancy, random extinctions and the stability of ecosystems. *Journal of Ecology*, 89, 118-125.
- France K.E. & Duffy J.E. (2006). Diversity and dispersal interactively affect predictability of ecosystem function. *Nature*, 441, 1139-1143.
- Friedrichs M.A.M., Carr M.E., Barber R.T., Scardi M., Antoine D., Armstrong R.A., Asanuma I., Behrenfeld M.J., Buitenhuis E.T., Chai F., Christian J.R., Ciotti A.M., Doney S.C., Dowell M., Dunne J., Gentili B., Gregg W., Hoepffner N., Ishizaka J., Kameda T., Lima I., Marra J., Melin F., Moore J.K., Morel A., O'Malley R.T., O'Reilly J., Saba V.S., Schmeltz M., Smyth T.J., Tjiputra J., Waters K., Westberry T.K. & Winguth A. (2009). Assessing the

- uncertainties of model estimates of primary productivity in the tropical Pacific Ocean. *Journal of Marine Systems*, 76, 113-133.
- Fukami T., Bezemer T.M., Mortimer S.R. & van der Putten W.H. (2005). Species divergence and trait convergence in experimental plant community assembly. *Ecology Letters*, 8, 1283-1290.
- Fukami T., Naeem S. & Wardle D.A. (2001). On similarity among local communities in biodiversity experiments. *Oikos*, 95, 340-348.
- Gamfeldt L., Hillebrand H. & Jonsson P.R. (2005). Species richness changes across two trophic levels simultaneously affect prey and consumer biomass. *Ecology Letters*, 8, 696-703.
- Gardner M.R. & Ashby W.R. (1970). Connectance of large dynamic (cybernetic) systems - critical values for stability. *Nature*, 228, 784-&.
- Gascuel D. (2005). The trophic-level based model: A theoretical approach of fishing effects on marine ecosystems. *Ecological Modelling*, 189, 315-332.
- Gause G.F. (1934). *The struggle for existence*. Hafner, New York.
- Gerdol V. & Hughes R.G. (1994). Effect of *Corophium volutator* on the abundance of benthic diatoms, bacteria and sediment stability in 2 estuaries in southeastern England. *Marine Ecology-Progress Series*, 114, 109-115.
- Givnish T.J. (1994). Does diversity beget stability? *Nature*, 371, 113-114.
- Gobin J.F. & Warwick R.M. (2006). Geographical variation in species diversity: A comparison of marine polychaetes and nematodes. *Journal of Experimental Marine Biology and Ecology*, 330, 234-244.
- Griffen B.D. (2006). Detecting emergent effects of multiple predator species. *Oecologia*, 148, 702-709.
- Griffiths D. (1992). Size, abundance, and energy use in communities. *Journal of Animal Ecology*, 61, 307-315.
- Griffiths D. (1998). Sampling effort, regression method, and the shape and slope of size-abundance relations. *Journal of Animal Ecology*, 67, 795-804.
- Gross T., Rudolf L., Levin S.A. & Dieckmann U. (2009). Generalized models reveal stabilizing factors in food webs. *Science*, 325, 747-750.
- Guidetti P. (2007). Predator diversity and density affect levels of predation upon strongly interactive species in temperate rocky reefs. *Oecologia*, 154, 513-520.
- Haedrich R.L. & Barnes S.M. (1997). Changes over time of the size structure in an exploited shelf fish community. *Fisheries Research*, 31, 229-239.
- Hall S.J. & Raffaelli D.G. (1991). Food web patterns: lessons from a species-rich food web. *Journal of Animal Ecology*, 60, 823-842.
- Harmon J.P., Moran N.A. & Ives A.R. (2009). Species Response to Environmental Change: Impacts of Food Web Interactions and Evolution. *Science*, 323, 1347-1350.
- Harrison G.W. (1979). Stability under environmental-stress - resistance, resilience, persistence, and variability. *American Naturalist*, 113, 659-669.

- Harrison R.D. (2000). Repercussions of El Nino: drought causes extinction and the breakdown of mutualism in Borneo. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 267, 911-915.
- Havens K. (1992). Scale and structure in natural food webs. *Science*, 257, 1107-1109.
- Hawes C., Begg G.S., Squire G.R. & Iannetta P.P.M. (2005). Individuals as the basic accounting unit in studies of ecosystem function: functional diversity in shepherd's purse, *Capsella*. *Oikos*, 109, 521-534.
- Hayward P.J. & Ryland J.S. (1995). *Handbook of the marine fauna of North-West Europe*. Oxford University Press, New York.
- Hector A., Beale A.J., Minns A., Otway S.J. & Lawton J.H. (2000). Consequences of the reduction of plant diversity for litter decomposition: effects through litter quality and microenvironment. *Oikos*, 90, 357-371.
- Hector A., Schmid B., Beierkuhnlein C., Caldeira M.C., Diemer M., Dimitrakopoulos P.G., Finn J.A., Freitas H., Giller P.S., Good J., Harris R., Hogberg P., Huss-Danell K., Joshi J., Jumpponen A., Korner C., Leadley P.W., Loreau M., Minns A., Mulder C.P.H., O'Donovan G., Otway S.J., Pereira J.S., Prinz A., Read D.J., Scherer-Lorenzen M., Schulze E.D., Siamantziouras A.S.D., Spehn E.M., Terry A.C., Troumbis A.Y., Woodward F.I., Yachi S. & Lawton J.H. (1999). Plant diversity and productivity experiments in European grasslands. *Science*, 286, 1123-1127.
- Heemsbergen D.A., Berg M.P., Loreau M., van Haj J.R., Faber J.H. & Verhoef H.A. (2004). Biodiversity effects on soil processes explained by interspecific functional dissimilarity. *Science*, 306, 1019-1020.
- Heisse K., Roscher C., Schumacher J. & Schulze E.D. (2007). Establishment of grassland species in monocultures: different strategies lead to success. *Oecologia*, 152, 435-447.
- Holling C.S. (1992). Cross-scale morphology, geometry, and dynamics of ecosystems. *Ecological Monographs*, 62, 447-502.
- Holmes J.M.C. & O'Connor J.P. (1990). Collecting marine crustaceans with a light trap. In: *The ecology of Lough Hyne: proceedings of a conference 4-5 September, 1990* (ed. Myers AA, Little, C., Costello, M.J. & Patridge, J.C.). Royal Irish Academy Dublin, pp. 43-53.
- Holt R.D. (1985). Population-dynamics in 2-patch environments - some anomalous consequences of an optimal habitat distribution. *Theoretical Population Biology*, 28, 181-208.
- Hooper D.U., Chapin F.S., Ewel J.J., Hector A., Inchausti P., Lavorel S., Lawton J.H., Lodge D.M., Loreau M., Naeem S., Schmid B., Setälä H., Symstad A.J., Vandermeer J. & Wardle D.A. (2005). Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecological Monographs*, 75, 3-35.
- Hughes J.B. & Roughgarden J. (2000). Species diversity and biomass stability. *American Naturalist*, 155, 618-627.
- Hull S.L. (1997). Seasonal changes in diversity and abundance of ostracods on four species of intertidal algae with differing structural complexity. *Marine Ecology-Progress Series*, 161, 71-82.

- Hunt H.W., Coleman D.C., Ingham E.R., Ingham R.E., Elliott E.T., Moore J.C., Rose S.L., Reid C.P.P. & Morley C.R. (1987). The detrital food web in a shortgrass prairie. *Biology and Fertility of Soils*, 3, 57-68.
- Huston M.A. (1997). Hidden treatments in ecological experiments: Re-evaluating the ecosystem function of biodiversity. *Oecologia*, 110, 449-460.
- Hutchings J.A. & Myers R.A. (1994). What can be learned from the collapse of a renewable resource - Atlantic Cod, *Gadus morhua*, of Newfoundland and Labrador. *Canadian Journal of Fisheries and Aquatic Sciences*, 51, 2126-2146.
- Hutchinson G.E. (1957). Population studies - animal ecology and demography - concluding remarks. *Cold Spring Harbor Symposia on Quantitative Biology*, 22, 415-427.
- Hutchinson G.E. (1959). Homage to Santa Rosalia or why are there so many kinds of animals. *American Naturalist*, 93, 145-159.
- Hutchinson G.E. & MacArthur R.H. (1959). A theoretical ecological model of size distributions among species of animals. *American Naturalist*, 93, 117-125.
- Ives A.R., Cardinale B.J. & Snyder W.E. (2005). A synthesis of subdisciplines: predator-prey interactions, and biodiversity and ecosystem functioning. *Ecology Letters*, 8, 102-116.
- Ives A.R. & Carpenter S.R. (2007). Stability and diversity of ecosystems. *Science*, 317, 58-62.
- Ives A.R., Carpenter S.R. & Dennis B. (1999). Community interaction webs and zooplankton responses to planktivory manipulations. *Ecology*, 80, 1405-1421.
- Ives A.R., Klug J.L. & Gross K. (2000). Stability and species richness in complex communities. *Ecology Letters*, 3, 399-411.
- Jax K. (2005). Function and "functioning" in ecology: what does it mean? *Oikos*, 111, 641-648.
- Jennings S., De Oliveira J.A.A. & Warr K.J. (2007). Measurement of body size and abundance in tests of macroecological and food web theory. *Journal of Animal Ecology*, 76, 72-82.
- Jennings S., Pinnegar J.K., Polunin N.V.C. & Boon T.W. (2001). Weak cross-species relationships between body size and trophic level belie powerful size-based trophic structuring in fish communities. *Journal of Animal Ecology*, 70, 934-944.
- Jennings S., Pinnegar J.K., Polunin N.V.C. & Warr K.J. (2002). Linking size-based and trophic analyses of benthic community structure. *Marine Ecology-Progress Series*, 226, 77-85.
- Johnson M.L., Huggins D.G. & Denoyelles F. (1991). Ecosystem modeling with LISREL - a new approach for measuring direct and indirect effects. *Ecological Applications*, 1, 383-398.
- Johnson M.P., Costello M.J. & O'Donnell D. (1995). The nutrient economy of a marine inlet Lough-Hyne, south-west Ireland. *Ophelia*, 41, 137-151.
- Jolliffe P.A. (2000). The replacement series. *Journal of Ecology*, 88, 371-385.
- Jonsson T., Cohen J.E. & Carpenter S.R. (2005). Food webs, body size, and species abundance in ecological community description. *Advances in Ecological Research*, 36, 1-84.
- Jonsson T. & Ebenman B. (1998). Effects of predator-prey body size ratios on the stability of food chains. *Journal of Theoretical Biology*, 193, 407-417.
- Kahmen A., Perner J. & Buchmann N. (2005). Diversity-dependent productivity in semi-natural grasslands following climate perturbations. *Functional Ecology*, 19, 594-601.

- Kaunzinger C.M.K. & Morin P.J. (1998). Productivity controls food-chain properties in microbial communities. *Nature*, 395, 495-497.
- Kimmins J.P., Rempel R.S., Welham C.V.J., Seely B. & Van Rees K.C.J. (2007). Biophysical sustainability, process-based monitoring and forest ecosystem management decision support systems. *Forestry Chronicle*, 83, 502-514.
- Kleiber M. (1947). Body size and metabolic rate. *Physiological Reviews*, 27, 511-541.
- Kneib R.T. (1988). Testing for indirect effects of predation in an intertidal soft-bottom community. *Ecology*, 69, 1795-1805.
- Kokkoris G.D., Jansen V.A.A., Loreau M. & Troumbis A.Y. (2002). Variability in interaction strength and implications for biodiversity. *Journal of Animal Ecology*, 71, 362-371.
- Kolasa J. & Li B.L. (2003). Removing the confounding effect of habitat specialization reveals the stabilizing contribution of diversity to species variability. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 270, S198-S201.
- Kondoh M. (2003). Foraging adaptation and the relationship between food-web complexity and stability. *Science*, 299, 1388-1391.
- Kondoh M. (2006). Does foraging adaptation create the positive complexity-stability relationship in realistic food-web structure? *Journal of Theoretical Biology*, 238, 646-651.
- Kozłowski J. & Konarzewski M. (2004). Is West, Brown and Enquist's model of allometric scaling mathematically correct and biologically relevant? *Functional Ecology*, 18, 283-289.
- Krab E.J., Cornelissen J.H.C., Lang S.I. & van Logtestijn R.S.P. (2008). Amino acid uptake among wide-ranging moss species may contribute to their strong position in higher-latitude ecosystems. *Plant and Soil*, 304, 199-208.
- Krause A.E., Frank K.A., Mason D.M., Ulanowicz R.E. & Taylor W.W. (2003). Compartments revealed in food-web structure. *Nature*, 426, 282-285.
- Laska M.S. & Wootton J.T. (1998). Theoretical concepts and empirical approaches to measuring interaction strength. *Ecology*, 79, 461-476.
- Law R., Plank M.J., James A. & Blanchard J.L. (2009). Size-spectra dynamics from stochastic predation and growth of individuals. *Ecology*, 90, 802-811.
- Lawler S.P. & Morin P.J. (1993). Food-web architecture and population-dynamics in laboratory microcosms of protists. *American Naturalist*, 141, 675-686.
- Lehman C.L. & Tilman D. (2000). Biodiversity, stability, and productivity in competitive communities. *American Naturalist*, 156, 534-552.
- Leps J., Brown V.K., Len T.A.D., Gormsen D., Hedlund K., Kailova J., Korthals G.W., Mortimer S.R., Rodriguez-Barrueco C., Roy J., Regina I.S., van Dijk C. & van der Putten W.H. (2001). Separating the chance effect from other diversity effects in the functioning of plant communities. *Oikos*, 92, 123-134.
- Letelier R.M., Bidigare R.R., Hebel D.V., Ondrusek M., Winn C.D. & Karl D.M. (1993). Temporal variability of phytoplankton community structure-based on pigment analysis. *Limnology and Oceanography*, 38, 1420-1437.
- Levine S.H. (1976). Competitive interactions in ecosystems. *American Naturalist*, 110, 903-910.

- Lindeman R.L. (1942). The trophic-dynamic aspect of ecology. *Ecology*, 23, 399-417.
- Link J. (2002). Does food web theory work for marine ecosystems? *Marine Ecology-Progress Series*, 230, 1-9.
- Link J.S. & Garrison L.P. (2002). Changes in piscivory associated with fishing induced changes to the finfish community on Georges Bank. *Fisheries Research*, 55, 71-86.
- Little C. (1990). Ecology of the rocky intertidal. In: *The ecology of Lough Hyne: proceedings of a conference 4-5 September, 1990* (ed. Myers AA, Little, C., Costello, M.J. & Patridge, J.C.). Royal Irish Academy Dublin, pp. 53-61.
- Lloret F. & Vila M. (2003). Diversity patterns of plant functional types in relation to fire regime and previous land use in Mediterranean woodlands. *Journal of Vegetation Science*, 14, 387-398.
- Loreau M., Downing A., Emmerson M., Gonzalez A., Hughes J., Inchausti P., Joshi J., Norberg J. & Sala O. (2002). A new look at the relationship between diversity and stability. In: *Biodiversity and Ecosystem Functioning: Synthesis and Perspectives*. Oxford University Press Oxford, pp. 79-91.
- Loreau M., Naeem S., Inchausti P., Bengtsson J., Grime J.P., Hector A., Hooper D.U., Huston M.A., Raffaelli D., Schmid B., Tilman D. & Wardle D.A. (2001). Biodiversity and ecosystem functioning: Current knowledge and future challenges. *Science*, 294, 804-808.
- Losey J.E. & Denno R.F. (1998). Positive predator-predator interactions: Enhanced predation rates and synergistic suppression of aphid populations. *Ecology*, 79, 2143-2152.
- MacArthur R. (1955). Fluctuations of animal populations, and a measure of community stability. *Ecology*, 36, 533-536.
- MacArthur R.H. & Levins R. (1967). Limiting similarity convergence and divergence of coexisting species. *American Naturalist*, 101, 377-&.
- Marquet P.A., Navarrete S.A. & Castilla J.C. (1990). Scaling population-density to body size in rocky intertidal communities. *Science*, 250, 1125-1127.
- Martinez N.D. (1991). Artifacts or attributes - effects of resolution on the little-rock lake food web. *Ecological Monographs*, 61, 367-392.
- Martinez N.D. (1993). Effects of resolution on food web structure. *Oikos*, 66, 403-412.
- Maser G.L., Guichard F. & McCann K.S. (2007). Weak trophic interactions and the balance of enriched metacommunities. *Journal of Theoretical Biology*, 247, 337-345.
- Mason N.W.H., Irz P., Lanoiselee C., Mouillot D. & Argillier C. (2008). Evidence that niche specialization explains species-energy relationships in lake fish communities. *Journal of Animal Ecology*, 77, 285-296.
- Mason N.W.H., Lanoiselee C., Mouillot D., Irz P. & Argillier C. (2007). Functional characters combined with null models reveal inconsistency in mechanisms of species turnover in lacustrine fish communities. *Oecologia*, 153, 441-452.
- Mason N.W.H., MacGillivray K., Steel J.B. & Wilson J.B. (2003). An index of functional diversity. *Journal of Vegetation Science*, 14, 571-578.
- May R.M. (1972). Will a large complex system be stable? *Nature*, 238, 413-&.

- May R.M. (1973). *Stability and complexity in model ecosystems*. Princeton University Press, Princeton, New Jersey.
- May R.M. (1975). Patterns of species abundance and diversity In: *Ecology of species and communities* (eds. Cody M & Diamond JM). Harvard University Press Cambridge, Mass., pp. 81-120.
- May R.M. (1988). How many species are there on Earth? *Science*, 241, 1441-1449.
- McAllen R., Davenport J., Bredendieck K. & Dunne D. (2009). Seasonal structuring of a benthic community exposed to regular hypoxic events. *Journal of Experimental Marine Biology and Ecology*, 368, 67-74.
- McCann K., Hastings A. & Huxel G.R. (1998). Weak trophic interactions and the balance of nature. *Nature*, 395, 794-798.
- McCann K.S. (2000). The diversity-stability debate. *Nature*, 405, 228-233.
- McGrady-Steed J., Harris P.M. & Morin P.J. (1997). Biodiversity regulates ecosystem predictability. *Nature*, 390, 162-165.
- McGrady-Steed J. & Morin P.J. (2000). Biodiversity, density compensation, and the dynamics of populations and functional groups. *Ecology*, 81, 361-373.
- McMahon T.A. & Bonner J.T. (1983). *On size and life*. Scientific American Library, New York.
- McNaughton S.J. (1977). Diversity and stability of ecological communities - comment on role of empiricism in ecology. *American Naturalist*, 111, 515-525.
- Memmott J., Martinez N.D. & Cohen J.E. (2000). Predators, parasitoids and pathogens: species richness, trophic generality and body sizes in a natural food web. *Journal of Animal Ecology*, 69, 1-15.
- Micheli F. & Halpern B.S. (2005). Low functional redundancy in coastal marine assemblages. *Ecology Letters*, 8, 391-400.
- Mills L.S., Soule M.E. & Doak D.F. (1993). The keystone-species concept in ecology and conservation. *Bioscience*, 43, 219-224.
- Minchin D. (1987). Fishes of the Lough Hyne marine reserve. *Journal of Fish Biology*, 31, 343-352.
- Montoya J.M., Emmerson M.C. & Woodward G. (2005). Perturbations and indirect effects in complex food webs. In: *Dynamic Food Webs: Multispecies assemblages, ecosystem development, and environmental change* (ed. De Ruiter PC, Wolters, V., Moore, J.C.). Academic Press Amsterdam, pp. 369-380.
- Montoya J.M., Pimm S.L. & Sole R.V. (2006). Ecological networks and their fragility. *Nature*, 442, 259-264.
- Montoya J.M. & Sole R.V. (2002). Small world patterns in food webs. *Journal of Theoretical Biology*, 214, 405-412.
- Montoya J.M., Woodward G., Emmerson M.C. & Solé R.V. (2009). Press perturbations and indirect effects in real food webs. *Ecology*, 90, 2426-2433.
- Moore J.C. & Hunt H.W. (1988). Resource compartmentation and the stability of real ecosystems. *Nature*, 333, 261-263.

- Moretti M., Duelli P. & Obrist M.K. (2006). Biodiversity and resilience of arthropod communities after fire disturbance in temperate forests. *Oecologia*, 149, 312-327.
- Morin P.J., Lawler S.P. & Johnson E.A. (1988). Competition between aquatic insects and vertebrates - interaction strength and higher-order interactions. *Ecology*, 69, 1401-1409.
- Morin P.J. & McGrady-Steed J. (2004). Biodiversity and ecosystem functioning in aquatic microbial systems: a new analysis of temporal variation and species richness-predictability relations. *Oikos*, 104, 458-466.
- Mouchet M., Guilhaumon F., Villeger S., Mason N.W.H., Tomasini J.A. & Mouillot D. (2008). Towards a consensus for calculating dendrogram-based functional diversity indices. *Oikos*, 117, 794-800.
- Mouillot D., Gaillard S., Aliaume C., Verlaque M., Belsher T., Troussellier M. & Chi T.D. (2005). Ability of taxonomic diversity indices to discriminate coastal lagoon environments based on macrophyte communities. *Ecological Indicators*, 5, 1-17.
- Mulder C.P.H., Uliassi D.D. & Doak D.F. (2001). Physical stress and diversity-productivity relationships: The role of positive interactions. *Proceedings of the National Academy of Sciences of the United States of America*, 98, 6704-6708.
- Naeem S. & Li S.B. (1997). Biodiversity enhances ecosystem reliability. *Nature*, 390, 507-509.
- Naeem S., Thompson L.J., Lawler S.P., Lawton J.H. & Woodfin R.M. (1995). Empirical-evidence that declining species-diversity may alter the performance of terrestrial ecosystems. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 347, 249-262.
- Naeem S. & Wright J.P. (2003). Disentangling biodiversity effects on ecosystem functioning: deriving solutions to a seemingly insurmountable problem. *Ecology Letters*, 6, 567-579.
- Neill W.E. (1975). Experimental studies of microcrustacean competition, community composition and efficiency of resource utilization. *Ecology*, 56, 809-826.
- Neutel A.M., Heesterbeek J.A.P. & de Ruiter P.C. (2002). Stability in real food webs: Weak links in long loops. *Science*, 296, 1120-1123.
- Neutel A.M., Heesterbeek J.A.P., van de Koppel J., Hoenderboom G., Vos A., Kaldeway C., Berendse F. & de Ruiter P.C. (2007). Reconciling complexity with stability in naturally assembling food webs. *Nature*, 449, 599-U11.
- Ni J. (2003). Plant functional types and climate along a precipitation gradient in temperate grasslands, north-east China and south-east Mongolia. *Journal of Arid Environments*, 53, 501-516.
- Nilsson E., Hertonsso P., Stenberg M., Brodersen J., Olsson K., Stenroth P., Lakowitz T., Bronmark C., Nystrom P. & McIntosh A.R. (2006). Facilitation and interference among three predators affect their consumption of a stream-dwelling mayfly. *Freshwater Biology*, 51, 1507-1514.
- O'Gorman E.J. & Emmerson M.C. (2009). Perturbations to trophic interactions and the stability of complex food webs. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 13393-13398.
- O'Gorman E.J., Enright R.A. & Emmerson M.C. (2008). Predator diversity enhances secondary production and decreases the likelihood of trophic cascades. *Oecologia*, 158, 557-567.

- O'Gorman E.J., Jacob U., Jonsson T. & Emmerson M.C. (in press). Interaction strength, food web topology and the relative importance of species in food webs. *Journal of Animal Ecology*.
- Odum E.P. (1953). *Fundamentals of Ecology*. Saunders, Philadelphia.
- Okuyama T. & Bolker B.M. (2007). On quantitative measures of indirect interactions. *Ecology Letters*, 10, 264-271.
- Osenberg C.W. & Mittlebach G.G. (1996). The relative importance of resource limitation and predator limitation in food chains. In: *Food webs: integration of patterns and dynamics* (ed. Polis GA, Winemiller, K.O.). Chapman and Hall New York, pp. 134-148.
- Osenberg C.W., Mittlebach, G.G. (1996). The relative importance of resource limitation and predator limitation in food chains. In: *Food webs: integration of patterns and dynamics* (ed. Polis GA, Winemiller, K.O.). Chapman and Hall New York.
- Otto S.B., Rall B.C. & Brose U. (2007). Allometric degree distributions facilitate food-web stability. *Nature*, 450, 1226-U7.
- Paine R.T. (1966). Food web complexity and species diversity. *American Naturalist*, 100, 65-75.
- Paine R.T. (1980). Food webs - linkage, interaction strength and community infrastructure. *Journal of Animal Ecology*, 49, 667-685.
- Paine R.T. (1992). Food-web analysis through field measurement of per-capita interaction strength. *Nature*, 355, 73-75.
- Parsons T.R., Maita Y. & Lalli C.M. (1984). *A manual of chemical and biological methods for seawater analysis* Pergamon Press, Oxford.
- Pauly D. & Christensen V. (1995). Primary production required to sustain global fisheries. *Nature*, 374, 255-257.
- Pavoine S. & Doledec S. (2005). The apportionment of quadratic entropy: a useful alternative for partitioning diversity in ecological data. *Environmental and Ecological Statistics*, 12, 125-138.
- Petchey O.L. (2004). On the statistical significance of functional diversity effects. *Functional Ecology*, 18, 297-303.
- Petchey O.L., Beckerman A.P., Riede J.O. & Warren P.H. (2008). Size, foraging, and food web structure. *Proceedings of the National Academy of Sciences of the United States of America*, 105, 4191-4196.
- Petchey O.L., Evans K.L., Fishburn I.S. & Gaston K.J. (2007). Low functional diversity and no redundancy in British avian assemblages. *Journal of Animal Ecology*, 76, 977-985.
- Petchey O.L. & Gaston K.J. (2002). Functional diversity (FD), species richness and community composition. *Ecology Letters*, 5, 402-411.
- Petchey O.L. & Gaston K.J. (2006). Functional diversity: back to basics and looking forward. *Ecology Letters*, 9, 741-758.
- Petchey O.L., Hector A. & Gaston K.J. (2004). How do different measures of functional diversity perform? *Ecology*, 85, 847-857.
- Peters R.H. (1983). *The ecological implications of body size*. Cambridge University Press, Cambridge.

- Pimentel D. (1961). Species diversity and insect population outbreaks. *Annals of the Entomological Society of America*, 54, 76-86.
- Pimm S.L. (1979). Structure of food webs. *Theoretical Population Biology*, 16, 144-158.
- Pimm S.L. (1982). *Food Webs*. University of Chicago Press, Chicago.
- Pimm S.L. (1984). The complexity and stability of ecosystems. *Nature*, 307, 321-326.
- Pimm S.L. & Lawton J.H. (1977). Number of trophic levels in ecological communities. *Nature*, 268, 329-331.
- Pimm S.L. & Lawton J.H. (1978). Feeding on more than one trophic level. *Nature*, 275, 542-544.
- Pimm S.L. & Lawton J.H. (1980). Are food webs divided into compartments. *Journal of Animal Ecology*, 49, 879-898.
- Podani J. & Schmera D. (2006). On dendrogram-based measures of functional diversity. *Oikos*, 115, 179-185.
- Podani J. & Schmera D. (2007). How should a dendrogram-based measure of functional diversity function? A rejoinder to Petchey and Gaston. *Oikos*, 116, 1427-1430.
- Polis G.A. (1991). Complex trophic interactions in deserts - an empirical critique of food-web theory. *American Naturalist*, 138, 123-155.
- Polis G.A., Sears A.L.W., Huxel G.R., Strong D.R. & Maron J. (2000). When is a trophic cascade a trophic cascade? *Trends in Ecology & Evolution*, 15, 473-475.
- Pomeroy L.R. (1970). The strategy of nutrient cycling. *Annual Review of Ecology Systematics*, 1, 171-190.
- Posey M.H. & Hines A.H. (1991). Complex predator-prey interactions within an estuarine benthic community. *Ecology*, 72, 2155-2169.
- Post D.M., Connors M.E. & Goldberg D.S. (2000a). Prey preference by a top predator and the stability of linked food chains. *Ecology*, 81, 8-14.
- Post D.M., Pace M.L. & Hairston N.G. (2000b). Ecosystem size determines food-chain length in lakes. *Nature*, 405, 1047-1049.
- Post E., Peterson R.O., Stenseth N.C. & McLaren B.E. (1999). Ecosystem consequences of wolf behavioural response to climate. *Nature*, 401, 905-907.
- Poulin R. (2004). Macroecological patterns of species richness in parasite assemblages. *Basic and Applied Ecology*, 5, 423-434.
- Power M.E., Matthews W.J. & Stewart A.J. (1985). Grazing minnows, piscivorous bass, and stream algae - dynamics of a strong interaction. *Ecology*, 66, 1448-1456.
- Power M.E., Tilman D., Estes J.A., Menge B.A., Bond W.J., Mills L.S., Daily G., Castilla J.C., Lubchenco J. & Paine R.T. (1996). Challenges in the quest for keystones. *Bioscience*, 46, 609-620.
- Prasad R.P. & Snyder W.E. (2006). Diverse trait-mediated interactions in a multi-predator, multi-prey community. *Ecology*, 87, 1131-1137.
- Preisser E.L., Bolnick D.I. & Benard M.F. (2005). Scared to death? The effects of intimidation and consumption in predator-prey interactions. *Ecology*, 86, 501-509.
- Pulliam H.R. (1988). Sources, sinks, and population regulation. *American Naturalist*, 132, 652-661.

- Purvis A., Jones K.E. & Mace G.M. (2000). Extinction. *Bioessays*, 22, 1123-1133.
- Raffaelli D. (2002). Ecology - From Elton to mathematics and back again. *Science*, 296, 1035-+.
- Raffaelli D.G. & Hall S.J. (1992). Compartments and predation in an estuarine food web. *Journal of Animal Ecology*, 61, 551-560.
- Raffaelli D.G. & Hall S.J. (1996). Assessing the relative importance of trophic links in food webs. *Food webs: Integration of patterns and dynamics*, 185-191.
- Rawlinson K.A., Davenport J. & Barnes D.K.A. (2004). Vertical migration strategies with respect to advection and stratification in a semi-enclosed lough: a comparison of mero- and holozooplankton. *Marine Biology*, 144, 935-946.
- Reagan D.P. & Waide R.B. (1996). *The food web of a tropical rain forest*. University of Chicago Press, London.
- Rees T.K. (1935). The marine algae of Lough Ine. *Journal of Ecology*, 23, 69-133.
- Renouf L.P.W. (1931). Preliminary work of a new biological field station (Lough Ine, Co. Cork, I.F.S.). *Journal of Ecology*, 19, 410-438.
- Richardson S.J., Press M.C., Parsons A.N. & Hartley S.E. (2002). How do nutrients and warming impact on plant communities and their insect herbivores? A 9-year study from a sub-Arctic heath. *Journal of Ecology*, 90, 544-556.
- Ricklefs R.E. & Travis J. (1980). A morphological approach to the study of avian community organization. *Auk*, 97, 321-338.
- Ricotta C. (2004). A parametric diversity measure combining the relative abundances and taxonomic distinctiveness of species. *Diversity and Distributions*, 10, 143-146.
- Ricotta C. (2005a). A note on functional diversity measures. *Basic and Applied Ecology*, 6, 479-486.
- Ricotta C. (2005b). Through the jungle of biological diversity. *Acta Biotheoretica*, 53, 29-38.
- Rinaldo A., Maritan A., Cavender-Bares K.K. & Chisholm S.W. (2002). Cross-scale ecological dynamics and microbial size spectra in marine ecosystems. *Proceedings of the Royal Society B-Biological Sciences*, 269, 2051-2059.
- Roff J.C., Turner J.T., Webber M.K. & Hopcroft R.R. (1995). Bacterivory by tropical copepod nauplii - extent and possible significance. *Aquatic Microbial Ecology*, 9, 165-175.
- Rogers S.I. (1990). Collecting marine crustaceans with a light trap. In: *The ecology of Lough Hyne: proceedings of a conference 4-5 September, 1990* (ed. Myers AA, Little, C., Costello, M.J. & Patridge, J.C.). Royal Irish Academy Dublin, pp. 99-107.
- Romanuk T.N., Vogt R.J. & Kolasa J. (2006). Nutrient enrichment weakens the stabilizing effect of species richness. *Oikos*, 114, 291-302.
- Rooney N., McCann K., Gellner G. & Moore J.C. (2006). Structural asymmetry and the stability of diverse food webs. *Nature*, 442, 265-269.
- Roscher C., Schumacher J., Baade J., Wilcke W., Gleixner G., Weisser W.W., Schmid B. & Schulze E.D. (2004). The role of biodiversity for element cycling and trophic interactions: an experimental approach in a grassland community. *Basic and Applied Ecology*, 5, 107-121.
- Sala O.E., Chapin F.S., Armesto J.J., Berlow E., Bloomfield J., Dirzo R., Huber-Sanwald E., Huenneke L.F., Jackson R.B., Kinzig A., Leemans R., Lodge D.M., Mooney H.A.,

- Oosterheld M., Poff N.L., Sykes M.T., Walker B.H., Walker M. & Wall D.H. (2000). Biodiversity - Global biodiversity scenarios for the year 2100. *Science*, 287, 1770-1774.
- Schamp B.S., Chau J. & Aarssen L.W. (2008). Dispersion of traits related to competitive ability in an old-field plant community. *Journal of Ecology*, 96, 204-212.
- Scheffer M., Carpenter S., Foley J.A., Folke C. & Walker B. (2001). Catastrophic shifts in ecosystems. *Nature*, 413, 591-596.
- Scherer-Lorenzen M. (2008). Functional diversity affects decomposition processes in experimental grasslands. *Functional Ecology*, 22, 547-555.
- Scherer-Lorenzen M., Schulze E.D., Don A., Schumacher J. & Weller E. (2007). Exploring the functional significance of forest diversity: A new long-term experiment with temperate tree species (BIOTREE). *Perspectives in Plant Ecology Evolution and Systematics*, 9, 53-70.
- Schmera D., Eros T. & Podani J. (2009). A measure for assessing functional diversity in ecological communities. *Aquatic Ecology*, 43, 157-167.
- Schmid-Araya J.M., Hildrew A.G., Robertson A., Schmid P.E. & Winterbottom J. (2002). The importance of meiofauna in food webs: Evidence from an acid stream. *Ecology*, 83, 1271-1285.
- Schmid P.E., Tokeshi M. & Schmid-Araya J.M. (2000). Relation between population density and body size in stream communities. *Science*, 289, 1557-1560.
- Schmidt-Nielsen K. (1984). *Scaling: why is animal size so important?* Cambridge University Press, Cambridge.
- Schmitz O.J. (1997). Press perturbations and the predictability of ecological interactions in a food web. *Ecology*, 78, 55-69.
- Schmitz O.J., Krivan V. & Ovadia O. (2004). Trophic cascades: the primacy of trait-mediated indirect interactions. *Ecology Letters*, 7, 153-163.
- Schoener T.W. (1974a). Competition and form of habitat shift. *Theoretical Population Biology*, 6, 265-307.
- Schoener T.W. (1974b). Resource partitioning in ecological communities. *Science*, 185, 27-39.
- Scholze M., Knorr W., Arnell N.W. & Prentice I.C. (2006). A climate-change risk analysis for world ecosystems. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 13116-13120.
- Schratzberger M., Warr K. & Rogers S.I. (2007). Functional diversity of nematode communities in the southwestern North Sea. *Marine Environmental Research*, 63, 368-389.
- Schroter D., Cramer W., Leemans R., Prentice I.C., Araujo M.B., Arnell N.W., Bondeau A., Bugmann H., Carter T.R., Gracia C.A., de la Vega-Leinert A.C., Erhard M., Ewert F., Glendinning M., House J.I., Kankaanpaa S., Klein R.J.T., Lavorel S., Lindner M., Metzger M.J., Meyer J., Mitchell T.D., Reginster I., Rounsevell M., Sabate S., Sitch S., Smith B., Smith J., Smith P., Sykes M.T., Thonicke K., Thuiller W., Tuck G., Zaehle S. & Zierl B. (2005). Ecosystem service supply and vulnerability to global change in Europe. *Science*, 310, 1333-1337.

- Schweiger O., Musche M., Bailey D., Billeter R., Diekotter T., Hendrickx F., Herzog F., Liira J., Maelfait J.P., Speelmans M. & Dziock F. (2007). Functional richness of local hoverfly communities (Diptera, Syrphidae) in response to land use across temperate Europe. *Oikos*, 116, 461-472.
- Shima J.S. (2001). Regulation of local populations of a coral reef fish via joint effects of density- and number-dependent mortality. *Oecologia*, 126, 58-65.
- Siddon C.E. & Witman J.D. (2004). Behavioral indirect interactions: Multiple predator effects and prey switching in the rocky subtidal. *Ecology*, 85, 2938-2945.
- Sih A., Englund G. & Wooster D. (1998). Emergent impacts of multiple predators on prey. *Trends in Ecology & Evolution*, 13, 350-355.
- Slobodkin L.B. (1962). Energy in animal ecology. *Advances in Ecological Research*, 1, 69-101.
- Slobodkin L.B. (2001). The good, the bad and the reified. *Evolutionary Ecology Research*, 3, 1-13.
- Soluk D.A. & Collins N.C. (1988). Synergistic interactions between fish and stoneflies - facilitation and interference among stream predators. *Oikos*, 52, 94-100.
- Spencer M. & Warren P.H. (1996). The effects of habitat size and productivity on food web structure in small aquatic microcosms. *Oikos*, 75, 419-430.
- Stein R.A. & Magnuson J.J. (1976). Behavioral response of crayfish to a fish predator. *Ecology*, 57, 751-761.
- Steiner C.F. (2005). Temporal stability of pond zooplankton assemblages. *Freshwater Biology*, 50, 105-112.
- Steiner C.F., Long Z.T., Krumins J.A. & Morin P.J. (2006). Population and community resilience in multitrophic communities. *Ecology*, 87, 996-1007.
- Stephens K., Sheldon R.W. & Parsons T.R. (1967). Seasonal variations in availability of food for benthos in a coastal environment. *Ecology*, 48, 852-&.
- Sturner R.W., Bajpai A. & Adams T. (1997). The enigma of food chain length: Absence of theoretical evidence for dynamic constraints. *Ecology*, 78, 2258-2262.
- Stocker L.J. (1986). Artfactual effects of caging on the recruitment and survivorship of a subtidal colonial invertebrate. *Marine Ecology-Progress Series*, 34, 305-307.
- Sugihara G., Schoenly K. & Trombla A. (1989). Scale invariance in food web properties. *Science*, 245, 48-52.
- Teng J. & McCann K.S. (2004). Dynamics of compartmented and reticulate food webs in relation to energetic flows. *American Naturalist*, 164, 85-100.
- Thompson K., Askew A.P., Grime J.P., Dunnett N.P. & Willis A.J. (2005). Biodiversity, ecosystem function and plant traits in mature and immature plant communities. *Functional Ecology*, 19, 355-358.
- Thuiller W., Lavorel S., Sykes M.T. & Araujo M.B. (2006). Using niche-based modelling to assess the impact of climate change on tree functional diversity in Europe. *Diversity and Distributions*, 12, 49-60.
- Tilman D. (1996). Biodiversity: Population versus ecosystem stability. *Ecology*, 77, 350-363.

- Tilman D. (1999). The ecological consequences of changes in biodiversity: A search for general principles. *Ecology*, 80, 1455-1474.
- Tilman D. (2001). Functional diversity. In: *Encyclopaedia of biodiversity* (ed. Levin SA). Academic Press San Diego, pp. 109-120.
- Tilman D., Lehman C.L. & Bristow C.E. (1998). Diversity-stability relationships: Statistical inevitability or ecological consequence? *American Naturalist*, 151, 277-282.
- Tilman D., Reich P.B. & Knops J.M.H. (2006). Biodiversity and ecosystem stability in a decade-long grassland experiment. *Nature*, 441, 629-632.
- Tilman D., Wedin D. & Knops J. (1996). Productivity and sustainability influenced by biodiversity in grassland ecosystems. *Nature*, 379, 718-720.
- Tokeshi M. (1993). Species abundance patterns and community structure. *Advances in Ecological Research*, Vol 24, 24, 111-186.
- Turner F.B. (1970). Ecological efficiency of consumer populations. *Ecology*, 51, 741-&.
- Turner J.T. (2004). The importance of small planktonic copepods and their roles in pelagic marine food webs. *Zoological Studies*, 43, 255-266.
- Tylianakis J.M., Tscharntke T. & Klein A.M. (2006). Diversity, ecosystem function, and stability of parasitoid host interactions across a tropical habitat gradient. *Ecology*, 87, 3047-3057.
- Uehlinger U. (2006). Annual cycle and inter-annual variability of gross primary production and ecosystem respiration in a floodprone river during a 15-year period. *Freshwater Biology*, 51, 938-950.
- Ulanowicz R.E. & Baird D. (1999). Nutrient controls on ecosystem dynamics: the Chesapeake mesohaline community. *Journal of Marine Systems*, 19, 159-172.
- Underwood A.J. (1997). *Experiments in ecology: their logical design and interpretation using analysis of variance*. Cambridge University Press.
- Underwood A.J. & Chapman M.G. (2006). Early development of subtidal macrofaunal assemblages: relationships to period and timing of colonization. *Journal of Experimental Marine Biology and Ecology*, 330, 221-233.
- Van Son T.C. & Thiel M. (2006). Multiple predator effects in an intertidal food web. *Journal of Animal Ecology*, 75, 25-32.
- Vance-Chalcraft H.D. & Soluk D.A. (2005). Multiple predator effects result in risk reduction for prey across multiple prey densities. *Oecologia*, 144, 472-480.
- Vander Zanden M.J., Shuter B.J., Lester N. & Rasmussen J.B. (1999). Patterns of food chain length in lakes: A stable isotope study. *American Naturalist*, 154, 406-416.
- Vandermeer J. (1972). Niche theory. *Annual Review of Ecology and Systematics*, 3, 107-132.
- Vergano L. & Nunes P. (2007). Analysis and evaluation of ecosystem resilience: an economic perspective with an application to the Venice lagoon. *Biodiversity and Conservation*, 16, 3385-3408.
- Villegger S., Mason N.W.H. & Mouillot D. (2008). New multidimensional functional diversity indices for a multifaceted framework in functional ecology. *Ecology*, 89, 2290-2301.

- Vitousek P.M., Mooney H.A., Lubchenco J. & Melillo J.M. (1997). Human domination of Earth's ecosystems. *Science*, 277, 494-499.
- Vogt R.J., Romanuk T.N. & Kolasa J. (2006). Species richness-variability relationships in multi-trophic aquatic microcosms. *Oikos*, 113, 55-66.
- Vranken G., Herman P.M.J., Vincx M. & Heip C. (1986). A re-evaluation of marine nematode productivity. *Hydrobiologia*, 135, 193-196.
- Walker B., Kinzig A. & Langridge J. (1999). Plant attribute diversity, resilience, and ecosystem function: The nature and significance of dominant and minor species. *Ecosystems*, 2, 95-113.
- Walker B.H. (1992). Biodiversity and ecological redundancy. *Conservation Biology*, 6, 18-23.
- Walker B.H. & Langridge J.L. (2002). Measuring functional diversity in plant communities with mixed life forms: A problem of hard and soft attributes. *Ecosystems*, 5, 529-538.
- Warren P.H. (1989). Spatial and temporal variation in the structure of a fresh-water food web. *Oikos*, 55, 299-311.
- Warren P.H. & Lawton J.H. (1987). Invertebrate predator-prey body size relationships - an explanation for upper-triangular food webs and patterns in food web structure. *Oecologia*, 74, 231-235.
- Watson D.I. & Barnes D.K.A. (2004). Temporal and spatial components of variability in benthic recruitment, a 5-year temperate example. *Marine Biology*, 145, 201-214.
- Webster J.R., Waide J.B. & Patten B.C. (1974). Nutrient recycling and the stability of ecosystems. In: *Mineral cycling in south eastern ecosystems* (eds. Horwell FG, Gentry JB & Smith MH). National Technical Information Service Springfield, Virginia.
- Weigelt A., Schumacher J., Roscher C. & Schmid B. (2008). Does biodiversity increase spatial stability in plant community biomass? *Ecology Letters*, 11, 338-347.
- Weis J.J., Cardinale B.J., Forshay K.J. & Ives A.R. (2007). Effects of species diversity on community biomass production change over the course of succession. *Ecology*, 88, 929-939.
- Weithoff G. (2003). The concepts of 'plant functional types' and 'functional diversity' in lake phytoplankton - a new understanding of phytoplankton ecology? *Freshwater Biology*, 48, 1669-1675.
- Werner E.E. & Peacor S.D. (2003). A review of trait-mediated indirect interactions in ecological communities. *Ecology*, 84, 1083-1100.
- Wesser S.D. & Armbruster W.S. (1991). Species distribution controls across a forest-steppe transition - a causal model and experimental test. *Ecological Monographs*, 61, 323-342.
- West G.B., Brown J.H. & Enquist B.J. (1997). A general model for the origin of allometric scaling laws in biology. *Science*, 276, 122-126.
- White E.P., Ernest S.K.M., Kerkhoff A.J. & Enquist B.J. (2007). Relationships between body size and abundance in ecology. *Trends in Ecology & Evolution*, 22, 323-330.
- Wilbur H.M. (1972). Competition, predation, and structure of *Ambystoma-Rana sylvatica* community. *Ecology*, 53, 3-&.

- Williams R.J., Berlow E.L., Dunne J.A., Barabasi A.L. & Martinez N.D. (2002). Two degrees of separation in complex food webs. *Proceedings of the National Academy of Sciences of the United States of America*, 99, 12913-12916.
- Williams R.J. & Martinez N.D. (2000). Simple rules yield complex food webs. *Nature*, 404, 180-183.
- Wilson K. (1984). A bibliography of Lough Hyne (Ine) 1687-1982. *Journal of Life Sciences Royal Dublin Society*, 5, 1-11.
- Winemiller K.O. (1990). Spatial and temporal variation in tropical fish trophic networks. *Ecological Monographs*, 60, 331-367.
- Woodward G., Ebenman B., Emmerson M.C., Montoya J.M., Olesen J.M., Valido A. & Warren P.H. (2005a). Body size in ecological networks. *Trends in Ecology & Evolution*, 20, 402-409.
- Woodward G., Speirs D.C. & Hildrew A.G. (2005b). Quantification and resolution of a complex, size-structured food web. *Advances in Ecological Research*, 36, 85-135.
- Wootton J.T. (1994). Predicting direct and indirect effects - an integrated approach using experiments and path-analysis. *Ecology*, 75, 151-165.
- Wootton J.T. (1997). Estimates and tests of per capita interaction strength: Diet, abundance, and impact of intertidally foraging birds. *Ecological Monographs*, 67, 45-64.
- Wootton J.T. & Emmerson M. (2005). Measurement of interaction strength in nature. *Annual Review of Ecology Evolution and Systematics*, 36, 419-444.
- Worm B., Barbier E.B., Beaumont N., Duffy J.E., Folke C., Halpern B.S., Jackson J.B.C., Lotze H.K., Micheli F., Palumbi S.R., Sala E., Selkoe K.A., Stachowicz J.J. & Watson R. (2006). Impacts of biodiversity loss on ocean ecosystem services. *Science*, 314, 787-790.
- Worm B. & Duffy J.E. (2003). Biodiversity, productivity and stability in real food webs. *Trends in Ecology & Evolution*, 18, 628-632.
- Wright J.P., Naeem S., Hector A., Lehman C., Reich P.B., Schmid B. & Tilman D. (2006). Conventional functional classification schemes underestimate the relationship with ecosystem functioning. *Ecology Letters*, 9, 111-120.
- Yachi S. & Loreau M. (1999). Biodiversity and ecosystem productivity in a fluctuating environment: The insurance hypothesis. *Proceedings of the National Academy of Sciences of the United States of America*, 96, 1463-1468.
- Yodzis P. (1981). The stability of real ecosystems. *Nature*, 289, 674-676.
- Yodzis P. (1988). The indeterminacy of ecological interactions as perceived through perturbation experiments. *Ecology*, 69, 508-515.
- Yodzis P. (1998). Local trophodynamics and the interaction of marine mammals and fisheries in the Benguela ecosystem. *Journal of Animal Ecology*, 67, 635-658.
- Zavaleta E.S. & Hulvey K.B. (2007). Realistic variation in species composition affects grassland production, resource use and invasion resistance. *Plant Ecology*, 188, 39-51.
- Zhao D.D. & Zhao Z.W*. (2007). Biodiversity of arbuscular mycorrhizal fungi in the hot-dry valley of the Jinsha River, southwest China. *Applied Soil Ecology*, 37, 118-128.