


UCC Library and UCC researchers have made this item openly available. Please [let us know](#) how this has helped you. Thanks!

Title	Optimal central obesity measurement site for assessing cardiometabolic and type 2 diabetes risk in middle-aged adults
Author(s)	Millar, Sean R.; Perry, Ivan J.; Van den Broeck, Jan; Phillips, Catherine M.
Publication date	2015
Original citation	Millar SR, Perry IJ, Broeck Jvd, Phillips CM (2015) Optimal Central Obesity Measurement Site for Assessing Cardiometabolic and Type 2 Diabetes Risk in Middle-Aged Adults. PLoS ONE 10(6): e0129088. doi:10.1371/journal.pone.0129088
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://dx.doi.org/10.1371/journal.pone.0129088 Access to the full text of the published version may require a subscription.
Rights	© 2015 Millar et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited http://creativecommons.org/licenses/by/4.0/
Item downloaded from	http://hdl.handle.net/10468/2307


Downloaded on 2019-04-22T23:58:57Z

S1 Figs. Odds ratios (95% CI) of having non-optimal cardiometabolic risk features for a one standard deviation increase in each obesity measure.


HIGH TRIGLYCERIDES





LOW HDL-C



HIGH BLOOD PRESSURE



INSULIN RESISTANCE



IMPAIRED FASTING GLUCOSE

