

**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	Electric vehicle: infrastructure regulatory requirements
Author(s)	Foley, Aoife M.; Winning, Ian; Ó Gallachóir, Brian P.
Editor(s)	Ghosh, Bidisha Murray, Roisin
Publication date	2010-09
Original citation	Winning, I., Foley, A. M., Ó Gallachóir, B. P., 2010. Electric Vehicles: Infrastructure Regulatory Requirements. In: Ghosh, B., Murray, R. (eds), Irish Transport Research Network: Proceedings of the inaugural conference of the Irish Transport Research Network (ITRN 2010). Dublin, Ireland 31 Aug - 1 Sep 2010. ITRN: Dublin
Type of publication	Conference item
Link to publisher's version	http://www.itrn.ie Access to the full text of the published version may require a subscription.
Rights	©2010, Ian Winning; Aoife M. Foley; Brian P. Ó Gallachóir. http://creativecommons.org/licenses/by-nc-sa/3.0/
Item downloaded from	http://hdl.handle.net/10468/263

Downloaded on 2021-09-21T11:58:23Z



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

ELECTRIC VEHICLES: INFRASTRUCTURE REGULATORY REQUIREMENTS

Aoife Foley¹, Ian Winning² and Brian Ó Gallachóir³

1. Aoife Foley, EPA CCRP Fellow & Lecturer, Dept. of Civil & Environmental Engineering, School of Engineering, University College Cork, College Rd., Cork, Ireland, email: aoife.foley@ucc.ie
2. Ian Winning, Senior Executive Engineer & Traffic Manager, Transport Directorate, Cork City Council, Albert Quay House, Cork City
3. Brian Ó Gallachóir, Lecturer in Energy Engineering, Dept. of Civil & Environmental Engineering, School of Engineering, University College Cork, College Rd., Cork, Ireland

ABSTRACT

In 2009 the European Union (EU) Directive on Renewable Energy placed an obligation on each Member State to ensure that 10% of transport energy (excluding aviation and marine transport) come from renewable sources by 2020. The Irish Government intends to achieve part of this target by making sure that 10% of all vehicles in its transport fleet are powered by electricity by 2020. Stakeholder groups include but are not limited to policy makers, the public, regulatory bodies, participants in the electricity retail market, the transmission and distribution system grid operators, the automotive industry, private enterprise, civil engineers, electrical engineers, electricians, architects, builders, building owners, building developers, building managers, fleet managers and EV owners. Currently it appears both internationally and Nationally the automotive industry is focused on EV manufacture, governments and policy makers have highlighted the potential environmental and job creation opportunities while the electricity sector is preparing for an additional electrical load on the grid system. The focus of this paper is to produce an international EV roadmap. A review of current international best practice and guidelines under consideration or recommended is presented. An update on any EV infrastructure charging equipment standards is also provided. Finally the regulatory modifications to existing National legislation as well as additional infrastructure items which may need control via new regulations are identified.

Keywords: Charging infrastructure, electric vehicles, guidelines, regulations, standards

1 INTRODUCTION

The successful deployment of electric vehicles (EVs) over the next decade is connected to the introduction of internationally agreed EV standards, universal charging hardware infrastructure, associated universal peripherals and user-friendly software on public and private property. A number of workgroups have been formed by key organizations such as the International Energy Agency (IEA), the Society for Automobile Engineers (SAE) and the Institute of Electrical and Electronic Engineers (IEEE).

Automobile manufacturers, the electricity industry and governments have identified that EVs have the potential to reduce carbon dioxide (CO₂) emissions as well as some other pollutants associated with road transport such as particulate matter (PM), carbon monoxide (CO), oxide of nitrous (NO_x), nitrogen dioxide (NO₂), oxides of sulphur (SO_x), sulphur dioxide (SO₂) and volatile organic compounds (VOC), to name just a few. However if the deployment of electric vehicles (EV's) is to be successful apart from the introduction of an international standardised engineering terminology,

charging hardware infrastructure, associated peripherals and user-friendly universal software on public and private property considerable National regulatory issues must be properly considered. In generally all stakeholders are not fully familiar with these requirements. Regulatory changes include additions to current planning permission, health and safety, building and the road traffic signs regulations. Other associated legislative requirements include bylaws at a local authority level to enable a mechanism to allow the erection of charging infrastructure and associated peripherals on public property. Additional issues are the ownership of the charging hardware equipment and software, insurance and public liabilities.

The focus of this paper is to introduce the current international roadmap towards EV. A detailed review of current international best practice and guidelines under consideration or recommended is presented. An update on any EV infrastructure charging equipment standards is also provided. Finally the regulatory modifications to existing National legislation as well as additional items which may need control via new regulations are identified.

2 INTERNATIONAL GOVERNMENT & INDUSTRY TARGETS

Reference [1] provides a detailed review of over 40 studies carried out in the USA to examine the effects of EVs on well-to-wheel emissions. More recent studies, which examine potential greenhouse gas (GHG) emissions reductions from EVs include References [2, 3, 4, 5, 6 and 7]. A number of countries including some European Union (EU) member states, Japan, South Korea, Canada, China, Israel and the United States of America (USA) have established electric vehicle (EV) targets, policies and plans. EVs are supported due to potential benefits in employment via technology research and development opportunities and the manufacture and deployment of EV infrastructure. EVs are also presented as an opportunity to integrate renewable energy sources (RES), for example EV charging by wind power, which should result in a better security of energy supply by reducing oil imports. Table 1 presents some international targets adapted from References [8 and 9]. European policies on EVs are provided in Reference [10].

Table 1. Some International EV Target Objectives

Country	Targets
Austria	2020: 100,000 EVs deployed ¹
Australia	2012: first cars on road, 2018: mass deployment, 2050: up to 65% of car stock ²
Canada	2018: 500,000 EVs deployed ³
China	2011: 500000 annual production of EVs ⁴
Denmark	2020:200,000 EVs ⁵
France	2020: 2,000,000 EVs ⁶
Germany	2020: 1,000,000 EVs deployed ⁷
Ireland	2020: 10% EV market share ⁸
Israel	2011: 40,000 EVs, 2012: 40,000 to 100,000 EVs annually ⁹
Japan	2020: 50% market share of next generation vehicles ¹⁰
New Zealand	2020: 5% market share, 2040: 60% market share ¹¹
Spain	2014: 1,000,000 EVs deployed ¹²
Sweden	2020: 600,000 EVs deployed ¹³
United Kingdom	No target figures, but policy to support EVs ¹⁴
USA	2015: 1,000,000 PHEV stock ¹⁵

¹<http://www.iea-reted.org/files/RETRANS100128%20Schauer.pdf>

²http://australia.betterplace.com/assets/pdf/Better_Place_Australia_energy_whte_paper-doc.pdf

³http://www.evtrm.gc.ca/pdfs/E-design_09_0581_electric_vehicle_e.pdf

⁴<http://www.nytimes.com/2009/04/02/business/global/02electric.html>

⁵<http://www.ens.dk/en-US/Sider/forside.aspx>

⁶<http://www.physorg.com/news173639548.html>

⁷<http://www.evworld.com/news.cfm?newsid=23301>

⁸<http://www.dcenr.gov.ie/Press+Releases/2008/Government+announces+plans+for+the+electrification+of+Irish+motoring.htm>

⁹<http://www.betterplace.com/>

¹⁰<http://www.autosavant.com/2008/08/27/japan-charges-ahead-with-electric-cars/>

¹¹<http://www.msnbc.msn.com/id/21246592/>

¹²<http://uk.reuters.com/article/idUKAR004096020080730>

¹³<http://www.powercircle.org/en/display/Projects/swedish-electric-mobility-initiative.aspx>

14

<http://www.dft.gov.uk/pgr/scienceresearch/technology/lowcarbonelecvehicles/>

15

http://www.businessweek.com/technology/content/jun2010/te2010063_322564.htm

Table 2 presents the latest data available with regard to a number of original equipment manufactures (OEM) in terms of a technology roadmap [8 and 11]. The development of EVs involves two sectors, the battery manufacturers and the EV manufacturers. BMW announced in early June 2010 that it was ceasing further work on the electric mini, as it was too expensive to build and that other manufacturers were heavily subsidising their EVs and that the stage of battery development is comparable with the ICE 100 years ago [12]. BMW's preference is for a battery swapping programme in order that drivers are not inconvenience at charging points, such as that proposed by the Israeli Better Place company [13].

Table 2. OEM Technology Roadmap

Car manufacturer	Battery manufacturer	Production Target
BYD Auto	BYD Group	2015: 100,000 ^A
Fiat-Chrysler	A123 Systems	No date, no numbers ^B
Ford	Johnston Controls-Saft	5,000 per annum
GM	LG Chem	2011: 10,000 & 2012: 60,000 ^C
Hyundai	LG Chem, SK Energy and SB Limotive	2018: 500,000
Mercedes-Benz	Continental and Johnston Controls-Saft	No date, no numbers ^D
Mitsubishi	GS Yuasa Corp.	2010: 5,000, 2011: 15,000
Nissan	AESC	2010: 50,000, 2012: 100,000
REVA	Indocel Technologies	No date, no numbers
Renault	AESC	By 2010 150,000/annum
Subaru	AESC	2010: 100 ^E
Tata	Electrovaya	No date, no numbers
Toyota	Panasonic	No date, no numbers
Volkswagen	Volkswagen and Toshiba Corp.	2011: 500

^A <http://blogs.edmunds.com/greencaradvisor/2010/03/byd-auto-to-offer-f3dm-plug-in-hybrid-to-chinese-individuals-starting-next-week.html>

^B <http://www.autoblog.com/2010/03/22/chrysler-500ev-all-electric-fiat-500-for-u-s/>

^C http://www.greencarreports.com/blog/1034168_2011-chevrolet-volt-talk-about-limited-production

^D <http://green.autoblog.com/2009/09/10/officially-official-mercedes-benz-vision-s-500-plug-in-hybrid/>

^E <http://green.autoblog.com/2007/12/26/subaru-ev-could-arrive-as-early-as-2009/>

^F <http://green.autoblog.com/2010/03/01/volkswagen-announces-electrification-plan-500-golf-evs-in-2011/>

3 RELEVANCE & ROLE OF STANDARDISATION

In the next decade the automobile industry and the electricity sector will undergo a series of evolutionary changes. Reference [8] examines this EV roadmap. Automobile standards and best practice have developed over time, initially to

improve safety to acceptable low injury and fatality rates, to avoid litigation and costly recalls, next during the oil crisis of the seventies the Europeans and the Asians particularly became very energy conscious so manufacturers developed more efficient ICE, unlike in North America where oil was cheaper at the pump and then in the eighties air pollution and more recently GHG emissions resulted in tougher government standards to reduce ICE emissions.

The drive to electrify transport will result in countries forming new trading alliances and partnerships to ensure the success of their technology. Standards may be used as tools in countries gaining a competitive advantage. The addition of new players and the changing role of existing players will see a massive change in the hitherto status quo of car manufacturing. The electricity sector is a different beast to the automobile industry with its own set of standards and regulations, which vary hugely from country to country and even within a country.

Perhaps unlike the automobile industries traditional reaction to events to mitigate costs and recalls, the rigid approach of the electricity sector because of the nature of power may result in standardization taking more of a front seat. Either way the 'EVolution', will make for a very interesting 10 years for the engineers involved. In October of 2009 European electricity companies called for the standardization of EV charging infrastructure and pledged to apply pre-standards [14].

3.1 EV Standards

The main centre of activity in standardization development appears to be in USA and Japan with slower progress in the EU. References [8, 15 and 16] discuss EV technology development. Table 3 provides details of some relevant SAE and the American National Standards Institute EV standards and their status.

Table 3. Selected SAE Standards

Standard	Status
NFPA 70 NEC/ANSI, Article 625 – Electric Vehicle Charging Equipment	Published January 1996, WIP January 2011
SAE J-1634: Electric Vehicle Energy Consumption and Range Test	Issued and cancelled October 2002
SAE J-1715: Hybrid Electric Vehicle (HEV) and Electric Vehicle (EV) Terminology	Original issued April 1994, revised February 2008 & WIP August 2009
SAE J-2293 Part 1: Energy Transfer System for EV Part 1: Functional Requirements and System Architecture	Issued March 1997, reaffirmed July 2008
SAE J-2293 Part 2: Energy Transfer System for EV Part 2: Communications Requirements and Network Architecture	Issued May 1997, reaffirmed July 2008
SAE J-2836 Part 1: Use Cases for	WIP April 2009

Standard	Status
Communications between Plug-In Vehicles and the Utility Grid	WIP no document available
SAE J-2847 Part 3: Communication between Plug-in Vehicles and the Utility Grid for Reverse Power Flow	available

Table 4 provides details of some relevant Deutsches Institut für Normung e. V. (DIN) EV standards and their status.

Table 4. DIN STANDARDS

Standard	Status
DIN V VDE V 0510-11 (VDE V 0510-11) Safety requirements for secondary batteries and battery installations - Part 11	Published
DIN 43538 Monobloc batteries for electric vehicles; low maintenance types, rated capacities, main dimensions	Published

Table 5 provides details of some relevant International Electromechanical Commission (IEC) EV standards and their status.

Table 5. Selected ISO Standards

Standard	Status
ISO 6469-1:2009 Electrically propelled road vehicles - Safety specifications - Part 1: On-board rechargeable energy storage system (RESS)	Published October 2009
ISO 6469-2:2009 Electrically propelled road vehicles - Safety specifications - Part 2: Vehicle operational safety means and protection against failures	Published October 2009
ISO 6469-3:2001 Electric road vehicles - Safety specifications - Part 3: Protection of persons against electric hazards	Published but in review stage to be revised
ISO/CD 8713 Electric road vehicles - Vocabulary	Committee stage, voting and comments stage closed
ISO 8714:2002 Electric road vehicles - Reference energy consumption and range - Test procedures for passenger cars and light commercial vehicles	Review stage closed
ISO/DIS 12405-1 Electrically propelled road vehicles - Test specification for lithium-Ion traction battery systems - Part 1: High power applications	Enquiry stage but voting closed
ISO/AWI 12405-2 Electrically propelled road vehicles - Test specification for lithium-Ion traction battery systems - Part 2: High energy applications	Preliminary stage, proposal for new project received

Table 6 provides details of some relevant International Electromechanical Commission (IEC) EV standards and their status.

Table 6. Selected IEC Standards

Standard	Status
Electric vehicle conductive charging system - Part 1: General requirements (IEC 69/156/CD:2008)	Published
Plugs, socket-outlets, vehicle couplers and vehicle inlets - Conductive charging of electric vehicles - Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c. (IEC 23H/222/CD:2010)	Published
Plugs, socket-outlets, vehicle couplers and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories (IEC 23H/223/CD:2010)	Published
Future IEC 62196-3: Plugs, socket-outlets, and vehicle couplers - conductive charging of electric vehicles - Part 3: Dimensional interchangeability requirements for pin and contact-tube coupler with rated operating voltage up to 1000 V d.c. and rated current up to 400 A for dedicated d.c. charging	In preparation

IEC 62196-2 Ed 1: Plugs, socket-outlets and vehicle couplers - Conductive charging of electric vehicles - Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories	Revised and Published
IEC 62196-1, Ed 2: Plugs, socket-outlets, vehicle couplers and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements	Published
IEC 69/75/CD, Electric power equipment for electric road vehicles	Published
IEC 61851-2-1, Ed.1: Electric vehicle conductive charging system - Part 2-1: Electric vehicles requirements for conductive connection to an AC/DC supply	Published
IEC 61851-2-2, Ed.1: Electric vehicle conductive charging system - Part 2-2: A.C. electric vehicles charging station	Published
IEC 61851-2-3 Ed.1.0: Electric vehicles conductive charging system - Part 2-3: D.C. Electric vehicle charging station	Published

Table 7. Selected JEVS Standards

Standard
C601:2000 Plugs and receptacles for EV charging
D701-1994 Capacity test procedure of lead-acid batteries for EVs
D702-1994 Energy density test procedure of lead-acid batteries for EVs
D703-1994 Power density test procedure of lead-acid batteries for EVs
D704-1997 Cycle life test procedure of valve regulated lead-acid batteries for EVs
D705:1999 Capacity test procedure of sealed nickel-metal hydride batteries for EVs
D706:1999 Energy density test procedure of sealed nickel-metal hydride batteries for EVs
D707:1999 Specific power and peak power test procedure of sealed nickel-metal hydride batteries for EVs
D708:1999 Cycle life test procedure of sealed nickel-metal hydride batteries for EVs
D709:1999 Dynamic capacity test procedure of sealed nickel-metal hydride batteries for EVs
E701-1994 Combined power measurement of electric motors and controllers for EVs
E702-1994 Power measurement of electric motors equivalent to the on-board state for EVs
G101-1993 Chargers applicable to quick charging system at Eco-Station
G102-1993 Lead-acid batteries applicable to quick charging system at Eco-Station for EVs
G103-1993 Charging stands applicable to quick charging system at Eco-Station for EVs
G104-1995 Communications Protocol Applicable to Quick Charging System at Eco-Station
G105-1993 Connectors applicable to quick charging system at Eco-Station for EVs
G109:2001 EV inductive charging system: General requirements
G901-85 Nameplates of battery charger for EVs
Z101-87 General rules of running test method of EVs
Z102-87 Maximum speed test method of EVs
Z103-87 Range test method of EVs
Z104-87 Climbing hill test method of EVs
Z105-88 Energy economy test method of EVs
Z106-88 Energy consumption test method of EVs
Z107-88 Combined test method of electric motors and controllers for EVs
Z108-1994 Electric Vehicle - Measurement for driving range and energy consumption
Z109-1995 EV - Measurement for acceleration
Z110-1995 EV - Measurement for maximum cruising speed
Z111-1995 EV - Measurement for reference energy consumption
Z112-1996 EV - Measurement for climbing
Z804:1998 Symbols for controls, Indicators & telltales for EVs
Z805:1998 Glossary of terms relating to EVs (General of vehicles)
Z806:1998 Glossary of terms relating to EVs (Electric motors & controllers)
Z807:1998 Glossary of terms relating to EVs (Batteries)
Z808:1998 Glossary of terms relating to EVs (Chargers)
Z901-1995 Electric Vehicle - Standard Form of Specification (Form of Main Specification)

Table 7 provides details of some relevant Japan Electric Vehicle Association Standards (JEVS) EV standards, which are all published.

It is obvious from these tables that there are many participants, technical committees and groups internationally. Thus there is much duplication. This was referred to as a ‘tsunami of codes and standards’ by Steven Rosenstock of Edison Electric Institute at the IEEE P1809 Kickoff Meeting on EVs in February [17].

3.2 EV Charging Infrastructure

It is important that there is a merging of standards and charging technology so that charging infrastructure is common, customers are comfortable with the technology and manufacturing costs are reduced. Already there exist different plugs, two charging terminology, ‘level’, which is used in the North America mostly and ‘mode’ used by the European based standards organizations. Interestingly, level is used widely in Europe. Earthing requirements also vary. Some EV manufacturers (i.e. Ford, General Motors, Volkswagen, Fiat, Toyota and Mitsubishi) agreed on a common, apparently 3-point (live, neutral and earth) plug standard for charging EVs in April 2009. In the EU there is the multiphase ‘Mennekes’ plug and the Électricité de France (EDF) single-phase or three-phase plugs, which involves Nissan and Renault. Figure 1 shows some of the plugs and sockets.



iMiev Socket



J1772 Plug & Socket



Mennekes Plug & Socket



Nissan Plug & Socket



Th!nk Plug



Volt Plug




Figure 1. Some EV Plugs & Sockets

Harmonization of certain aspects, particularly a universal socket and plug is vital, but this will not happen over night, rather through trial and error to ensure that the best system is achieved. It is suggested that ‘earthing’ and safety be under the remit of the electricity sector, as it is particular to each geographical areas practices and procedures. This needs attention soon. Billing and the customer graphical user interface on all public charging stations should be standard and user friendly, similar to an Automated Teller Machine (ATM) in the banking sector.

References [18 and 19] provide details of charging infrastructure in the USA and Canada. Such documents are very useful and valuable for local governments, those responsible for building regulation and permitting and property owners. It is recommended that a similar document be prepared for other regions as part of pilot schemes. Aspects which need to be examined and standardized include the following:

- Signage, layouts, access and lighting in areas where public charging is proposed,
- Public parking and bus lane usage,
- Disabled persons requirements,
- Certification of charging equipment,
- Trip hazards, liability issues and public insurance,
- Electric Code, ventilation, installation certification,
- LEED and BRE building certification requirements,
- Engineering design, construction and permitting on public and private property, including location, lighting and shelter, installation in flood zones
- Charging post ownership, maintenance and operation, metering and subscription services,
- Smart metering for home charging to control the time of charging, which can be related to costs, time of day and so forth,
- Battery swapping option,
- Vandal proofing,
- Changes to legislation, including laws, regulations and by-laws e.g. Health & Safety, Building Regulations, Road Traffic Act, Road Signs Manual and Parking By-Laws.

In addition to charging stations an Israeli company called Better Place proposes a battery swapping drive-in station [20]. Figure 2 shows a Better Place Drive-in Station.



Figure 2. Battery Swap Drive-in Station

Figure 3 presents some of the numerous on-street and off-street charging posts, as well as signage.



Home, USA



On-Street, France



Private Garage, Italy



On-Street, Netherlands



Three-Pin Charging, UK



On-Street, Rotherdam



On-Street, London



On-Street, USA



Battery Swap



Fast On-Street, Japan



EV & Disabled Persons Parking Bay Sign



US Disabilities Compliance EV Parking Bay in a MSCP



EV Parking BAY Sign at Costco, USA



EV Parking Bay with City Ordinance Restrictions

Figure 3. Some Signage, On-Street & Off-Street Charging Stations

Internationally it is expected that there will be three levels of socket charging [21, 22 and 23]. This will vary slightly from country to country depending on the voltage, frequency, transmission standards and plug standards in terms of the rating of the plug in amperes. An EV may have a higher internal electric capacity, but this will be limited by the grid connection [24]. Table 8 gives an indication of the power demand and charging options for Ireland based on the existing grid circuitry.

Table 8. Charging Options & Power

Level	Type	Electrical	Resulting Charge	Time to Charge	Power
Level (Mode) 1	Standard (Domestic)	230V 16A 1 or 3 phase	100%	6 to 8 hours	3kW to 10kW
Level (Mode) 2	Opportunity	400V 32A	50%	30 minutes	22kW
Level (Mode) 2	Emergency	400V 32A	20km	10 minutes	22kW
Level (Mode) 3	Range Extension	400V 63A	80%	30 minutes	44kW

4 DISCUSSION & CONCLUSION

It is worth interest to note that technology development roadmap as indicated by the OEM's is slower than the targets set by government policy targets and very recent comments by BMW in relation to the stage of development of the battery indicate some serious technology questions. This uncertainty and standardisation in charging infrastructure is perhaps one of the weaknesses of the current international government EV policies. However, this has been recognised and various working groups and steering committees have been formed.

It is suggested that the electricity sector is the stronger player in this 'EVlotion'. Electricity companies have gone and are still going through a period of deregulation and market liberalization. In some countries certain utilities still have a dominant market position. The automobile industry has operated in a very competitive first to market environment. The marriage of these two very

different sectors may see strange relationships forming.

What is the ultimate goal of the electrification of transport to truly reduce GHG emissions or just to move them from the transport sector, which is a non-emissions trading scheme (Non-ETS) sector to the electricity sector, which is an ETS sector? Is it to re-invigorate the automobile industry? Irrespective of the reason, EVs can offer alternatives to the ICE and reduce GHG. In order to measure and quantify the results, energy efficiency from the grid-to-the-battery and from the battery-to-the-wheel, driving performance and overall net reduction in GHG emissions under different driving conditions using an international standard test regime must be agreed. Studies have been carried out to estimate benefits, but it is difficult to compare them as like the ICE, no two EVs are the same and no two power systems are the same.

Pilot schemes are probably the most practical way to determine the technology solutions and standards that suits all market participants and more importantly the customer. The some EU Member States, USA, Japan, Korea, China, Taiwan and Korea, to name just a few have a variety of EV pilot projects underway. However, it is obvious from the tables of existing and proposed standards that there are many participants, technical committees and groups internationally. Thus there is much duplication.

It is important that there is a merging of standards and charging technology so that charging infrastructure is common, customers are comfortable with the technology and manufacturing costs are reduced. It is suggested that 'earthing' and safety be under the remit of the electricity sector, as it is particular to each geographical areas practices and procedures.

It is recommended that a charging infrastructure document be prepared as part of pilot schemes to establish best practice and share lessons learned. Items which need resolving and investigation include signage, ownership, construction, layout, management, maintenance and operation, certification, vandalism and liability and so forth. An international standard plug, socket and GUI type ATM portal for customer comfort is vital.

In summary the automobile industry and the electricity sector will undergo a series of evolutionary changes as the transport fleet is electrified. There are a number of economic and environmental benefits to the introduction of EVs, including employment in R&D, employment in

manufacturing and deployment, a reduction on fossil fuel dependency, an opportunity to better integrate renewable energy sources and ultimately ensure higher energy efficiency, better security of energy supply with an associated reduction in GHG emissions, localized air and noise pollution.

The next stage of this research is to compare and contrast the various standards and prepare a charging infrastructure document for Ireland. In conclusion this paper has established the state-of-the-art in EV charging infrastructure and provided a list of existing and proposed international standards, best practice and guidelines.

Finally, this 'EVolution', will make for a very interesting 10 years for the engineers, scientists, policy makers and planners involved.

ACKNOWLEDGEMENTS

The authors wish to thank the Irish Environmental Protection Agency (EPA) for funding this research under the EPA Climate Change Research Program (CCRP).

REFERENCES

1 Boschert S., 2008. The Cleanest Cars: Well-to-Wheels Emissions Comparisons, May.

2 Ou X., Zhang X., Chang S., 2010. Scenario analysis on alternative fuel/vehicle for China's future road transport: Life-cycle energy demand and GHG emissions. *Energy Policy*, 38(8), 3943-3956.

3 Shiau C.-S. N., Samaras C., Haufler R., Michalek J.J., 2009. Impact of battery weight and charging patterns on the economic and environmental benefits of plug-in hybrid vehicles. *Energy Policy*, 37(7), 2653-2663.

4 Thomas C.E.S., 2009. Transportation options in a carbon-constrained world: Hybrids, plug-in hybrids, biofuels, fuel cell electric vehicles, and battery electric vehicles. *International Journal of Hydrogen Energy*, 34(23), 9279-9296.

5 Perujo A., Ciuffo B., 2010. The introduction of electric vehicles in the private fleet: Potential impact on the electric supply system and on the environment: A case study for the Province of Milan, Italy. *Energy Policy*, 38(8), 4549-4561.

6 Silva C., Ross M., Farias T., 2009. Evaluation of energy consumption, emissions and cost of plug-in hybrid vehicles. *Energy Conversion and Management*, 50(7), 1635-1643.

7 Jansen K.H., Brown T.M., Samuelson G.S., 2010. Emissions impacts of plug-in hybrid electric vehicle deployment on the U.S. western grid. *Journal of Power Sources*, 195(16), 5409-5416.

8 International Energy Agency, Technology Roadmap, Electric and plug-in hybrid electric vehicles, 2009.

9 Cenex and ARUP, 2008. Investigation into the Scope for the Transport Sector to Switch to Electric Vehicles and Plug-in Hybrid Vehicles for the Department for Business Enterprise & Regulatory Reform, Department for Transport, October.

10 AVERE, 2010. The European Association for Battery, Hybrid and Fuel Cell Vehicles.
http://www.avere.org/www/Images/files/about_ev/state_subsidies.pdf

¹¹ Fleet B., James, K.L. and Gilbert R., 2008. Situation Analysis for the Current State of Electric Vehicle Technology, for the Natural Resources Canada. Electric Vehicle Steering Committee, presented at the Electric Vehicle Roadmap Visioning Meeting, June 26.

¹² Byrne D., 2010. BMW unplugs the electric mini, *The Irish Times*, Wednesday, June 9.

¹³ Better Place, 2010. Battery Switch Technology demonstration video.
<http://www.betterplace.com/solution/charging/>

14 Eurelectric, 2009. Electricity for Europe, European Electricity Companies Call for Standardisation of Plug-in Vehicle Infrastructure, pledge to apply Pre- standards. Press Release, Brussels, 27 October.

15 Blake, C., Buttner, W. and Rivkin, C., 2010. Vehicles Codes and Standards: Overview and Gap Analysis. Technical Report National Research Energy Laboratory (NREL)/TP-560-47336, Prepared under Task No. FC08.7730, February.

16 Stolz, E., 2009. Strategy for European EV & PHEV Conductive Charging Infrastructure: Analysis of the Situation, September. www.protoscar.com

17 Rosenstock, S., 2010. Presentation at the IEEE P1809 Kickoff Meeting on EVs, February.

18 Morrow, K., Karner, D. and Francfort, J., 2008. US Department of Energy, Energy Efficiency and Renewable Energy, US Department of Energy Vehicle Technologies Program – Advanced Vehicle Testing Activity, Plug-in Hybrid Electric Vehicle Charging Infrastructure Review. Final Report, INL/EXT-08-15058, Battelle Energy Alliance, Contract No. 58517, November.

19 Electric Transportation Engineering Corporation, 2009. Electric Vehicle Charging Infrastructure Deployment Guidelines. British Columbia, Sponsored by Natural Resources Canada and BC Hydro, version 1.0, July.

20 Better Place, 2010. Battery Switch Technology demonstration video.
<http://www.betterplace.com/solution/charging/>

21 McGrath, S., 2009. ESB, Electrification of Road Vehicles, Presentation, 30 June.

22 Dickerman, L. and Harrison, J., 2010. A New Car, a New Grid. *IEEE Power & Energy Magazine*, 8(2), 55–61.

23 Scholer, R., 2010. Presentation at the IEEE P1809 Kickoff Meeting on EVs. February.

24 Denholm, P. and Short, W., 2006. An Evaluation of Utility System Impacts and Benefits of Optimally Dispatched Plug-In Hybrid Electric Vehicles. National Research Energy Laboratory, NREL/TP-620-40293, October.