


**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	A novel cold active esterase from a deep sea sponge <i>Stelletta normani</i> metagenomic library
Author(s)	Borchert, Erik; Selvin, Joseph; Kiran, Seghal G.; Jackson, Stephen A.; O'Gara, Fergal; Dobson, Alan D. W.
Publication date	2017
Original citation	Borchert, E., Selvin, J., Kiran, S. G., Jackson, S. A., O'Gara, F. and Dobson, A. D. W. (2017) 'A novel cold active esterase from a deep sea sponge <i>Stelletta normani</i> metagenomic library', <i>Frontiers in Marine Science</i> , 4, 287 (13pp). doi: 10.3389/fmars.2017.00287
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.frontiersin.org/articles/10.3389/fmars.2017.00287/full http://dx.doi.org/10.3389/fmars.2017.00287 Access to the full text of the published version may require a subscription.
Rights	© 2017, Borchert, Selvin, Kiran, Jackson, O'Gara and Dobson. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms https://creativecommons.org/licenses/by/4.0/
Item downloaded from	http://hdl.handle.net/10468/4898

Downloaded on 2020-11-24T04:33:16Z


Supplementary file 1

1.1 Docking of different substrates and inhibitors to the active site of the esterase




Docking of different substrates and inhibitors to the active site of the esterase. A) 4-methylumbelliferone B) 4-Nitrophenylacetate C) 4-Nitrophenylphosphate D) Triacetin E) Tributyrin F) Methylaurate G) Phenylmethanesulfonic acid H) Oleic acid I) Triacsin C J) 5-Carbamoyl-2H-1,2,3-triazole-4-diazonium K) Isoxazole


1.2 3D binding models: Substrates




4-Methylumbelliferone




4-Nitrophenyl acetate




4-Nitrophenyl phosphate



Triacetin




Tributylin




Methyl laurate


1.3 3D binding models: Inhibitors




Phenylmethansulfonic acid




Oleic acid



Triacsin C



5-Carbamoyl-2H-1,2,3-triazole-4-diazonium



Isoxazole