

**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	The oral microbiota in colorectal cancer is distinctive and predictive
Author(s)	Flemer, Burkhardt; Warren, Ryan D.; Barrett, Maurice P. J.; Cisek, Katryna; Das, Anubhav; Jeffery, Ian B.; Hurley, Eimear; O'Riordain, Micheal; Shanahan, Fergus; O'Toole, Paul W.
Publication date	2017-10-07
Original citation	Flemer, B., Warren, R. D., Barrett, M. P., Cisek, K., Das, A., Jeffery, I. B., Hurley, E., O'Riordain, M., Shanahan, F. and O'Toole, P. W. (2017) 'The oral microbiota in colorectal cancer is distinctive and predictive', Gut, pp. 1-11 doi: 10.1136/gutjnl-2017-314814
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://gut.bmj.com/content/early/2017/10/07/gutjnl-2017-314814 http://dx.doi.org/10.1136/gutjnl-2017-314814 Access to the full text of the published version may require a subscription.
Rights	© 2017, the Authors, unless otherwise stated in the text of the article. All rights reserved. No commercial use is permitted unless otherwise expressly granted. This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/ http://creativecommons.org/licenses/by-nc/4.0/
Item downloaded from	http://hdl.handle.net/10468/5143

Downloaded on 2022-06-25T12:31:46Z

Supplementary Table 3: Results of the LASSO-RF results

Statistics	Oralswab cancer	Oralswab adenoma	Oralstool cancer	Oralstool adenoma	Stool cancer
Dataset					
Samples	70	46	44	35	131
Features/ OTUs (preprocessed)	385	385	1505	1505	1015
Random Forest Model					
# selected features	43	24	36	3	106
pROC library 10XCV AUC	0,96	0,91	0,98	0,93	0,94
default threshold	0,50	0,50	0,50	0,50	0,50
default threshold 10XCV Sensitivity	0,98	0,74	0,99	0,86	0,92
default threshold 10X CV Specificity	0,70	0,90	0,79	0,89	0,79
Youden's threshold	0,55	0,46	0,57	0,43	0,53
Youden's threshold 10XCV Sensitivity	0,95	0,84	0,96	0,89	0,86
Youden's threshold 10X CV Specificity	0,81	0,86	0,90	0,88	0,90

Stool adenoma
85
1015
18
0,86
0,50
0,24
0,94
0,28
0,85
0,80