

Title	The signature of fine scale local adaptation in Atlantic salmon revealed from common garden experiments in nature
Author(s)	O'Toole, Ciar L.; Reed, Thomas E.; Bailie, Deborah; Bradley, Caroline; Cotter, Deirdre; Coughlan, Jamie; Cross, Tom; Dillane, Eileen; McEvoy, Sarah; Ó Maoiléidigh, Niall; Prodöhl, Paulo; Rogan, Ger; McGinnity, Philip
Publication date	2015-07-24
Original citation	O'Toole, C. L., Reed, T. E., Bailie, D., Bradley, C., Cotter, D., Coughlan, J., Cross, T., Dillane, E., McEvoy, S., Ó Maoiléidigh, N., Prodöhl, P., Rogan, G. and McGinnity, P. (2015) 'The signature of fine scale local adaptation in Atlantic salmon revealed from common garden experiments in nature', <i>Evolutionary Applications</i> , 8(9), pp. 881-900. doi:10.1111/eva.12299
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://dx.doi.org/10.1111/eva.12299 Access to the full text of the published version may require a subscription.
Rights	© 2015, the Authors. <i>Evolutionary Applications</i> published by John Wiley & Sons Ltd. This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.
Item downloaded from	http://hdl.handle.net/10468/5707

Downloaded on 2019-01-23T09:14:23Z

Appendix III: Results of the representation GLMMs

Results of the generalised linear mixed-models comparing progeny representation among groups and with respect to other explanatory variables. Group was a factor with four levels: Local_{female} x Local_{male}, Local_{female} x Foreign_{male}, Foreign_{female} x Local_{male} and Foreign_{female} x Foreign_{male}. Date planted was a factor with three levels: early, mid and late. Dam and sire life-history were each two level factors (1SW versus 2SW). Results are presented as an ANOVA table based on Type II tests, with non-significant terms removed sequentially until all remaining terms were significant at the 5% level. Random effects of dam and sire were included in all models (*Dam* = variance attributable to differences among dams; *Sire* = variance attributable to sires nested within dams; *Res* = residual variance). k = dispersion parameter from the negative binomial (where the variance = $\mu + \mu^2/k$). All estimates are on log scale. Models were fitted using the glmmPQL function in the MASS library in R (Venables and Ripley 2002).

Life stage	Fixed effect	NumDF	DenDF	F	P	k	Dam	Sire	Res					
Pre-flood dispersal	Intercept	1	23	371.00	<0.001	1.28	0.57	0.71	<0.01					
	Group	3	23	3.61	0.029									
	Date planted	2	23	831.73	<0.001									
	<i>Non-significant terms</i>													
	Dam L_F	1	21	1.57	0.224									
	Dam life-history	1	22	1.81	0.192									
	Sire life-history	1	21	2.48	0.131									
Flood migration	Eyed-egg diameter	1	22	0.31	0.581	13.29	0.02	0.03	0.76					
	Intercept	1	26	3131	<0.001									
	Date planted	2	23	12.74	<0.001									
	<i>Non-significant terms</i>													
	Group	3	23	1.81	0.173									
	Dam L_F	1	21	1.66	0.212									
	Dam life-history	1	22	1.02	0.324									
Electro-fished parr	Sire life-history	1	21	0.38	0.543	20.8	<0.01	<0.01	1.04					
	Eyed-egg diameter	1	22	1.02	0.323									
	Intercept	1	26	2408	<0.001									
	Date planted	2	23	3.86	0.036									
	<i>Non-significant terms</i>													
	Group	3	23	1.05	0.390									
	Dam L_F	1	22	1.25	0.276									
Presmolts + smolts	Dam life-history	1	21	0.29	0.600	5.30	0.59	1.36	<0.01					
	Sire life-history	1	21	0.29	0.600									
	Eyed-egg diameter	1	22	0.47	0.502									
	Intercept	1	26	723	<0.001									
	Date planted	2	23	487.30	<0.001									
	<i>Non-significant terms</i>													
	Group	3	22	1.56	0.228									
Adult returns	Dam L_F	1	22	0.51	0.481	5.35	0.08	0.31	0.21					
	Dam life-history	1	21	2.60	0.122									
	Sire life-history	1	21	1.59	0.221									
	Eyed-egg diameter	1	25	1.81	0.191									
	Intercept	1	19	253.5	<0.001									
Adult returns	Group	3	9	15.90	<0.001	5.35	0.08	0.31	0.21					
	<i>Non-significant terms</i>													
	Dam L_F	1	18	0.51	0.483									
	Dam life-history	1	17	<0.001	0.985									
	Sire life-history	1	7	0.89	0.376									

Eyed-egg diameter	1	7	0.37	0.560
-------------------	---	---	------	-------

References:

Venables, W. N. & Ripley, B. D. (2002) Modern Applied Statistics with S. Fourth Edition. Springer, New York.