

**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	Can power to methane systems be sustainable and can they improve the carbon intensity of renewable methane when used to upgrade biogas produced from grass and slurry?
Author(s)	Vo, Truc T. Q.; Rajendran, Karthik; Murphy, Jerry D.
Publication date	2018-07-06
Original citation	Vo, T. T. Q., Rajendran, K. and Murphy, J. D. (2018) 'Can power to methane systems be sustainable and can they improve the carbon intensity of renewable methane when used to upgrade biogas produced from grass and slurry?', Applied Energy, 228, pp. 1046-1056. doi:10.1016/j.apenergy.2018.06.139
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://dx.doi.org/10.1016/j.apenergy.2018.06.139 Access to the full text of the published version may require a subscription.
Rights	© 2018, Elsevier Ltd. All rights reserved. This manuscript version is made available under the CC-BY-NC-ND 4.0 license. https://creativecommons.org/licenses/by-nc-nd/4.0/
Embargo information	Access to this article is restricted until 24 months after publication by request of the publisher.
Embargo lift date	2020-07-06
Item downloaded from	http://hdl.handle.net/10468/6489

Downloaded on 2021-05-12T01:25:13Z

Appendices

Appendix 1. Kg N in digestate (section 2.2.2)

50:50 grass: slurry

4 kg N/t grass and 3 kg N/t slurry equates to 3.5 kg N/t feedstock

94% N remaining = 3.29 kg N/t

84% reduction in volume of digestate

Thus $3.29/0.84 = 3.89$ kg N/t digestate

Appendix 2: H₂ conversion efficiency (section 2.2.3)

1 kg H₂ equivalent to 11.2 m³ H₂ equivalent to 134 MJ or 37 kWh.

49kWh to produce 37 kWh equates to 75% conversion efficiency.

Appendix 3. Simulation results from Superpro Designer for S1, S2 and S3 with 60 : 40 VS grass and slurry (section 2.4.2).

Table 3.1: Inputs and outputs for three scenarios

	S1	S2	S3
Grass silage (tonnes)	25,344	25,344	25,344
Slurry (tonnes)	70,607	70,607	70,607
Hydrogen (tonnes)	-	1436	1496
Renewable methane (m ³)	4,174,132	8,196,291	8,341,716
Digestate (tonnes)	84,660	84,660	84,660

Table 3.2: Parasitic energy demands

	Scenario 1		Scenario 2		Scenario 3	
Energy produced - MJ (LHV):	150,268,753		295,066,477		300,301,780	
	Heat (kWh)	Electricity (kWh)	Heat (kWh)	Electricity (kWh)	Heat (kWh)	Electricity (kWh)
Biogas production	1,842,305	1,558,781	1,842,305	1,558,781	1,842,305	1,558,781
Amine upgrading	8,767,488	185,872	8,767,488	185,872	-	-
Ex-situ biological methanation	-	-	0	3,966,336	0	4,126,320
Compression		1,460,946		2,868,702		2,919,601