

**UCC Library and UCC researchers have made this item openly available.  
Please [let us know](#) how this has helped you. Thanks!**

<b>Title</b>	Comparative models of biological and social pathways to predict child growth through age 2 years from birth cohorts in Brazil, India, the Philippines, and South Africa
<b>Author(s)</b>	Richter, Linda M.; Orkin, F Mark; Roman, Gabriela D.; Dahly, Darren L.; Horta, Bernardo L.; Bhargava, Santosh K.; Norris, Shane A.; Stein, Aryeh D.
<b>Publication date</b>	2018-07-13
<b>Original citation</b>	Richter, L.M., Orkin, F.M., Roman, G.D., Dahly, D.L., Horta, B.L., Bhargava, S.K., Norris, S.A., Stein, A.D. and COHORTS investigators, 2018. Comparative Models of Biological and Social Pathways to Predict Child Growth through Age 2 Years from Birth Cohorts in Brazil, India, the Philippines, and South Africa. The Journal of nutrition, 148(8). (8pp). DOI:10.1093/jn/nxy101
<b>Type of publication</b>	Article (peer-reviewed)
<b>Link to publisher's version</b>	<a href="https://academic.oup.com/jn/article/148/8/1364/5053831">https://academic.oup.com/jn/article/148/8/1364/5053831</a> <a href="http://dx.doi.org/10.1093/jn/nxy101">http://dx.doi.org/10.1093/jn/nxy101</a> Access to the full text of the published version may require a subscription.
<b>Rights</b>	© 2018 American Society for Nutrition <a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>
<b>Item downloaded from</b>	<a href="http://hdl.handle.net/10468/8477">http://hdl.handle.net/10468/8477</a>

Downloaded on 2021-09-25T18:00:07Z

**SUPPLEMENTAL TABLE 1.** Differences in means between cases included and excluded

	HAZ present Mean <sup>2</sup>	HAZ missing Mean <sup>2</sup>	Cohen's d <sup>1</sup>
Maternal schooling	6.6	5.9	0.17
Paternal schooling	6.9	5.4	0.40
Income quintile	3.0	2.4	0.40
Social class	2.2	1.7	0.36
Toilet type	1.4	1.4	0.03
Access to safe water	1.4	1.4	0.08
Use of health services	1.0	1.0	0.09
Child dependency ratio	1.3	1.3	0.01
Crowding ratio	0.4	0.4	0.10
Birth order	0.6	0.6	0.01
Maternal age at birth of index child	26.0	24.8	0.20
wazwho <sup>3</sup>	-0.2	-0.7	0.36
Matht	156.5	156.0	0.09

<sup>1</sup> 0.2 is "small", 0.5 is "medium", 0.8 is "large"

<sup>2</sup> Units defined in Methods

<sup>3</sup> Wazwho0 = weight-for-age z-score WHO standards

<sup>4</sup> Matht = Maternal height


**SUPPLEMENTAL TABLE 2.** Model fit statistics of measurement and path models across four sites, using one-third “hold-out” sample

<b>Model fit statistics</b>	<b>RMSEA</b>	<b>CFI</b>	<b>TLI</b>	<b>R-squared (SE)</b>
Measurement models <sup>1</sup>				
Factor 1	0.03	1.00	1.00	
Factor 2	0.00	1.00	1.00	
Factor 3	0.04	0.99	0.97	
Path models <sup>1</sup>				
Brazil	0.07	1.00	0.93	0.38 (0.02)
India	0.00	1.00	1.00	0.36 (0.03)
Philippines	0.01	1.00	0.99	0.25 (0.03)
South Africa	0.03	0.98	0.96	0.17 (0.05)
Pooled weighted	0.021	1.00	0.98	0.40 (0.01)


<sup>1</sup> Model fit criteria were all good (RMSEA  $\leq$  0.05, CFI  $\geq$  0.95 and TLI  $\geq$  0.95), except for RMSEA and TLI for the path model of Brazil, which were fair (RMSEA = 0.07, CFI  $\geq$  0.95, TLI = 0.93).

# ONLINE SUPPORTING MATERIAL


Panel A - Brazil




Panel B – India




Panel C- Philippines



Panel D – South Africa



Panel E – Pooled across sites



**SUPPLEMENTAL FIGURE 1.** Panels A to E: Pathways to child height at 24 months in Brazil, India, Philippines, South Africa and pooled across sites.