

**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	Predictors of an early death in patients diagnosed with colon cancer: A retrospective case-control study in the UK
Author(s)	Donnelly, Conan; Hart, Nigel; McCrorie, Alan David; Donnelly, Michael; Anderson, Lesley; Ranaghan, Lisa; Gavin, Anna
Publication date	2019-06-19
Original citation	Donnelly, C., Hart, N., McCrorie, A. D., Donnelly, M., Anderson, L., Ranaghan, L. and Gavin, A. (2019) 'Predictors of an early death in patients diagnosed with colon cancer: a retrospective case-control study in the UK', <i>BMJ Open</i> , 9(6), e026057. DOI: 10.1136/bmjopen-2018-026057
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://bmjopen.bmj.com/content/9/6/e026057 http://dx.doi.org/10.1136/bmjopen-2018-026057 Access to the full text of the published version may require a subscription.
Rights	©Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY. Published by BMJ. This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: https://creativecommons.org/licenses/by/4.0/ . https://creativecommons.org/licenses/by/4.0/
Item downloaded from	http://hdl.handle.net/10468/8513

Downloaded on 2019-09-18T17:49:41Z

Supplementary Table S1: Distribution of the case sample and the remaining patients who died within three months of diagnosis who were not included in the study

Characteristics		Case Sample n=484	Cases not included n=196	P value
Sex %	Male	52.7	44.3	0.05 ^x
	Female	47.3	55.7	
Year diagnosed %	2005-06	39.2	29.4	<0.01 ^x
	2007-08	38.5	18.40	
	2009-10	22.3	51.3	
Dukes stage %	A	2.3	1.0	0.27 ^x
	B	10.1	7.0	
	C	10.7	9.0	
	D	37.0	44.3	
	Unknown	39.9	38.8	
Deprivation quintile %	1 (least deprived)	16.6	15.2	0.87 ^x
	2	20.9	22.7	
	3	17.4	18.7	
	4	24.8	21.7	
	5 (most deprived)	20.3	21.7	
Mean age at diagnosis in years (Standard deviation)		76.5 (10.6)	77.6 (10.3)	0.83 ^t
Mean survival duration in days (Standard deviation)		36.7 (24.7)	33.8 (39.9)	0.82 ^β

*P-values presented for chi squared tests (χ), t-tests (*t*) and Kaplan Meier (β)*