

**UCC Library and UCC researchers have made this item openly available.
Please [let us know](#) how this has helped you. Thanks!**

Title	Caesarean section delivery and childhood obesity in a British longitudinal cohort study
Author(s)	Masukume, Gwinyai; Khashan, Ali S.; Morton, Susan M. B.; Baker, Philip N.; Kenny, Louise C.; McCarthy, Fergus P.
Publication date	2019-10-30
Original citation	Masukume, G., Khashan, A. S., Morton, S. M. B., Baker, P. N., Kenny, L. C. and McCarthy, F. P. (2019) 'Caesarean section delivery and childhood obesity in a British longitudinal cohort study', PLOS ONE, 14(10), e0223856. (13pp.) doi: 10.1371/journal.pone.0223856
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://dx.doi.org/10.1371/journal.pone.0223856 Access to the full text of the published version may require a subscription.
Rights	©2019 Masukume et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. http://creativecommons.org/licenses/by/4.0/
Item downloaded from	http://hdl.handle.net/10468/9315

Downloaded on 2021-09-18T10:29:04Z

S1 Table. International Obesity Task Force classification of body mass index from age three to fourteen and body fat% at age seven and fourteen.

Characteristic	Overall n (%)	Normal vaginal delivery n (%)	Assisted vaginal delivery ^a n (%)	Planned Caesarean section n (%)	Emergency Caesarean section n (%)
Body mass index (kg/m ²) at 3 years*					
Thin	178 (1.0)	110 (0.9)	17 (1.0)	19 (1.1)	32 (1.5)
Normal	11953 (66.0)	8,303 (66.1)	1114 (66.4)	1111 (66.6)	1,425 (64.7)
Overweight	947 (5.2)	622 (4.9)	100 (6.0)	98 (5.9)	127 (5.8)
Obese	330 (1.8)	217 (1.7)	28 (1.7)	35 (2.1)	50 (2.3)
Missing	4708 (26.0)	3315 (26.4)	418 (24.9)	406 (24.3)	569 (25.8)
Body mass index (kg/m ²) at 3 years					
Thin	706 (3.9)	483 (3.8)	50 (3.0)	67 (4.0)	106 (4.8)
Normal	9568 (52.8)	6,675 (53.1)	890 (53.1)	890 (53.3)	1,113 (50.5)
Overweight	2376 (13.1)	1,590 (12.7)	245 (14.6)	226 (13.5)	315 (14.3)
Obese	758 (4.2)	498 (4.0)	73 (4.4)	84 (5.0)	103 (4.7)
Missing	5,414 (29.9)	3,804 (30.3)	469 (28.0)	469 (28.1)	672 (30.5)
Body mass index (kg/m ²) at 5 years					
Thin	699 (3.9)	476 (3.8)	66 (3.9)	60 (3.6)	97 (4.4)
Normal	10313 (56.9)	7,224 (57.5)	973 (58.0)	921 (55.2)	1,195 (54.2)
Overweight	2266 (12.5)	1,500 (11.9)	228 (13.6)	248 (14.9)	290 (13.2)
Obese	834 (4.6)	557 (4.4)	77 (4.6)	84 (5.0)	116 (5.3)
Missing	3,286 (26.0)	399 (26.1)	416 (23.8)	602 (24.9)	3,286 (27.3)
Body mass index (kg/m ²) at 7 years					
Thin	750 (4.1)	526 (4.2)	63 (3.8)	60 (3.6)	101 (4.6)
Normal	9282 (51.2)	6,475 (51.5)	900 (53.7)	824 (49.4)	1,083 (49.2)
Overweight	1966 (10.9)	1,321 (10.5)	174 (10.4)	217 (13.0)	254 (11.5)
Obese	873 (4.8)	575 (4.6)	77 (4.6)	97 (5.8)	124 (5.6)
Missing	5,995 (33.1)	4,196 (33.4)	526 (31.4)	531 (31.8)	742 (33.7)
Body mass index (kg/m ²) at 11 years					
Thin	722 (4.0)	492 (3.9)	72 (4.3)	69 (4.1)	89 (4.0)
Normal	7946 (43.9)	5,546 (44.1)	789 (47.0)	671 (40.2)	940 (42.7)
Overweight	2607 (14.4)	1,767 (14.1)	220 (13.1)	268 (16.1)	352 (16.0)
Obese	870 (4.8)	596 (4.7)	64 (3.8)	99 (5.9)	111 (5.0)
Missing	6,693 (36.9)	4,658 (37.1)	604 (36.0)	631 (37.8)	800 (36.3)
Body mass index (kg/m ²) at 14 years					
Thin	645 (3.6)	463 (3.7)	61 (3.6)	55 (3.3)	66 (3.0)
Normal	6815 (37.6)	4,728 (37.6)	672 (40.1)	602 (36.1)	813 (36.9)
Overweight	2475 (13.7)	1,411 (11.2)	165 (9.8)	602 (36.1)	297 (13.5)
Obese	797 (4.4)	545 (4.3)	59 (3.5)	81 (4.9)	112 (5.1)
Missing	8,029 (44.3)	5,883 (46.8)	781 (46.6)	384 (23.0)	981 (44.5)
Body fat (%), median IQR at age 7	20.1 (17.5-23.8)	20.1 (17.5-23.7)	20 (17.4-23.4)	20.6 (17.8-24.2)	20.3 (17.5-24.2)
Missing	5435 (30.0)	3801 (30.2)	486 (29.0)	488 (29.2)	660 (30.0)
Body fat (%), median IQR at age 14	21.7 (14.4-28.4)	22 (14.4-28.4)	20 (13.8-26.8)	22.6 (15.3-29.5)	21.1 (14.4-28.8)
Missing	7898 (43.6)	5,510 (43.8)	733 (43.7)	722 (43.3)	933 (42.4)

*World Health Organization z-scores