


Title	Spatiotemporal variability in Antarctic krill (<i>Euphausia superba</i>) around South Georgia derived from Antarctic fur seal (<i>Arctocephalus gazella</i>) diets
Authors	Coleman, J.;Hollyman, P.;Ashburner, J.;Jessopp, M.;Forcada, J.;Owen, K.;Staniland, I.J.;Waluda, C.M.;Collins, M. A.;Trathan, P. N.
Publication date	2026-04-29
Original Citation	Coleman, J, Hollyman, P, Ashburner, J, Jessopp, M, Forcada, J, Owen, K, Staniland, I J, Waluda, C M, Collins, M A & Trathan, P N 2026, 'Spatiotemporal variability in Antarctic krill (<i>Euphausia superba</i>) around South Georgia derived from Antarctic fur seal (<i>Arctocephalus gazella</i>) diets', <i>Marine Biology</i> , vol. 173, no. 6, 88, pp. 1-14. https://doi.org/10.1007/s00227-026-04816-7
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.scopus.com/pages/publications/105037934775 - 10.1007/s00227-026-04816-7 https://www.scopus.com/pages/publications/105037934775?origin=resultslist
Rights	© 2026, the Author(s). Open Access. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. - https://creativecommons.org/licenses/by/4.0/
Download date	2026-09-22 16:08:26
Item downloaded from	https://hdl.handle.net/10468/18823



University College Cork, Ireland
Coláiste na hOllscoile Corcaigh



Online Resource 3A Median summer (November-April) krill size by year at Bird Island (red) and Maiviken (green) with bootstrap 95% confidence intervals with bootstrap sampling units being scat samples, and resampling is non-parametric with replacement, stratified by month. The long-term bands are running means 3 years and include bootstrap confidence bands. **B** Absolute mean (green) and median (blue) differences in krill size (mm) between Maiviken and Bird Island for each summer. The horizontal band are the long-term means with width describing 95% bootstrap limit