

	7
Title	Exploring the hidden landscape of female preferences for complex signals
Authors	Reichert, Michael S.;Finck, Jonas;Ronacher, Bernhard
Publication date	2017-03-01
Original Citation	Reichert, M. S., Finck, J. and Ronacher, B. (2017) 'Exploring the hidden landscape of female preferences for complex signals', Evolution, 71(4), pp. 1009–1024. doi:10.1111/evo.13202
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://dx.doi.org/10.5061/dryad.51g4t/1 - 10.1111/evo.13202
Rights	© 2017 The Authors. Evolution © 2017 The Society for the Study of Evolution https://authorservices.wiley.com/author-resources/Journal-Authors/licensing-and-open-access/licensing/onlineopen-without-a-creative-commons-license.html
Download date	2024-04-25 13:39:53
Item downloaded from	https://hdl.handle.net/10468/3973



Table S1: Description of all of the experimental stimuli. For definitions of variables, see Methods and Fig. 1 in main text. *n* is the sample size of females tested with the set of stimuli referred to on each row. For each row, all factorial combinations of stimuli were tested. Additional controls that were tested for all trials within an experiment are listed at the bottom row of each experiment. In Experiments 1 and 3, in a given experimental session, females were only tested with 2 of the appendage durations, the durations that were paired together are therefore listed on separate rows. Females may have been tested with other sets of stimuli in subsequent testing sessions. 'Base song' refers to the simple calling song stimulus without an appendage.

7	
8	

			Appendage	Appendage delays	Appendage	Base song SPL	
	Base song	Appendage type	durations (ms)	(ms)	positions	(dB)	n
Exp.				8, 32, 64, 100, 200,			
1	Standard	Noise	10, 20	300, 400	leading, lagging	70	20
				8, 32, 64, 100, 200,			
	Standard	Noise	40, 80	300, 400	leading, lagging	70	20
				8, 32, 64, 100, 200,			
	Standard	Noise	120, 200	300, 400	leading, lagging	70	20

			8, 32, 64, 100, 200,			
Standard	Noise	300, 400	300, 400	leading, lagging	70	20
			8, 32, 64, 100, 200,			
Standard	Noise	500, 600	300, 400	leading, lagging	70	16
			8, 32, 64, 100, 200,			
Standard	Noise	700, 800	300, 400	leading, lagging	70	17

^{*}Additional controls for all trials of Experiment 1: 3240 ms noise, silence, standard song with no appendage, the two appendages with no base song

Exp.				
2	Shortened Noise	10, 80, 200, 400, 800	200 leading, lagging	64 29

^{*}Additional controls for all trials of Experiment 2: 3240 ms noise, standard song with no appendage, shortened song with no appendage, 4 attractive synthetic calling songs

Exp.		8, 32, 64, 100, 200,				
3	Gappy	Noise	10, 20	300, 400	leading, lagging	70 17

			8, 32, 64, 100, 200,			
Gappy	Noise	40, 80	300, 400	leading, lagging	70	16
			8, 32, 64, 100, 200,			
Gappy	Noise	120, 200	300, 400	leading, lagging	70	17
			8, 32, 64, 100, 200,			
Gappy	Noise	300, 400	300, 400	leading, lagging	70	17

^{*}Additional controls for all trials of Experiment 3: 3240 ms noise, silence, standard song with no appendage, the two appendages with no base song, 4 attractive synthetic calling songs

Exp.		Synthetic <i>C. b.</i>					
4	Standard	hedickei	810	200	leading, lagging	64	34
	Standard	Synthetic C. brunneus	690	200	leading, lagging	64	34
	Standard	Synthetic C. mollis	600	200	leading, lagging	64	34
		Natural C. b. hedickei					
	Standard	exemplar 1	1936	200	leading, lagging	64	34
	Standard	Natural <i>C. b. hedickei</i>	450	200	leading, lagging	64	34

exemplar 2

Natural C. b. hedickei

Standard	exemplar 3	1957	200	leading, lagging	64	34
	Synthetic C. b.					
Shortened	hedickei	810	200	leading, lagging	64	29
Shortened	Synthetic C. brunneus	690	200	leading, lagging	64	29
Shortened	Synthetic C. mollis	600	200	leading, lagging	64	29
	Natural C. b. hedickei					
Shortened	exemplar 1	1936	200	leading, lagging	64	34
	Natural C. b. hedickei					
Shortened	exemplar 2	450	200	leading, lagging	64	34
	Natural C. b. hedickei					
Shortened	exemplar 3	1957	200	leading, lagging	64	34

^{*}Additional controls for Experiment 4: 3240 ms noise, standard song with no appendage, shortened song with no appendage, heterospecific appendages without base song, 4 attractive synthetic calling songs

Table S2: Details of the natural *C. b. hedickei* appendage stimuli used in Experiment 4. The natural *C. b. hedickei* appendage stimuli were obtained from recordings kindly provided by Frieder Meyer, Museum für Naturkunde, Berlin. To generate the stimuli used for playbacks, these recordings were digitized, and the amplitude envelope of the digitized natural appendage was then extracted and filled with filtered white noise (4.0-40 kHz) using custom software provided by R. Matthias Hennig.

		Recording		
Stimulus	Recording Location	Temperature (°C)	Date	Recorded by:
Natural	Hungary, Budapest,			
exemplar 1	Szechenyi-mountain	unknown	unknown	unknown
Natural			28-31 July	KG. Heller &
exemplar 2	Kosovo, Sar planina	23-24	1979	M. Volleth
			07	
Natural			August	
exemplar 3	Slovakia	32	2004	F. Mayer

Table S3: Results of generalized linear mixed models testing effects of appendage and song characteristics on the absolute proportion of response to each stimulus. In the main text, our graphical presentations and statistical analyses were based on measures of the differences between the female's response to each complex appendage stimulus and its response to the corresponding simple stimulus (either the standard or shortened song, depending on the experiment). Here, we present the results of analyses of the absolute response data, not taken in reference to any particular stimulus. We measured a female's response as the proportion of presentations of a given stimulus to which she gave a response song out of the total number of presentations of that stimulus. We analyzed these data statistically using generalized linear mixed models. The response variable was a list containing the number of stimulus presentations in which the female responded and a term for the total number of times a female was exposed to that stimulus. This was modeled as a binomial variable (logit link function) using the glmer function in the lme4 package (version 1.1-10; Bates et al. 2015) in R 3.2.2 software (R development Core Team, 2015). Otherwise, models were constructed and assessed using the same procedures described for the analyses in the main text. Only the final models after the removal of non-significant higher-order interaction terms (see text for details) are shown here. Fixed effects refer to characteristics of appendages, except for song duration, which refers to the duration of the song itself and was modeled as a categorical fixed effect with two levels (standard and shortened song, standard is the reference category). Position is modeled as a categorical fixed effect with two levels (lagging and leading appendage position, lagging is the reference category). Significant P values are highlighted in bold.

18

19

20

21

22

23

24

25

26

27

28

29

30

31

Experiment	Fixed effect	Parameter estimate (± SE)	z	P
1. Noise appendage, standard song	Intercept	0.45 ± 0.11	4.1	<0.001
	Duration	$-4.08 \times 10^{-4} \pm 1.95 \times 10^{-4}$	-2.1	0.03
	Delay	$-6.58 \times 10^{-4} \pm 3.62 \times 10^{-4}$	-1.8	0.07
	Position	$0.060 \pm .045$	1.34	0.18
	Duration ²	$-3.05 \times 10^{-7} \pm 2.47 \times 10^{-7}$	-1.24	0.22
	Delay ²	$1.90 \times 10^{-7} \pm 8.64 \times 10^{-7}$	0.22	0.83
	$Duration \times delay$	$7.17 \times 10^{-7} \pm 2.42 \times 10^{-7}$	3.0	0.003
	$Duration \times position$	$-2.44 \times 10^{-3} \pm 2.45 \times 10^{-4}$	-10.0	<0.001
	$Delay \times position$	$-1.59 \times 10^{-3} \pm 5.07 \times 10^{-4}$	-3.1	0.002
	$Duration^2 \times position$	$1.34\times10^{\text{-6}}\pm3.19\times10^{\text{-7}}$	4.2	<0.001
	$Delay^2 \times position$	$3.11 \times 10^{-6} \pm 1.24 \times 10^{-6}$	2.5	0.012
2. Noise appendage, shortened song	Intercept	-0.528 ± 0.214	-2.5	0.014
2. Noise appendage, shortened song	•			
	Duration	0.015 ± 0.044	0.34	0.74
	Position	-0.895 ± 0.069	-13.0	<0.001

	$Duration \times position$	-0.392 ± 0.071	-5.5	<0.001
3. Noise appendage, gappy song	Intercept	-3.2 ± 0.28	-11.4	<0.001
	Duration	$8.20 \times 10^{-3} \pm 7.61 \times 10^{-4}$	10.8	<0.001
	Delay	$-7.30 \times 10^{-4} \pm 5.27 \times 10^{-4}$	-1.4	0.17
	Position	$-1.23 \times 10^{-2} \pm 7.82 \times 10^{-2}$	-0.16	0.88
	Duration ²	$-1.99 \times 10^{-5} \pm 1.87 \times 10^{-6}$	-10.6	<0.001
	Delay ²	$2.03 \times 10^{-6} \pm 1.25 \times 10^{-6}$	1.6	0.11
	$Duration \times position$	$-2.88 \times 10^{-3} \pm 1.02 \times 10^{-3}$	-2.82	0.005
	$Delay \times position$	$-9.42 \times 10^{-4} \pm 2.55 \times 10^{-4}$	-3.69	<0.001
	$Duration^2 \times position$	$5.27 \times 10^{-6} \pm 2.59 \times 10^{-6}$	2.04	0.04
4. Synthetic heterospecific appendage	Intercept	0.579 ± 0.227	2.6	0.011
	Species (C. b. hedickei)	-0.073 ± 0.230	-0.3	0.75
	Species (C. mollis)	0.118 ± 0.119	1.0	0.32
	Position	-1.07 ± 0.12	-8.97	<0.001
	Song duration	-1.20 ± 0.33	-3.6	<0.001

	Position x song duration	-0.313 ± 0.152	-2.1	0.039
	Position x species (C. b. hedickei)	0.323 ± 0.205	1.6	0.11
	Position x species (C. mollis)	-0.068 ± 0.146	-0.5	0.64
	Song duration x species (C. b. hedickei)	0.272 ± 0.200	1.4	0.17
	Song duration x species (C. mollis)	-0.060 ± 0.147	-0.41	0.68
5. Natural <i>C. b. hedickei</i> appendage	Intercept	1.31 ± 0.19	6.9	<0.001
	Exemplar 2	-0.464 ± 0.116	-4.0	<0.001
	Exemplar 3	-0.574 ± 0.116	-5.0	<0.001
	Position	-0.405 ± 0.109	-3.7	<0.001
	Song duration	-1.09 ± 0.11	-10.1	<0.001
	Position \times song duration	0.486 ± 0.106	4.6	<0.001
	Position \times exemplar 2	-0.046 ± 0.130	-0.4	0.72
	Position \times exemplar 3	0.071 ± 0.130	0.5	0.58
	Song duration \times exemplar 2	-0.166 ± 0.130	-1.3	0.20
	Song duration × exemplar 3	-0.196 ± 0.130	-1.5	0.13

Figure S1: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus. Appendages were placed either after the song (lagging appendages, open circles) or before the song (leading appendages, filled circles) with a delay of 8 ms. Each point shows the mean of the differences between each female's response to the complex stimulus with the appendage duration indicated by the x-axis value, and its response to the standard song, which had no appendage. Female response was measured as the proportion of stimulus repetitions to which she emitted a response song. Error bars represent 95% confidence intervals of the mean. Sample sizes are given in Table S1. Lines are cubic splines calculated from general additive models on the mean response values (see Methods, main text, for more details) to enable visualisation of the shape of the preference functions for appendage duration. The smoothing parameter was selected using the model algorithm with the constraint that it must be greater than 0.05. Solid line, leading appendages; dashed line, lagging appendages.




Figure S2: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 32 ms. Interpretation as in Figure S1.




Figure S3: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 64 ms. Interpretation as in Figure S1.




Figure S4: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 100 ms. Interpretation as in Figure S1.




Figure S5: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 200 ms. Interpretation as in Figure S1.




Figure S6: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 300 ms. Interpretation as in Figure S1.




Figure S7: Responses of females in Experiment 1 to complex songs with noise appendages of varying duration, appended to the standard song stimulus with a delay of 400 ms. Interpretation as in Figure S1.




Figure S8: Responses of females to the noise appendage stimuli. For these stimuli, the noise appendage was presented in isolation, without any base calling song. Dotted line represents response to the negative control, a 3.24 s noise stimulus (n = 180). Numbers above bars indicate sample sizes (this figure combines data from females in Experiments 1 and 3 because these stimuli were presented to females in both experiments). Bar height represents mean response (the mean proportion of stimulus repetitions to which females emitted a response song); error bars represent 95% confidence intervals of the mean. Sample sizes are given in Table S1.





Figure S9: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 8 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.






Figure S11: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 64 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.




Figure S12: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 100 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.




Figure S13: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 200 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.




Figure S14: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 300 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.




Figure S15: Responses of females in Experiment 3 to complex songs with noise appendages of varying duration, appended to the gappy song stimulus with a delay of 400 ms. Interpretation as in Figure S1. Sample sizes are given in Table S1.




Figure S16: Responses of females in Experiment 4 to the heterospecific appendage stimuli. For these stimuli, the appendage was presented in isolation, without any base calling song. Dotted line represents the average response to the negative control, a 3.24 s noise stimulus (n = 63). Numbers above bars indicate sample sizes. Otherwise, interpretation of figure as in Figure S8 and Figure 5 in main text.

