

Title	Prevalence of frailty in 62 countries across the world: a systematic review and meta-analysis of population-level studies
Authors	O'Caoimh, Rónán;Sezgin, Duygu;O'Donovan, Mark R.;Molloy, D. William;Clegg, Andrew;Rockwood, Kenneth;Liew, Aaron
Publication date	2020-10-17
Original Citation	O'Caoimh, R., Sezgin, D., O'Donovan, M. R., Molloy, D. W., Clegg, A., Rockwood, K. and Liew, A. (2021) 'Prevalence of frailty in 62 countries across the world: a systematic review and meta-analysis of population-level studies', Age and Ageing, 50(1), pp. 96-104. doi: 10.1093/ageing/afaa219
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1093/ageing/afaa219
Rights	© 2020, the Authors. Published by Oxford University Press on behalf of the British Geriatrics Society. All rights reserved.
Download date	2026-10-10 18:20:54
Item downloaded from	https://hdl.handle.net/10468/11159

Appendix

Supplemental references

31. Rockwood K, Song X, MacKnight C, et al. A global clinical measure of fitness and frailty in elderly people. *Cmaj* 2005; 173(5): 489-95.
32. World Health Organization. Proposed working definition of an older person in Africa for the MDS Project. 2016. <http://www.who.int/healthinfo/survey/ageingdefnolder/en/> (accessed 1 October 2018).
33. United Nations. Standard country or area codes for statistical use (M49). <https://unstats.un.org/unsd/methodology/m49/> (accessed 30 September 2018).
34. Olariu M, Ghinescu M, Naumov V, Brinza I, Heuvel Wvd. The psychometric qualities of the Groningen Frailty Indicator in Romanian community-dwelling old citizens. *Family practice* 2014; 31(4): 490-5.
35. Arosio B, Ferri E, Casati M, Mari D, Vitale G, Cesari M. The Frailty Index in centenarians and their offspring. *Aging clinical and experimental research*. 2019 Nov 1;31(11):1685-8.
36. Manfredi G, Midão L, Paúl C, Cena C, Duarte M, Costa E. Prevalence of frailty status among the European elderly population: Findings from the Survey of Health, Aging and Retirement in Europe. *Geriatrics & gerontology international*. 2019 Aug;19(8):723-9.
37. Gobbens RJ, van Assen MA, Luijkx KG, Wijnen-Sponselee MT, Schols JM. The Tilburg frailty indicator: psychometric properties. *Journal of the American Medical Directors Association*. 2010 Jun 1;11(5):344-55.
38. Clegg A, Bates C, Young J, et al. Development and validation of an electronic frailty index using routine primary care electronic health record data. *Age and ageing* 2016; 45(3): 353-60.
39. Cesari M, Gambassi G, Abellan van Kan G, Vellas B. The frailty phenotype and the frailty index: different instruments for different purposes. *Age and ageing* 2013; 43(1): 10-2.
40. Marshall A, Nazroo J, Tampubolon G, Vanhoutte B. Cohort differences in the levels and trajectories of frailty among older people in England. *J Epidemiol Community Health* 2015; 69(4), pp.316-321.
41. Lewis EG, Coles S, Howorth K, et al. The prevalence and characteristics of frailty by frailty phenotype in rural Tanzania. *BMC geriatrics* 2018; 18(1): 283.
42. Biritwum R, Minicuci N, Yawson A, et al. Prevalence of and factors associated with frailty and disability in older adults from China, Ghana, India, Mexico, Russia and South Africa. *Maturitas* 2016; 91: 8-18.
43. Payne CF, Wade A, Kabudula CW, et al. Prevalence and correlates of frailty in an older rural African population: findings from the HAALSI cohort study. *BMC geriatrics* 2017; 17(1): 293.
44. Bor J, Herbst AJ, Newell M-L, Bärnighausen T. Increases in adult life expectancy in rural South Africa: valuing the scale-up of HIV treatment. *Science* 2013; 339(6122): 961-5.
45. Gordon EH, Peel NM, Samanta M, Theou O, Howlett SE, Hubbard RE. Sex differences in frailty: A systematic review and meta-analysis. *Exp Gerontol* 2017; 89: 30-40.
46. Romero-Ortuno R, Scarlett S, O'Halloran AM, Kenny RA. Is phenotypical prefrailty all the same? A longitudinal investigation of two prefrailty subtypes in TILDA. *Age and Ageing* 2020;49 (1): 39-45.

47. Goldberg D. The value of screening in patient populations with high prevalence of a disorder. *BMC medicine*. 2014 Dec 1;12(1):14.
48. Martin MS, Wells GA, Crocker AG, Potter BK, Colman I. Decision curve analysis as a framework to estimate the potential value of screening or other decision-making aids. *International journal of methods in psychiatric research* 2018;27(1):e1601.
49. Rodríguez-Laso Á, O'Caoimh R, Galluzzo L, et al. Population screening, monitoring and surveillance for frailty: three systematic reviews and a grey literature review. *Annali dell'Istituto superiore di sanita* 2018; 54(3):253-62.
50. Rodríguez-Mañas L, Féart C, Mann G, et al. Searching for an operational definition of frailty: a Delphi method based consensus statement. The frailty operative definition-consensus conference project. *Journals of Gerontology Series A: Biomedical Sciences and Medical Sciences* 2012; 68(1): 62-7.
51. Szklo M. Population-based cohort studies. *Epidemiologic reviews* 1998; 20(1): 81-90.

eTable 1. PRISMA Checklist

Section/topic	#	Checklist item	Reported on page #
TITLE			
Title	1	Identify the report as a systematic review, meta-analysis, or both.	1
ABSTRACT			
Structured summary	2	Provide a structured summary including, as applicable: background; objectives; data sources; study eligibility criteria, participants, and interventions; study appraisal and synthesis methods; results; limitations; conclusions and implications of key findings; systematic review registration number.	2
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of what is already known.	3
Objectives	4	Provide an explicit statement of questions being addressed with reference to participants, interventions, comparisons, outcomes, and study design (PICOS).	3
METHODS			
Protocol and registration	5	Indicate if a review protocol exists, if and where it can be accessed (e.g., Web address), and, if available, provide registration information including registration number.	2,3
Eligibility criteria	6	Specify study characteristics (e.g., PICOS, length of follow-up) and report characteristics (e.g., years considered, language, publication status) used as criteria for eligibility, giving rationale.	3,4
Information sources	7	Describe all information sources (e.g., databases with dates of coverage, contact with study authors to identify additional studies) in the search and date last searched.	3,4
Search	8	Present full electronic search strategy for at least one database, including any limits used, such that it could be repeated.	3,4
Study selection	9	State the process for selecting studies (i.e., screening, eligibility, included in systematic review, and, if applicable, included in the meta-analysis).	4
Data collection process	10	Describe method of data extraction from reports (e.g., piloted forms, independently, in duplicate) and any processes for obtaining and confirming data from investigators.	4
Data items	11	List and define all variables for which data were sought (e.g., PICOS, funding sources) and any assumptions and simplifications made.	4

Risk of bias in individual studies	12	Describe methods used for assessing risk of bias of individual studies (including specification of whether this was done at the study or outcome level), and how this information is to be used in any data synthesis.	4
Summary measures	13	State the principal summary measures (e.g., risk ratio, difference in means).	4
Synthesis of results	14	Describe the methods of handling data and combining results of studies, if done, including measures of consistency (e.g., I^2) for each meta-analysis.	4
Risk of bias across studies	15	Specify any assessment of risk of bias that may affect the cumulative evidence (e.g., publication bias, selective reporting within studies).	4
Additional analyses	16	Describe methods of additional analyses (e.g., sensitivity or subgroup analyses, meta-regression), if done, indicating which were pre-specified.	4,5
RESULTS			
Study selection	17	Give numbers of studies screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stage, ideally with a flow diagram.	5,6
Study characteristics	18	For each study, present characteristics for which data were extracted (e.g., study size, PICOS, follow-up period) and provide the citations.	5
Risk of bias within studies	19	Present data on risk of bias of each study and, if available, any outcome level assessment (see item 12).	eTable 4
Results of individual studies	20	For all outcomes considered (benefits or harms), present, for each study: (a) simple summary data for each intervention group (b) effect estimates and confidence intervals, ideally with a forest plot.	5 Table 1, Supp. data
Synthesis of results	21	Present the main results of the review. If meta-analyses are done, include for each, confidence intervals and measures of consistency.	5-10
Risk of bias across studies	22	Present results of any assessment of risk of bias across studies (see Item 15).	-
Additional analysis	23	Give results of additional analyses, if done (e.g., sensitivity or subgroup analyses, meta-regression [see Item 16]).	10

DISCUSSION			
Summary of evidence	24	Summarize the main findings including the strength of evidence for each main outcome; consider their relevance to key groups (e.g., healthcare providers, users, and policy makers).	10-11
Limitations	25	Discuss limitations at study and outcome level (e.g., risk of bias), and at review-level (e.g., incomplete retrieval of identified research, reporting bias).	11-12
Conclusions	26	Provide a general interpretation of the results in the context of other evidence, and implications for future research.	12
FUNDING			
Funding	27	Describe sources of funding for the systematic review and other support (e.g., supply of data); role of funders for the systematic review.	13
Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 6(7): e1000097. doi:10.1371/journal.pmed1000097			

eTable 2. Characteristics of all population-based studies

Note N/A (not available or unclear) refers to data not being available in the paper publication or on request from the corresponding author.

Author and year	Data source	Countries or territories	Setting(s) of study	Nationally representative (Yes/No)	Data sets (N)	Number of persons	Age group	Mean age (s) (at study entry)	Data collection period (years)	Sample frame type	Sampling Probability (Prob) vs non-probability (NP)	Overall response rate (%)	Assessment scale(s)
Aarts et al., 2015	Age Gene/Environment Susceptibility Reykjavik Study	Iceland	Reykjavik	No	1	4414	67+	76.4	2002-2006	Complete	Prob	72%	Fried
Abe et al., 2019	Abe et al., 2019 Kusatsu Longitudinal Study on Aging and Health	Japan	Saitama (Hatoyama town A) Saitama (Hatoyama town B) Tokyo (Ota city East) Tokyo (Ota city West) Gunma (Kusatsu town)	No	5	1950 871 2349 2436 1576	65+	72.9 72.8 73.6 74.0 74.8	2018-2018 2018-2018 2016-2016 2016-2016 2017-2017	N/A N/A Complete Complete N/A	N/A N/A Prob Prob N/A	N/A	Kaigo-Yobo
Agresti et al., 2013	Fernandes Agresti et al., 2013	Brazil	São Paulo (Embu)	No	1	128	60+	68.9	2010-2010	Health	Prob	N/A	EFS
Aguilar-Navarro et al., 2015	Mexican Health and Aging Study	Mexico	Nationally representative	Yes	1	5644	60+	68.7	2001-2001	Complete	Prob	81%	Fried
Ahmad et al., 2018	Ahmad et al., 2018	Malaysia	Negeri Sembilan; Kuala Pilah	No	1	2324	60+	70.6	2013-2014	Complete	Prob	96%	Fried
Akin et al., 2015	Kayseri Elderly Health Study	Turkey	Kayseri	No	1	897	65+	71.5	2013-2013	Health	Prob	N/A	FRAIL Fried
Albala et al., 2017	ALEXANDROS	Chile	Santiago	No	1	2098	60+	68.3	1999/2005-2000/2008	Health	Prob	N/A	Fried
Alvarado et al., 2008	Salud Bienestar y Envejecimiento; Spanish for Health, Well-being and Aging	Barbados Cuba Mexico Brazil	Bridgetown Havana Mexico City São Paulo	No	4	1446 1726 1063 1879	60+	N/A	1999-2000	Complete	Prob	80%-95%	Fried
Andrade et al., 2018	Longitudinal Study of Health of the Brazilian Elderly	Brazil	Nationally representative	Yes	1	8556	50+	62.7	2015-2016	Complete	Prob	N/A	Fried
Arnadottir et al., 2020	Arnadottir et al., 2020	United Kingdom	63 GPs in England (Devon, Warwickshire/Herefordshire, Cambridge, Worcestershire, Birmingham and Black Country and Newcastle)	No	1	9671	70+	N/A	2011-2014	Health	Prob	33.3%	Strawbridge
Arosio et al., 2019	Genetics of Healthy Ageing	Italy	Northern Italy	No	1	94	99+	101.9	2007-2014	Complete	Prob	N/A	FI
Augusti et al., 2017	Augusti et al., 2017	Brazil	São Paulo (Amparo)	No	1	306	65+	72	2-2016	Health	NP	N/A	Fried
Avila-Funes et al., 2008	Three-City Study	France	Bordeaux, Dijon, Montpellier	No	1	6078	65+	74.1	1999-2000	Complete	Prob	N/A	Fried

Badrasawi et al., 2016	Long-term Research Grant Scheme - Towards Useful Aging	Malaysia	Klang Valley	No	1	473	60+	68	2012-2013	Complete	Prob	87%	Fried	
Bandeen-Roche et al., 2015	National Health and Aging Trends Study	United States of America	Nationally representative	Yes	1	7439	65+	N/A	2011-2011	Health	Prob	64%	Fried	
Belisário et al., 2018	Belisário et al 2018	Brazil	Minas Gerais (Uberaba)	No	1	705	60+	N/A	2014-2014	Complete	Prob	96%	Fried	
Bennett et al., 2013	The Chinese Longitudinal Health and Longevity Study	China	Nationally representative (22/31 Provinces)	Yes	1	6300	80-99	88.9	1998-2005	Complete	NP	84%	FI	
Biritwum et al., 2016	Study on global AGEing and adult health	China India Ghana South Africa Russian Federation Mexico	Nationally representative	Yes	6	13175 6560 4305 3832 3938 2313	50+	62.5 61.5 64.3 61.6 63.9 62.6	2007-2010	Complete	Prob	44-99%	FI	
Blodgett et al., 2015	National Health and Nutrition Examination Survey	United States of America	Nationally representative	Yes	1	4096	50+	63.4	2003/2005-2005/2006	Complete	Prob	N/A	Fried FI	
Blodgett et al., 2017	NHANES	United States of America	Nationally representative	Yes	1	2171	66+	N/A	2003-2006	Complete	Prob		FI (X3)	
Blyth et al., 2008	Concord Health and Ageing in Men Project	Australia	New South Wales (Sydney)	No	1	1674	70+	N/A	2005-2007	Complete	Prob	46%	Fried	
Boeckxstaens et al., 2015	BELFRAIL	Belgium	Brussels, Flanders, Wallony	No	1	567	80+	84.7	2008-2009	Health	NP	N/A	Fried	
Bongue et al., 2017b	Fragilité: une étude longitudinale de ses expressions	Canada	3 settings: metropolitan (CSSS Saint-Laurent-Bordeaux-Cartierville-Montréal), urban (CS SS Institut universitaire de gériatrie de Sherbrooke [CSSSIUGS]) and semi-urban region (CSSS Des Érables)	No	1	1643	65+	78.7	2010-2010	Health	Prob	N/A	Fried aCGA GFI VES-13	
Boulos et al., 2013	Aging and Malnutrition in Elderly Lebanese study	Lebanon	7 of 8 Mohafazat (rural areas)	No	1	1120	65+	N/A	2011-2012	Complete	Prob	93.02%	SOF	
Bowen, 2012	Health and Retirement Study	United States of America	Nationally representative	Yes	1	11491	50+	64.25	1998-2006	Complete	Prob		Fried	
Brigola et al., 2020	Variables associated with cognition in elderly caregivers	Brazil	São Paulo (São Carlos)	No	1	667	60+	71.3	2014-2014	Health	Prob	56.1%	Fried	
Brown et al., 2019	CARE75+	United Kingdom	28 sites	No	1	887	75+	81.5	2015-2018	Health	Prob	40%	Fried	
Buch et al., 2018	Mabat Zahav survey	Israel	Nationally representative	Yes	1	1619	65+	74.60	2005-2006	Health	Prob		FRAIL	
Bunce et al., 2019	Canberra Longitudinal Study	Australia	Canberra	No	1	878	70-97	76.49	1990-2002	Complete	Prob	68%	Fried	
Çakmur, 2015	Cakmur, 2015	Turkey	Kars (rural area)	No	1	168	65+	72.7	2014-2014	Complete	NP	N/A	Fried	
Carneiro et al., 2016a	Carneiro et al., 2016a	Brazil	Minas Gerais (north)	No	1	683	60+	70.9	2013-2013	Complete	Prob	N/A	EFS	
Carneiro et al., 2016b	Carneiro et al., 2016a	Brazil	Minas Gerais (Montes Claros)	No	1	106	80+	N/A	2013-2013	Complete	Prob	N/A	EFS	

Carneiro et al., 2017	Carneiro et al., 2017	Brazil	Minas Gerais (north)	No	1	360	65+	75	2015-2015	Other	NP	N/A	EFS	
Castell et al., 2010	Cohort of Peñagrande	Spain	Madrid	No	1	814	65+	77	2008-2008	Health	Prob	73%	Fried	
Cawthon et al., 2007	Osteoporotic Fractures in Men	United States of America	Alabama (Birmingham), California (Palo Alto), California (San Diego), Minnesota (Minneapolis), Oregon (Portland), Pennsylvania (Monongahela Valley)	No	1	5993	65+	73.7	2000-2002	Complete	Prob	N/A	Fried	
Cesari et al., 2006	InCHIANTI	Italy	Florence (Bagno a Ripoli), Florence (Greve in Chianti)	No	1	923	65+	74.8	1998-2000	Complete	Prob	73%	Fried	
Cesari et al., 2012	Cesari et al., 2012	France	Labastide-Murat	No	1	523	60+	N/A	2012-2012	Complete	Prob	51%	FRAIL Fried	
Chamberlain et al., 2016	Rochester Epidemiology Project	United States of America	Minnesota	No	1	12269	60-89	70.5	2005-2005	Health	Prob	75%	FI	
Chen et al., 2010	Survey of Health and Living Status of the Elderly	Taiwan	Nationally representative	Yes	1	2238	65+	73.3	2003-2003	Complete	Prob	92% approx.	Fried	
Chen et al., 2014	The Coming of an Aging Society: An Integrative Study on Social Planning in Taiwan in 2025	Taiwan	25 villages	No	1	495	65+	73.4	2007-2007	Complete	Prob	63%	Fried	
Chen et al., 2015	Sasaguri Genkimon Study	Japan	Fukuoka	No	1	1565	65+	73.3	2011-2011	Complete	Prob	32%	Fried	
Choe et al., 2018	Survey on Health and Welfare Status of the Elderly	Republic of Korea	Fukuoka (Sasaguri)	No	1	8907	65+	72.37	2008-2009	N/A	N/A	N/A	Fried	
Clegg et al., 2016	The Health Improvement Network ResearchOne	United Kingdom	Nationally representative	Yes	1	516007 415534	65-95	75.0 75.0	2008-2013	Health	Prob	N/A	FI	
Closs et al., 2016	The Multidimensional Study of the Elderly in the Family Health Strategy	Brazil	Rio Grande do Sul (Porto Alegre)	No	1	521	60+	68.5	2011-2012	Health	Prob	N/A	Fried	
Collerton et al., 2012	NEWCASTLE85+	United Kingdom	Newcastle (North Tyneside)	No	1	552	85+	85.5	2006-2007	Health	Prob	N/A	Fried FI	
Cramm et al., 2014	Cramm et al., 2014	Netherlands	Rotterdam	No	1	855	70+	77.9	2012-2013	Complete	Prob	39%	TFI	
Cruz et al., 2017	Cruz et al., 2017	Brazil	Minas Gerais (Juiz de Fora)	No	1	339	60+	74.3	2014-2015	Complete	Prob	N/A	EFS	
Curcio et al., 2014	Curcio et al., 2014	Colombia	4 villages (coffee-growing zone of the Colombian Andes Mountains)	No	1	1878	60+	70.9	2005-2005	Other	NP	N/A	Fried	
da Silva et al., 2018a	Longitudinal Study of the Elderly Health of Alcobaça, BA	Brazil	Alcobaça	No	1	457	60+	70.25	2015-2015	Health	Prob	67%	Fried	
Dasgupta et al., 2019	Dasgupta et al., 2019	India	West Bengal	No	1	165	60+	66.99	2018-2018	Complete	Prob	N/A	TFI	
Davis et al., 2011	Canadian study of Health and Ageing	Canada	Nationally representative	Yes	1	1295	70+	N/A	1996-1997	Complete	Prob	N/A	FI	

de Labra et al., 2018	Effectiveness of the Comprehensive Gerontological Assessment and longitudinal follow-up in the healthy ageing promotion project	Spain	Galicia	No	1	749	65+	75.8	2013-2014	Other	NP	N/A	Fried	
de Queiroz Neves et al., 2018	Neves et al., 2018	Brazil	Mato Grosso (Várzea Grande)	No	1	377	60+	69.6	2016-2016	Health	Prob	N/A	TFI	
De Witte et al., 2018	Belgian Ageing Studies	Belgium	142 cities	No	1	28245	60+	71.8	2008-?	Complete	Prob	65-85%	CFAI	
del Brutto et al., 2017	Atahualpa Project	Ecuador	Atahualpa (a rural village)	No	1	298	60+	70	2012-2015	Complete	Prob	77%	EFS	
Dent et al., 2016	LINKIN	Australia	South Australia (Lincoln)	No	1	1501	65+	75.9	2010-2010	Complete	Prob	N/A	FI	
Dent et al., 2017	South Australian Monitoring and Surveillance System	Australia	South Australia	No	1	7207	65+	74.8	2013-2015	Other	Prob	60%	FI	
Díaz de León González et al., 2016	Mexican health and aging study	Mexico	Nationally representative	Yes	1	4729	60+	N/A	2001-2001	Complete	Prob	N/A	FRAIL	
Diniz et al., 2018	Diniz et al., 2018	Brazil	São Paulo (Ribeirão Preto)	No	1	262	65+	N/A	2007-2008	Complete	Prob	26.4%	EFS	
Dong et al., 2018	Dong et al 2018	China	Shandong (Jinan)	No	1	1216	60+	N/A	2016-2016	Other	NP	N/A	FRAIL Fried	
dos Santos Tavares et al., 2017	dos Santos Tava et al., 2017	Brazil	Minas Gerais (Uberaba)	No	1	1609	60+	N/A	2012-2012	Health	N/A	N/A	Fried	
Duarte et al., 2013	Living conditions, health and aging: a comparative study	Brazil	Paraíba (João Pessoa)	No	1	166	60+	73.25	2011-2011	Complete	Prob	100%	EFS	
Duarte et al., 2014	Oporto Centenarian Study	Portugal	Oporto Metropolitan Area	No	1	50	100+	101.34	2013-2013	Complete	NP	N/A	Fried	
Duarte et al., 2015	Duarte et al., 2015	Portugal	Guimarães	No	1	338	50+	N/A	2015-2015	Complete	Prob	99.7%	Fried	
Ebeid et al., 2016	Ebeid et al., 2016	Egypt	Dakahlia (Meet Abbad-Nabaroh)	No	1	88	60+	N/A	N/A	Complete	Prob	62.9%	SOF	
Ensrud et al., 2007	The Study of Osteoporotic Fractures	United States of America	Baltimore County, Maryland; Minneapolis, Minnesota; Portland, Oregon; and the Monongahela Valley, Pennsylvania	No	1	6724	69+	76.7	1992-1994	Complete	Prob	N/A	Fried	
Espinoza et al., 2010	San Antonio Longitudinal Study of Aging	United States of America	Texas (San Antonio)	No	1	672	65+	N/A	1992-1996	Complete	Prob	63.3%	Fried	
Etman et al., 2014	Elderly And their Neighborhood study	Netherlands	1 city (middle-sized)	No	1	408	65+	75.1	2011-2012	Complete	Prob	36%	ISAR	
Fabício et al., 2019	Fabício et al., 2019	Brazil	São Paulo (São Carlos)	No	1	267	60+	70.2	2016-2017	Health	Prob	84.8%	Fried	
Fabício-Webbe et al., 2009	Fabício-Webbe et al., 2009	Brazil	São Paulo	No	1	137	65+	75.33	2007-2008	Complete	Prob	52%	EFS	
Farias-Antúnez et al., 2019	COMO VAI?(How are you?) study	Brazil	Rio Grande do Sul (Pelotas)	No	1	1399	60+	70.56	2014-2014	Complete	Prob	76%	EFS	
Feng et al., 2014	Singapore Longitudinal Aging Study-I.	Singapore	South East Region	No	1	1827	55+	65.9	2003-2005	Complete	Prob	55%	Fried	
Ferriolli et al., 2017	Study of Frailty in Elderly Brazilian Individuals	Brazil	Minas Gerais (Poços de Caldas).	No	1	5638	65+	73.1	2009-2010	Complete	Prob	N/A	Fried	

			Pará (Belém), Paraíba (Campina Grande), Piauí (Parnaíba), Rio Grande do Sul (Ivoti), São Paulo (Campinas), São Paulo (Ermelino Matarazzo)										
Fhon et al., 2012	Living, health and aging conditions: a comparative study	Brazil	São Paulo (Ribeirão Preto)	No	1	240	60+	73.5	2010-2011	Complete	Prob	N/A	EFS
Forti et al., 2014	Conselice Study of Brain Aging	Italy	Ravenna (Conselice)	No	1	766	65+	73.6	1999-2000	Complete	Prob	60%	SOF
Fransé et al., 2018	The Older Persons and Informal Caregivers Survey Minimum DataSet	Netherlands	Nationally representative	Yes	1	23371	55+	77.8	2010-2013	Other	Prob	N/A	FI
Fried et al., 2001	Cardiovascular Health Study	United States of America	4 U.S. communities: Sacramento County, California; Washington County, Maryland; Forsyth County, North Carolina, and Allegheny County (Pittsburgh), Pennsylvania	No	1	5317	65+	72.69	1989/1992- 1990/1993	Health	Prob	N/A	Fried
García-García et al., 2011	The Toledo study for healthy aging	Spain	Toledo	No	1	1642	65+	75.2	2006-2009	Complete	Prob	54%	Fried
García-González et al., 2009	Mexican Health and Aging Study	Mexico	Nationally representative	Yes	1	4082	65+	73	2001-2001	Complete	Prob	N/A	FI
García-Peña et al., 2016	Mexican health and aging study	Mexico	Nationally representative	Yes	1	1108	60+	69.8	2012-2012	Complete	Prob	N/A	FI
Ge et al., 2017	Longitudinal Population Health Index (PHI) survey	Singapore	central area	No	1	721	60+	70.6	2015-2016	Complete	Prob	53.3%	CFS
Ghasemi et al., 2019	Ghasemi et al., 2019	Iran	Tehran (District 5)	No	1	480	60+	70.1	2016-2016	Complete	Prob	N/A	FI
Gill et al., 2006	Precipitating Events Project	United States of America	Connecticut (New Haven)	No	1	754	70+	78.4	1998-1999	Health	NP	71.7%	Fried
Grden et al., 2017	Grden et al., 2017	Brazil	Paraná (Curitiba, Boa Vista Sanitary District)	No	1	243	80+	84.4	2013-2015	Health	Prob	N/A	Fried
Gross et al., 2018	The health of the elderly in primary care	Brazil	Rio Grande do Sul	No	1	555	60+	71.1	2015-2015	Health	Prob	79%	Fried
Guessous et al., 2014	Bus Santé study	Switzerland	Geneva (Canton)	No	1	2930	50+	60.0	2006-2010	Complete	Prob	60%- 68%	Fried
Gurina et al., 2011	The “Crystal” Study	Russian Federation	St. Petersburg District	No	1	604	65+	N/A	2009-2009	Health	Prob	66%	Fried GFI Puts model
Hao et al., 2016	Project of Longevity and Aging in Dujiangyan study	China	1 province	No	1	767	90+	93.7	2005-2005	Complete	Prob	62.1%	FI
Harmand et al., 2017	Three-City Study	France	Bordeaux	No	1	1278	65+	74	1999-2000	Complete	Prob	N/A	FI <u>Fried</u> TFI

Hegendörfer et al., 2020	BELFRAIL	Belgium	Brussels, Flanders, Wallony	No	1	559	80+	N/A	2008-2009	Health	NP	N/A	GF1 Fried	
Herr et al., 2015	Système d'Information sur la Perte d'Autonomie Fonctionnelle de la personne âgée	France	Nationally representative	Yes	1	2290	70+	83.3	2008-2010	Other	Prob	N/A	FI	
Herr et al., 2018	Système d'Information sur la Perte d'Autonomie Fonctionnelle de la personne âgée	France	Nationally representative	Yes	1	2279	70+	83.3	2008-2010	Other	Prob	18.3%	Fried	
Higueras-Fresnillo et al., 2018	Universidad Autónoma de Madrid cohort	Spain	Nationally representative	Yes	1	3896	60+	72.8	2000-2001	Complete	Prob	71%	FRAIL	
Hoeck et al., 2012	Belgian Health Interview Survey	Belgium	Nationally representative	Yes	1	4777	65+	74.9	2001 & 2004-2001 & 2004	Complete	Prob		Fried	
Hoogendijk et al., 2014	The Longitudinal Aging Study Amsterdam	Netherlands	Nationally representative	Yes	1	1205	65-88	75.2	1995-1996	Complete	Prob	72%	Fried	
Hoogendijk et al., 2017	The Longitudinal Aging Study Amsterdam	Netherlands	Nationally representative	Yes	1	2085	60-89	73.19	1995-1996	Complete	Prob	40%	FI	
Horibe et al., 2018	Horibe et al., 2018	Japan	Tokyo (Itabashi-ku)	No	1	789	65+	72.8	2013-2013	Complete	Prob	12%	Kihon checklist	
Huang et al., 2020	Huang et al., 2020	Taiwan	Rui-Fang; Ping-Xi; Shuang-Xi; Gong-Liao	No	1	1014	65+	N/A	N/A	Health	Prob	N/A	Fried	
Hubbard et al., 2009	English Longitudinal Study of Ageing	United Kingdom	Nationally representative	Yes	1	3055	65+	71.4	2004-2004	Complete	Prob	N/A	Fried FI	
Hyde et al., 2010	The Health in Men Study	Australia	Western Australia (Perth)	No	1	3616	70-88	76.9	2001-2004	Complete	Prob	N/A	FRAIL	
Iwasaki et al., 2018	Iwasaki et al 2018	Thailand	Nakhon Pathom (central area)	No	1	141	61+	71.9078	2015-2015	Health	Prob	36%	Fried	
Jacobsen et al., 2019	Lolland-Falster Health Study	Denmark	Lolland-Falster	No	1	7327	50+	N/A	2016-2019	Complete	Prob	34.1%	Fried	
Jauregui et al., 2014	Jauregui et al 2014	Argentina	Buenos Aires (1 high income area and 1 low income area)	No	1	448	50+	67	2010-2012	Complete	Prob	97%	Fried	
Jotheeswaran et al., 2015	10/66 Dementia Research Group	China China Peru Venezuela India Cuba Peru Mexico Mexico Dominican Republic	Beijing (Daxin) Beijing (Xicheng) Canete Caracas Chennai Havana; Matanzas Lima Mexico city Morelos/Higalgo Santo Domingo	No	1	1002 989 507 1697 748 2637 1245 909 933 1706	65+	72.4 74.1 74.1 72.3 71.4 75.2 75.0 74.4 74.1 75.4	2003-2007	Complete	Prob	69%-98%	Strawbridge Fried	
Jung et al., 2014	The Korean Longitudinal Study on Health and Aging	Republic of Korea	Gyeonggi-do (Seongnam)	No	1	621	65+	N/A	2005-2006	Complete	Prob	N/A	Fried KLOSHA FI SOF	
Jung et al., 2016	Aging Study of Pyeongchang Rural Area study	Republic of Korea	Pyeongchang Rural Area	No	1	380	65+	N/A	2014-2014	Health	Prob	96%	Fried K-FRAIL	
Júnior et al., 2014	Nutritional status, risk behaviors and health conditions of the elderly people of Lafaiete Coutinho-BA	Brazil	Bahia (Lafaiete Coutinho)	No	1	286	60+	74.8	2011-2011	Health	Prob	81%	Fried	

Jürschik et al., 2012	FRALLE survey	Spain	Lleida	No	1	523	75+	N/A	2009-2010	Health	Prob	N/A	Fried	
Kashikar & Nagarkar, 2016	Kashikar & Nagarkar, 2016	India	Pune (Warje-Karvenagar)	No	1	250	65+	73.9	2014-2015	Complete	Prob	N/A	Fried	
Kehler et al., 2017	Canadian Health Measures Study	Canada	Atlantic Canada, Quebec, Ontario, the Prairies, and British Columbia	No	1	2722	50+	N/A	2007-2013	Complete	Prob	36%	Fried FI	
Kelly et al., 2017	Kelly et al., 2017	Ireland	Dublin (north city)	No	1	1302	65+	82.1	2014-2015	Health	Prob	N/A	CFS	
Kendhapedi et al., 2019	Kendhapedi et al., 2019	India	Southern India (4 villages)	No	1	408	60+	67.52	2019-2019	Complete	Prob	81%	Fried FI TFI	
Kera et al., 2017	OTASYA KENSHIN	Japan	Tokyo (Itabashi-ku)	No	1	1380	66+	72.55	2011-2013	Complete	Prob	N/A	Kihon checklist	
Keränen et al., 2017	GASEL Survey	Finland	northern region	No	1	794	65+	72.8	2014-2015	Complete	Prob	52.9%	SOF	
Khamis et al., 2019	Khamis et al., 2019	Lebanon	Nabatiah	No	1	390	65+	76.1	2015-2015	Complete	Prob	98%	GF1	
Kiely et al., 2009	MOBILIZE (Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly) Boston Study	United States of America	Massachusetts (Boston)	No	1	760	65+	78.13	2005-2008	Complete	Prob	N/A	Fried SOF	
Kim & Park, 2014	Kim & Park, 2014	Republic of Korea	7 districts of a city labelled D	No	1	191	65+	N/A	2008-2008	Other	Prob	N/A	Fried	
Kim et al., 2014	Hwang et al., 2010	Republic of Korea	Gyeonggi (Seoul)	No	1	486	65+	74.6	2009-2011	Other	Prob	N/A	Fried	
Kim et al., 2017	The Otasha-Kenshin study	Japan	Tokyo (Itabashi)	No	1	1191	75+	78.4	2008-2008	Complete	Prob	11%	Fried	
Kim et al., 2019a	Kim et al., 2019a	Japan	Tokyo (Itabashi-ku)	No	1	1191	70+	N/A	2016-2016	Complete	Prob	16%	Fried Cognitive frailty	
Kim et al., 2019b	Kim et al., 2019b	Republic of Korea	Gyeongnam, 2 myeons	No	1	808	65+	74.58	2018-2018	Other	NP	N/A	Kaigo-Yobo	
Kim et al., 2019c	Health and Retirement Study	United States of America	Nationally representative	Yes	1	3642	65+	75.5	2008-2008	Health	Prob	N/A	FI	
Koponen et al., 2013	The Geriatric Multidisciplinary Strategy for the Good Care of the Elderly study	Finland	Kuopio	No	1	605	76+	81.9	2004-2005	Complete	Prob	N/A	Fried	
Kucharska-Newton et al., 2017	Atherosclerosis Risk in Communities Study cohort	United States of America	Maryland, Minneapolis, Minnesota, Washington	No	1	6080	66-90	N/A	2011-2013	N/A	Prob		Fried	
Kulminski et al., 2008	Cardiovascular Health Study	United States of America	4 U.S. communities: Sacramento County, California; Washington County, Maryland; Forsyth County, North Carolina, and Allegheny County (Pittsburgh), Pennsylvania	No	1	4721	65+	N/A	1989-1999	Health	Prob	48%	FI	

Kwan et al., 2015	Hong Kong Centenarian Study	Hong Kong	Hong Kong	No	1	124	95+	97.7	2011-2011	Health	Prob	42%	FI CME	
Lahousse et al., 2014	The Rotterdam Study	Netherlands	Rotterdam	No	1	2833	55+	75.1	2009-2012	Complete	Prob	53%	Fried	
Langholz et al., 2018	The Tromsø Study	Norway	Tromsø	No	1	712	70+	77.4	2001-2002	Complete	Prob	26%	Fried	
Le Cossec et al., 2016	Enquête Handicap Santé – Ménages The health, health care and insurance survey	France	Nationally representative	Yes	2	11089 4236	55+ 56+	68.5 69.6	2008-2008 2012-2012	Complete Health	Prob	62% 42%	Fried	
Lee et al., 2014	Lee et al., 2014	Hong Kong	Hong Kong	No	1	3427	67+	74.0	2003-2005	Other	NP	N/A	Fried	
Lee et al., 2018	Living Profiles of Older People Survey	Republic of Korea	Nationally representative	Yes	1	11266	65+	72.9	2008-2008	Complete	Prob	74.3%	Fried	
León-Muñoz et al., 2014	Estudio de Nutrición y Riesgo Cardiovascular	Spain	Nationally representative	Yes	1	1894	60+	68.5	2008-2010	Complete	Prob	N/A	Fried	
Lewis et al., 2018	Lewis et al 2018	Tanzania	Hai (demographic surveillance site)	No	1	196	60+	74.82	2017-2017	Complete	Prob	N/A	Fried B-FIT	
Lin et al., 2015	Lin et al., 2015	Taiwan	Taichung	No	1	1036	65+	74	2009-2009	Complete	Prob	38%	Fried	
Lin et al., 2016	Social Environment and Biomarkers of Aging Study	Taiwan	Nationally representative	Yes	1	1245	53+	66.0	2006-2006	Complete	Prob	N/A	FI	
Liu et al., 2015	I-Lan Longitudinal Aging Study	Taiwan	Yilan	No	1	1839	50+	63.9	2011-2013	Complete	Prob	N/A	Fried	
Liu et al., 2016	The Framingham Offspring Study	United States of America	Massachusetts (Framingham)	No	1	1919	65+	71	2005-2008	Other	Prob	N/A	Fried	
Liu et al., 2018	The Chinese Longitudinal Health and Longevity Study	China	Nationally representative (22/31 Provinces)	Yes	1	11165	65+	82.6	2002-2002	N/A	NP	89%	FI	
Llano et al., 2017	Llano et al., 2017	Brazil	Rio Grande do Sul (Pelotas)	No	1	820	60+	N/A	2014-2014	Health	Prob	98%	Fried	
Lo et al., 2017	the Nutrition and Health Survey in Taiwan	Taiwan	Nationally representative	Yes	1	770	65+	73.6	2014-2015	Complete	Prob	N/A	Fried	
Lourenço et al., 2019	Study of Frailty in Elderly Brazilian Individuals	Brazil	Minas Gerais (Juiz de Fora)	No	1	427	65+	74.4	2009-2010	Complete	Prob	98%	Fried	
Ma et al., 2016	Beijing Longitudinal Study of Aging	China	Beijing	No	1	1808	60+	74.51	2004-2004	Complete	Prob	80%	FI	
Ma et al., 2018	China Comprehensive Geriatric Assessment Study	China	Beijing, Changsha, Shanghai, Xi'an, Chongqing and Chengdu, and Harbin	No	1	5844	60+	70.92	2011-2012	Complete	Prob	N/A	FI	
Ma et al., 2019	Beijing Longitudinal Study of Aging	China	Beijing	No	1	1724	60+	74.19	2004-2004	Complete	Prob	77%	FSQ	
Manfredi et al., 2019	The Survey of Health, Ageing and Retirement in Europe	Austria Belgium Croatia Czech Republic Denmark Estonia France Germany Greece Israel Italy Luxembourg Poland	Nationally representative	Yes	18	2901 5333 2210 4427 3543 4856 3630 4094 4349 1579 4508 1427 1628	50+	N/A	2015-2015	Complete	Prob	42.40%	Fried	

Commented [MO1]: Comprehensive model of frailty. Excluded tool / no prevalence data.

		Portugal Slovenia Spain Sweden Switzerland				1412 3834 4698 3682 2705								
Mello et al., 2017	Survey on Conditions of Health and Use of Health Services in the Territory of Manguinhos	Brazil	Rio de Janeiro (favelas)	No	1	137	60+	70.2	2012-2013	Complete	Prob	N/A	Fried	
Metzelthin et al., 2010	Metzelthin et al	Netherlands	Limburg and Utrecht	No	1	532	70+	77.2	2008-2009	Health	Prob	78%	TFI GFI SPQ	
Mohd Hamidin et al., 2018	Hamidin et al 2018	Malaysia	Terengganu	No	1	279	60+	73.32	2013-2013	Complete	Prob	93%	Fried	
Mohr et al., 2007	Massachusetts Male Aging study	United States of America	Massachusetts (Boston)	No	1	601	50-86	N/A	2002-2004	Complete	Prob	25%	Fried	
Moreira et al., 2013	Frailty in Brazilian Older People Study/Fragilidade em Idosos Brasileiros	Brazil	Rio de Janeiro	No	1	754	65+	76.6	2009-2010	Health	Prob	N/A	Fried	
Moreno-Tamayo et al., 2017	the Rural Frailty Study	Mexico	rural areas (<2500 residents)	No	1	591	70+	76.3	2009-2009	Other	Prob	N/A	Fried	
Mousavi sisi et al., 2019	Sisi et al., 2019	Iran	East Azerbaijan (Shabestar)	No	1	555	60+	71.53	2018-2019	Health	Prob	N/A	TFI	
Murayama et al., 2012	The Hatoyama Cohort Study	Japan	Saitama (Hatoyama)	No	1	742	65+	71.9	2010-2010	Complete	Prob	27.5%	Kaigo-Yobo Fried	
Nguyen et al., 2019	Nguyen et al., 2019	Vietnam	Hanoi (Soc Son)	No	1	512	60+	72.8	2017-2017	Complete	Prob	96.6%	Fried	
Nishi et al., 2012	Nishi et al., 2012	Japan	Gunma (Kusatsu town) Yoita-cho	No	2	427 547	70+	N/A	2005-2005	Complete	Prob	96.2%	Kaigo-Yobo	
Ntanasi et al., 2018	Hellenic Longitudinal Investigation of Aging and Diet	Greece	Larissa and Marousi	No	1	1867	65+	N/A	2009-2015	Complete	Prob	N/A	Fried FI TFI	
O'Connell et al., 2015	The Irish Longitudinal Study on Ageing	Ireland	Nationally representative	Yes	1	5700	50+	N/A	2009-2011	Complete	Prob	62.0%	Fried	
O'Donovan et al., 2019	The Survey of Health, Ageing and Retirement in Europe	Ireland	Nationally representative	Yes	1	319	65+	73.64	2007-2007	Complete	Prob	44%	Fried FI	
Ocampo-Chaparro et al., 2013	Ocampo-Chaparro et al., 2013	Colombia	Cali	No	1	115	60+	N/A	2009-2009	Complete	Prob	31.6%	Fried	
Ocampo-Chaparro et al., 2019	SABE Colombia	Colombia	Nationally representative	Yes	1	4474	60+	69.3	2014-2015	Complete	Prob	70%	Fried	
Olaroiu et al., 2014	Olaroiu et al	Romania	Braila	No	1	211	65+	74.9	2013-2013	Health	Prob	98%	GFI	
Ottensbacher et al., 2009	the Hispanic Established Populations for Epidemiologic Studies of the Elderly	United States of America	Arizona, California, Colorado, New Mexico, Texas	No	1	2049	65+	74.43	1995-1996	Complete	Prob	N/A	Fried	
Ovares et al., 2018	Costa Rican Study of Longevity and Healthy Ageing	Costa Rica	Nationally representative	Yes	1	2091	60+	70	2004-2006	Complete	Prob	N/A	Fried	
Palomo et al., 2019	Palomo et al., 2019	Chile	Maule	No	1	1205	65+	73	2016-2017		Prob	N/A	Fried	
Paulson & Lichtenberg, 2015	Health and Retirement Study	United States of America	Nationally representative	Yes	1	8844	65+	74.5	1998-1998	Complete	Prob	N/A	Fried	
Payne et al., 2017	Health and Aging in Africa: Longitudinal Studies of an	South Africa	Agincourt	No	1	3681	50+	N/A	2013-2013	Complete	Prob	71.4%	Fried	

	INDEPTH Community cohort													
Pengpid & Peltzer, 2019	Indonesia Family Life Survey	Indonesia	Nationally representative (13/27 Provinces)	Yes	1	2630	60+	N/A	2014-2015	Complete	Prob	>90%	Fried	
Pérez-Zepeda et al., 2016	Mexican Survey on Nutrition and Health (Encuesta Nacional de Salud y Nutrición)	Mexico	Nationally representative	Yes	1	7108	60+	70.7	2012-2012	Complete	Prob	N/A	FI	
Poli et al., 2017	Poli et al., 2017	Italy	Genoa	No	1	542	65+	75.2	2013-2013	Complete	Prob	27.2%	FRAIL	
Pradhananga et al., 2019	AT Medics	United Kingdom	London	No	1	10881	65+	N/A	2018-2018	Health	Prob	N/A	FI	
Qiao et al., 2018	Dong et al 2018	China	Shandong (Jinan)	No	1	1204	60+	69.46	2016-2016	Other	NP	N/A	FI CFAI	
Ramsay et al., 2015	British Regional Heart Study	United Kingdom	Nationally representative	Yes	1	1622	71-92	79	2010-2012	Complete	Prob	52%	Fried	
Ravindrarajah et al., 2017	Clinical Practice Research Datalink	United Kingdom	Nationally representative	Yes	1	144403	80+	N/A	2001-2009	Health	Prob	N/A	FI	
Rivas-Ruiz et al., 2019	Rivas-Ruiz et al., 2019	Spain	Costa del Sol Gipuzkoa	No	2	432 423	70+	76.2 80.1	2015-2016	Health	Prob	N/A	Fried	
Rodrigues et al., 2018	10/66 Dementia Research Group	China China Cuba Dominican Republic India India Mexico Mexico Peru Peru Puerto Rico Venezuela	Beijing (Daxin) Beijing (Xicheng) Havana; Matanzas Santo Domingo Chennai Vellore Mexico City Morelos/Higalco Canete Lima San Juan Caracas	No	12	998 1160 2935 2005 986 999 998 992 552 1378 1935 1928	65+	72.4 73.9 75.1 75.3 71.3 72.6 74.5 74.1 74.2 75 76.3 72.3	2004-2006	Complete	Prob	N/A	Fried	
Roppolo et al., 2017	Roppolo et al., 2017	Italy	Piedmont	No	1	594	65+	73.6	2016-2016	Other	NP	55%	Fried Cognitive frailty	
Ruiz-Arregui et al., 2013	The Coyoacan Cohort	Mexico	Mexico City (Coyoacan)	No	1	1124	70+	79.5	2008-2008	Health	Prob	88.1%	Fried	
Sabbour et al., 2018	Sabbour et al., 2018	Egypt	urban areas	No	1	175	60+	66.3	2017-2017	Other	NP	>80%	Fried	
Salminen et al., 2019	Salminen et al., 2019	Finland	Lieto	No	1	1152	64+	72.7	1998-1999	Complete	Prob	76%	FRAIL FI PRISMA-7	
Samper-Ternent et al., 2017	Salud Bienestar y Envejecimiento" Bogotá" Study	Colombia	Bogotá	No	1	1442	60+	70.7	2012-2012	Complete	Prob	81.9%	Fried	
Sánchez-García et al., 2014	Study on Aging and Dementia in Mexico	Mexico	Mexico City	No	1	1933	60+	70.14	2009-2010	Health	Prob	N/A	Fried	
Santiago et al., 2013	Santiago et al 2013	Brazil	Minas Gerais (Juiz de Fora)	No	1	219	60+	70.5	2012-2012	Other	NP	100%	TFI	
Santiago et al., 2018	Santiago et al., 2018	Brazil	Rio de Janeiro	No	1	640	60+	70.5	2013-2013	Health	NP	N/A	TFI	
Santos et al., 2015	PET-Jequié Health: Identifying the health-disease process in a population affiliated with the Family Health Units	Brazil	Pernambuco (Pau Ferro)	No	1	136	60+	N/A	2013-2013	Health	Prob	N/A	Fried	

Santos-Eggimann et al., 2009	The Survey of Health, Ageing and Retirement in Europe	Netherlands	Nationally representative	Yes	1	2091	50+	N/A	2004-2004	Complete	Prob	45.5%	Fried	
Satake et al., 2017	Satake et al 2017	Japan	Aichi (Higashiura)	No	1	5542	65+	72.3	2010-2010	Complete	Prob	68.5%	Kihon checklist	
Sathasivam et al., 2015	Sathasivam et al., 2015	Malaysia	National but only urban districts	No	1	789	60+	69.6	N/A	Complete	Prob	75.9%	FI	
Segal et al., 2017	The National Health and Aging Trends Study	United States of America	Nationally representative	Yes	1	4582	65+	75.2	2011-2011	Health	Prob		Fried FI	
Serra-Prat et al., 2016	Serra-Prat et al., 2016	Spain	Barcelona; Mataró	No	1	324	75+	80.1	2013-2016	Health	Prob	51%	Fried	
Shi et al., 2011	Beijing Longitudinal Study of Aging	China	Beijing	No	1	3257	55+	69.8	1992-1992	Complete	Prob	91.2%	FI	
Shimada et al., 2016	National Center for Geriatrics and Gerontology– Study of Geriatric Syndromes database	Japan	Aichi (Nagoya, Obu)	No	1	8864	65+	73.4	2011-2013	N/A	Prob	N/A	Fried Cognitive frailty	
Shinkai et al., 2013	Shinkai et al., 2013	Japan	Gunma (Kusatsu town)	No	1	526	65+	N/A	2007-2007	Complete	Prob	88%	Fried Kaigo-Yobo	
Shirooka et al., 2017	Shirooka et al., 2017	Japan	National but not representative	No	1	483	65+	73.34	2015-2015	Other	NP	N/A	Fried	
Shmuel et al., 2019	Johnston County Osteoarthritis Project	United States of America	North Carolina (Johnston County)	No	1	1697	50+	69	1999-2004	Complete	Prob	N/A	Fried	
Silveira et al., 2015	Silveira et al., 2015	Brazil	Minas Gerais (Uberaba)	No	1	54	65+	73	2011-2011	Health	Prob	82%	Fried	
Siriwardhana et al., 2019	Siriwardhana et al., 2019	Sri Lanka	Kegalle district	No	1	746	60+	N/A	2016-2016	Complete	Prob	99.5%	Fried	
Sleight & Holtzer, 2017	Central Control of Mobility in Aging	United States of America	New York (Westchester County lower)	No	1	457	65+	76.50	2011-2014	Complete	Prob	N/A	Fried	
Song et al., 2010	National Population and Health Survey	Canada	Nationally representative	Yes	1	2740	65+	74	1994-1995	Complete	Prob	N/A	FI	
Sousa-Santos et al., 2018	Nutrition UP 65	Portugal	Nationally representative	Yes	1	1457	65+	74.3	2015-2016	Complete	Prob	N/A	Fried	
Srinonprasert et al., 2018	Thai National Health Examination Survey	Thailand	Nationally representative	Yes	1	8195	60+	69.2	2009-2009	Complete	Prob	N/A	FI	
St John et al., 2013	Manitoba Study of Health and Aging	Canada	Manitoba	No	1	1705	65+	77.5	1991-1991	Health	Prob	71%	CFS FI	
Stenholm et al., 2014	Health 2000 Survey in 2000–2001 (follow-up to Mini-Finland Health Examination Survey in 1978–1980)	Finland	Lieto	No	1	1119	52+	N/A	2000-2001	Complete	Prob	N/A	Fried	
Sternberg et al., 2014	Sternberg et al., 2014	Israel	Jerusalem	No	1	235	70+	77.6	2008-2009	Health	Prob	N/A	Fried VES-13	
Strawbridge et al., 1998	Alameda County Study	United States of America	California (Alameda)	No	1	574	65+	74	1994-1994	Complete	Prob	85%–97%	Strawbridge	
Theou et al., 2012	Canadian study of Health and Ageing	Canada	Nationally representative	Yes	1	2305	70+	84.6	1996-1997	Complete	Prob	N/A	Fried 	
Theou et al., 2013	The Survey of Health, Ageing and Retirement in Europe	Austria Belgium Czech Republic Denmark France Germany Greece Ireland Israel	Nationally representative	Yes	16	1849 3699 2749 1615 3052 2942 2680 1107 2498	50+	65.2 65.9 64 64.2 65.5 65.1 65 64.7 65.6	2004-2004 2004-2005 2006-2007 2004-2004 2004-2005 2004-2004 2004-2005 2007-2007 2005-2006	Complete	Prob	N/A	FI	

Commented [MO2]: Excluded since Davis et al., 2011 is more comprehensive.

		Italy Netherlands Poland Spain Sweden Switzerland				2508 2870 2425 2354 2997 961		65.6 63.9 64.1 65.7 65.4 64.8	2004-2004 2004-2004 2006-2007 2004-2004 2004-2005 2004-2004				
Theou et al., 2015	The Irish Longitudinal Study on Ageing	Ireland	Nationally representative	Yes	1	4961	50+	61.9	2010-2012	Complete	Prob	N/A	FI (X3)
Thompson et al., 2018a	North West Adelaide Health Study	Australia	South Australia (Adelaide NW)	No	1	909	65+	74.4	2004-2006	Complete	Prob	N/A	FI FP Fried
Thompson et al., 2018b	Australian Diabetes and Obesity Lifestyle Study Blue Mountains Eye Study North West Adelaide Health Study The Australian Longitudinal Study of Women's Health Old Cohort	Australia	Nationally representative New South Wales South Australia (Adelaide NW) New South Wales	Yes No No No	4	1634 95 944 944	65+ 65+ 65+ 77-85+	73.0 76.3 74.4 80.8	2004-2005 2002-2004 2004-2006 2002-2004	Complete Complete Complete Health	Prob Prob Prob Prob		Fried
Tian et al., 2019	Dong et al 2018	China	Shandong (Jinan)	No	1	1202	60+	69.5	2016-2016	Other	NP	N/A	GFI
Tribess et al., 2012	Population Study of Physical Activity and Aging	Brazil	Minas Gerais (Uberaba)	No	1	622	60+	71.08	2010-2010	Complete	Prob	96.1%	Fried
Tyrovolas et al., 2018	COURAGE	Finland Poland Spain	Nationally representative	Yes	1	1452 2910 3625	50+	N/A	2010-2010	Complete	Prob	65.6% 66.5% 69.9%	FI
Vaingankar et al., 2017	Well-being of the Singapore Elderly study	Singapore	Nationally representative	Yes	1	2102	60+	69	2013-2013	Complete	Prob	54%	Fried
van Assen et al., 2016	Public Health Services in the Netherlands questionnaire	Netherlands	Amsterdam, Noord-Brabant, Zeeland	No	1	47321	65+	73.37	2012-2012	Complete	Prob	58.5%	TFI
Varela Pinedo et al., 2009	Varela-Pinedo et al., 2010	Peru	Lima	No	1	246	61+	69.9	2007-2007	N/A	Prob	N/A	Fried
Veronese et al., 2017	Progetto Veneto Anziani	Italy	Veneto	No	1	2571	65+	74.1	1995-1997	Health	Prob	N/A	Fried
Verver et al., 2019	Home Sweet Home	Netherlands	North-Holland	No	1	1768	65+	78.7	2011-2012	Health	Prob	35.1%	TFI
Wang et al., 2014	Wang et al., 2014	China	Hunan province (Changsha city and surrounding area)	No	1	516	70+	76.5	2012-2013	N/A	N/A	N/A	Fried
Wang et al., 2020	The Diet and Healthy Aging (DaHA) Study	Singapore	Jurong	No	1	895	60+	67.9	2011-2017	Complete	Prob	N/A	Fried
Watanabe et al., 2017	Obu Study of Health Promotion for the Elderly	Japan	Aichi (Obu)	No	1	4720	65+	72.1	2011-2012	Complete	NP	N/A	Fried
Watts et al., 2019	The English Longitudinal Study of Aging	United Kingdom	Nationally representative	Yes	1	1342	71+	77.81-N/A	2008-2008	Complete	Prob	N/A	Fried FI
Widagdo et al., 2015	Australian Longitudinal Study of Ageing	Australia	South Australia (Adelaide)	No	1	1566	65+	81.6	1992-1992	Complete	Prob	N/A	Fried Simplified FP FI Prognostic frailty score
Witham et al., 2019	Centre de Recherche en Santé de Nouna	Burkina Faso	Nouna	No	1	1620	50+	N/A	2018-2018	Complete	Prob	69.4%	Fried
Wong et al., 2010	Montreal Unmet Needs Study	Canada	Quebec (Montreal)	No	1	740	75+	79.6	2001-2002	Other	Prob	57%	Fried
Woo et al., 2012	Osteoporotic Fractures in Men (MrOs) and Women (MsOs) (Hong Kong) Study	Hong Kong	Hong Kong	No	1	4000	65+	72.49	2001-2003	Other	NP	N/A	Fried FRAIL Hubbard

												FI	
Woo et al., 2015a	Woo et al., 2015a	Hong Kong	Sha Tin, Tai Po, and North	No	1	816	65+	N/A	2014-2014	Other	NP	N/A	FRAIL
Wu et al., 2017	China Health and Retirement Longitudinal Study	China	Nationally representative	Yes	1	5301	60+	67.85	2011-2012	Complete	Prob	N/A	Fried
Xi & Guo, 2014	Xi & Guo, 2014	China	Beijing	No	1	683	60+	74.14	2013-2013	N/A	NP	N/A	Fried
Yamada et al., 2017	Yamada et al., 2017	Japan	Kyoto	No	1	3640	65+	77.1	2012-2012	Complete	Prob	85.7%	Kihon checklist
Yamaguchi et al., 2018	Kyoto-Kameoka Study	Japan	Kyoto (Kameoka city)	No	1	8174	65+	73.6	2011-2011	Complete	N/A	68.2%	Kihon checklist
Ye et al., 2020	Ye et al., 2020	China	Shanghai	No	1	3965	60+	69.38	2015-2015	Complete	Prob	N/A	FI
Yin et al., 2018	China Health and Retirement Longitudinal Study	China	Nationally representative	Yes	1	5834	60+	67.62	2011-2012	Complete	Prob	80.5%	FI
Yoshimura et al., 2018	Research on Osteoarthritis/Osteoporosis Against Disability	Japan	Tokyo (Itabashi), Wakayama (a mountainous region in Hidakagawa), Wakayama (a coastal region in Taiji)	No	1	1083	60+	72.1	2008-2010	N/A	N/A	N/A	Fried
Yu et al., 2017	Osteoporotic Fractures in Men (MrOs) and Women (MsOs) (Hong Kong) Study Taiwan Longitudinal Study on Aging	Hong Kong Taiwan	Hong Kong Nationally representative	No Yes	1	4000 2392	65+	72.49 74.81	2001-2003 2003-2003	Other Complete	NP NP	N/A	FI
Zhang et al., 2019	Survey of the Shandong Elderly Family Health Service	China	Shandong	No	1	7070	60+	69.81	2017-2017	Complete	Prob	N/A	FI
Zhang et al., 2020	Zhang et al., 2020	China	Tianjin	No	1	513	60+	69.6	2017-2018	Other	NP	91.6%	FI
Zheng et al., 2016	Beijing Longitudinal Study of Aging II	China	Beijing	No	1	10039	55+	70.5	2009-2009	Complete	Prob	83%	FI
Zucchelli et al., 2019	Swedish National Study on Aging and Care in Kungsholmen	Sweden	Stockholm	No	1	3363	60+	74.7	2001-?	Complete	Prob	73.3%	Fried FI
Zúñiga et al., 2019	Zúñiga et al., 2019	Chile	Santiago	No	1	538	60+	72.2	N/A	Health	Prob	N/A	TFI
Zuppa et al., 2019	AMPAL project	Brazil	Rio Grande do Sul (Porto Alegre)	No	1	194	90+	93.02	2016-2016	Complete	Prob	N/A	Fried

B-FIT: Brief Frailty Instrument for Tanzania; CFAI: Comprehensive Frailty Assessment Instrument; CFS: Clinical Frailty Scale; CGA: Comprehensive Geriatric Assessment; EFS: Edmonton Frail Scale; FI: Frailty Index; FRAIL: Fatigue, Resistance, Ambulation, Illnesses, & Loss of Weight; FSQ: Frailty Screening Questionnaire; GFI: Groningen Frailty Indicator; ISAR: Identification of Seniors at Risk; TFI: Tilburg Frailty Indicator; SOF: Study of Osteoporotic Fracture (SOF) Criteria for Frailty; SPQ: Sherbrooke Postal Questionnaire; VES-13: Vulnerable Elders Survey
N/A = Not available - refers to data not being available in the paper publication or on request from the corresponding author

eTable 3. Datasets including frailty and pre-frailty prevalence estimates with 95% confidence intervals (CI) by location (country, United Nations (UN) economic areas and continent) for physical frailty and deficit accumulation (frailty index) models for individuals aged ≥50.

Location	Frailty				Pre-frailty			
UN Area	Datasets (total sample size)		Prevalence of Frailty (95% CI)		Datasets (total sample size)		Prevalence of pre-frailty (95% CI)	
(country)	Physical Frailty	Frailty Index	Physical Frailty	Frailty Index	Physical Frailty	Frailty Index	Physical Frailty	Frailty Index
Africa	5 (5760)	2 (8137)	22% (10%-37%)	-	4 (5585)	0	47% (42%-53%)	-
Northern Africa	2 (263)	0	-	-	1 (88)	0	-	-
Egypt	2 (263)	0	52% (46%-58%)	-	1 (88)	0	27% (18%-38%)	-
Sub-Saharan Africa	3 (5497)	2 (8137)	11% (5%-18%)	38% (37%-39%)	3 (5497)	0	51% (47%-55%)	-
Burkina Faso	1 (1620)	0	12% (10%-14%)	-	1 (1620)	0	53% (51%-56%)	-
Ghana	0	1 (4305)	-	38% (26%-39%)	0	0	-	-
South Africa	1 (3681)	1 (3832)	6% (5%-6%)	38% (37%-40%)	1 (3681)	0	49% (47%-50%)	-
Tanzania	1 (196)	0	17% (12%-23%)	-	1 (196)	0	51% (43%-58%)	-
Americas	61 (114311)	11 (50723)	17% (15%-19%)	23% (15%-32%)	47 (88589)	7 (35232)	50% (47%-53%)	50% (41%-60%)
Latin America and the Caribbean	45 (64165)	3 (13503)	19% (17%-22%)	30% (28%-31%)	32 (41165)	2 (11190)	52% (49%-56%)	62% (61%-63%)
Argentina	1 (448)	0	24% (20%-29%)	-	0	0	-	-
Barbados	1 (1446)	0	27% (24%-29%)	-	1 (1446)	0	54% (52%-57%)	-
Brazil	21 (24833)	0	22% (16%-28%)	-	17 (15004)	0	52% (48%-55%)	-
Chile	2 (3303)	0	17% (16%-19%)	-	2 (3303)	0	55% (53%-57%)	-
Colombia	4 (7909)	0	15% (10%-20%)	-	4 (7909)	0	59% (52%-66%)	-
Costa Rica	1 (2091)	0	12% (10%-13%)	-	1 (2091)	0	66% (63%-68%)	-
Cuba	2 (4661)	0	23% (22%-24%)	-	1 (1726)	0	52% (49%-54%)	-
Dominican Republic	1 (2005)	0	21% (20%-23%)	-	0	0	-	-
Ecuador*	0	0	-	-	0	0	-	-
Mexico	7 (11430)	3 (13503)	17% (11%-24%)	30% (28%-31%)	5 (9440)	2 (11190)	44% (38%-49%)	62% (61%-63%)
Peru	3 (2176)	0	15% (9%-22%)	-	1 (246)	0	65% (58%-71%)	-
Puerto Rico	1 (1935)	0	15% (14%-17%)	-	0	0	-	-
Venezuela	1 (1928)	0	13% (11%-14%)	-	0	0	-	-
Northern America	16 (50146)	8 (37220)	10% (8%-13%)	21% (11%-33%)	15 (47424)	5 (24042)	46% (40%-51%)	46% (34%-58%)
Canada	4 (7410)	3 (7910)	12% (7%-18%)	17% (16%-25%)	3 (4688)	2 (4035)	443% (35%-50%)	43% (42%-45%)
United States of America	12 (42736)	5 (29310)	10% (7%-13%)	23% (9%-41%)	12 (42736)	3 (20007)	46% (40%-53%)	45% (30%-61%)
Asia	47 (86997)	22 (90192)	12% (11%-13%)	25% (19%-32%)	38 (71846)	11 (40478)	47% (44%-51%)	49% (38%-60%)
Eastern Asia	28 (67042)	16 (71262)	10% (9%-11%)	23% (17%-29%)	22 (54155)	10 (39689)	45% (41%-49%)	47% (35%-59%)
China	6 (11082)	11 (62833)	10% (7%-13%)	22% (15%-19%)	4 (8924)	6 (32505)	39% (27%-52%)	44% (28%-61%)
Hong Kong	3 (8243)	2 (4124)	9% (6%-11%)	13% (12%-14%)	3 (8243)	2 (4124)	50% (48%-52%)	62% (60%-63%)
Japan	7 (18432)	0	8% (6%-9%)	-	4 (7894)	0	36% (17%-58%)	-
Republic of Korea	6 (21893)	1 (668)	13% (10%-16%)	16% (13%-19%)	5 (21702)	1 (668)	52% (48%-56%)	43% (39%-47%)
Taiwan	6 (7392)	2 (3637)	10% (7-14%)	35% (34%-37%)	6 (7392)	1 (2392)	47% (39%-55%)	42% (40%-44%)
South-Eastern Asia	9 (11183)	2 (8984)	10% (7%-14%)	20% (19%-21%)	8 (10904)	1 (789)	54% (45%-62%)	-

Indonesia	1 (2630)	0	8% (7%-9%)	-	1 (2630)	0	62% (60%-63%)	-
Malaysia	3 (3076)	1 (789)	12% (8%-16%)	6% (4%-8%)	2 (2797)	1 (789)	59% (57%-61%)	68% (64%-71%)
Singapore	3 (4824)	0	5% (2%-10%)	-	3 (4824)	0	43% (32%-53%)	-
Thailand	1 (141)	1 (8195)	23% (16%-31%)	22% (21%-23%)	1 (141)	0	55% (47%-64%)	-
Vietnam	1 (512)	0	22% (18%-26%)	-	1 (512)	0	66% (61%-70%)	-
Southern Asia	5 (3389)	3 (7448)	20% (15%-24%)	48% (31%-66%)	3 (1404)	0	54% (45%-62%)	-
India	4 (2643)	2 (6968)	21% (15%-27%)	57% (56%-58%)	2 (658)	0	55% (52%-59%)	-
Iran	0	1 (480)	-	28% (24%-32%)	0	0	-	-
Sri Lanka	1 (746)	0	15% (13%-18%)	-	1 (746)	0	48% (45%-52%)	-
Western Asia	5 (5383)	1 (2498)	11% (3%-24%)	-	5 (5383)	0	43% (32%-54%)	-
Israel	2 (3198)	1 (2498)	6% (5%-6%)	31% (29%-33%)	2 (3198)	0	46% (44%-48%)	-
Lebanon	1 (1120)	0	36% (34%-39%)	-	1 (1120)	0	30% (28%-33%)	-
Turkey	2 (1065)	0	9% (8%-11%)	-	2 (1065)	0	46% (43%-49%)	-
Europe	60 (148253)	32 (1174208)	8% (7%-10%)	22% (20%-24%)	53 (134897)	9 (1109919)	42% (40%-44%)	49% (46%-52%)
Eastern Europe	3 (6659)	4 (12022)	7% (2%-16%)	32% (24%-41%)	3 (6659)	0	47% (35%-59%)	-
Czech Republic	1 (4427)	1 (2749)	3% (3%-4%)	21% (19%-22%)	1 (4427)	0	37% (36%-39%)	-
Poland	1 (1628)	2 (5335)	3% (2%-4%)	39% (37%-4050)	1 (1628)	0	41% (38%-43%)	-
Romania*	0	0	-	-	0	0	-	-
Russian Federation	1 (604)	1 (3938)	20% (17%-24%)	31% (29%-32%)	1 (604)	0	64% (60%-68%)	-
Northern Europe	16 (42080)	12 (1104788)	8% (5%-11%)	17% (15%-20%)	14 (34611)	5 (1080433)	41% (37%-45%)	40% (38%-42%)
Denmark	2 (10870)	1 (1615)	4% (4%-5%)	16% (14%-18%)	2 (10870)	0	43% (42%-44%)	-
Estonia	1 (4856)	0	2% (2%-3%)	-	1 (4856)	0	49% (48%-51%)	-
Finland	4 (3670)	2 (2578)	6% (3%-10%)	24% (23%-26%)	4 (3670)	1 (1126)	35% (25%-44%)	57% (54%-60%)
Iceland	1 (4414)	0	11% (10%-12%)	-	0	0	-	-
Ireland	2 (6019)	2 (6068)	4% (4%-5%)	12% (11%-12%)	2 (6019)	0	32% (31%-33%)	-
Norway	1 (712)	0	4% (3%-5%)	-	1 (712)	0	38% (34%-42%)	-
Sweden	2 (7045)	2 (6360)	8% (7%-9%)	11% (10%-12%)	2 (7045)	1 (3363)	42% (40%-43%)	37% (35%-38%)
United Kingdom	3 (4494)	5 (1088167)	19% (6%-37%)	20% (16%-25%)	2 (1439)	3 (1075944)	56% (53%-58%)	37% (35%-40%)
Southern Europe	24 (40816)	6 (13001)	10% (8%-13%)	32% (25%-39%)	20 (35496)	1 (1740)	45% (41%-48%)	-
Croatia	1 (2210)	0	3% (2%-4%)	-	1 (2210)	0	41% (39%-43%)	-
Greece	2 (6216)	2 (4420)	4% (4%-5%)	18% (16%-19%)	2 (6216)	1 (1740)	42% (41%-43%)	70% (68%-72%)
Italy	6 (9904)	2 (2602)	9% (6%-12%)	28% (26%-30%)	5 (7333)	0	43% (35%-51%)	-
Portugal	4 (3257)	0	27% (12%-46%)	-	4 (3257)	0	48% (41%-55%)	-
Slovenia	1 (3834)	0	2% (1%-2%)	-	1 (3834)	0	29% (28%-31%)	-
Spain	10 (15395)	2 (5979)	10% (7%-15%)	26% (24%-27%)	7 (12646)	0	47% (40%-55%)	-
Western Europe	17 (58698)	10 (44397)	7% (3%-11%)	19% (15%-23%)	16 (58131)	3 (27746)	39% (36%-42%)	55% (52%-58%)
Austria	1 (2901)	1 (1849)	2% (1%-2%)	18% (16%-19%)	1 (2901)	0	29% (27%-31%)	-
Belgium	3 (10677)	1 (3699)	7% (3%-11%)	20% (19%-21%)	2 (10110)	0	38% (37%-39%)	-
France	6 (27835)	3 (6620)	11% (4%-22%)	21% (13%-29%)	6 (27835)	1 (2290)	42% (39%-46%)	53% (51%-55%)
Germany	1 (4094)	1 (2942)	2% (2%-2%)	19% (18%-21%)	1 (4094)	0	36% (35%-38%)	-
Luxembourg	1 (1427)	0	2% (1%-2%)	-	1 (1427)	0	38% (36%-41%)	-

Netherlands	3 (6129)	3 (28326)	8% (5%-10%)	22% (13%-32%)	3 (6129)	2 (25456)	43% (32%-54%)	55% (54%-55%)
Switzerland	2 (5635)	1 (961)	5% (4%-5%)	9% (7%-10%)	2 (5635)	0	32% (31%-34%)	-
Oceania	5 (5117)	4 (11704)	12% (8%-16%)	31% (20%-42%)	5 (5117)	2 (8116)	49% (41%-56%)	51% (50%-52%)
Australia and New Zealand	5 (5117)	4 (11704)	12% (8%-16%)	31% (20%-42%)	5 (5117)	2 (8116)	49% (41%-56%)	51% (50%-52%)
Australia	5 (5117)	4 (11704)	12% (8%-16%)	31%(20%-42%)	5 (5117)	2 (8116)	49% (41%-56%)	51% (50%-52%)
Total	178 (360438)	71 (1334964)	11% (10%-12%)	24% (22%-26%)	147 (306034)	29 (1193745)	46% (45%-48%)	49% (46%-52%)

*Data available for other frailty scales but not physical frailty or a frailty index.

eTable 4: Frailty and pre-frailty prevalence estimates by sampling approach (probability vs non-probability) and sampling frame for physical frailty and deficit accumulation (frailty index) models for individuals aged ≥50.

Sub-analysis	All Scales		Physical Frailty		Frailty Index	
Sampling	Number of data points (sample size)	Prevalence (95% CI)	Number of studies (sample size)	Prevalence (95% CI)	Number of data points (sample size)	Prevalence (95% CI)
Frailty						
Sampling Approach						
Probability/All	223 (1,670,254)	16% (15%-17%)	159 (328,253)	12% (11%-13%)	66 (1,315,690)	23% (22%-25%)
Non-probability	23 (36,683)	23% (18%-30%)	16 (20,586)	15% (12%-19%)	5 (19,274)	33% (21%-46%)
Sampling Frame						
Register/complete	168 (476,832)	15% (13%-16%)	120 (270,859)	11% (9%-12%)	55 (173,051)	24% (21%-27%)
Health-related database	53 (1,159,612)	23% (21%-24%)	36 (42,967)	18% (15%-21%)	9 (1,112,163)	21% (17%-25%)
Convenience/other	21 (52,033)	22% (16%-28%)	15 (19,544)	14% (10%-19%)	6 (38,585)	31% (23%-40%)
Pre-Frailty						
Sampling Approach						
Probability/All	157 (1,467,531)	44% (43%-46%)	131 (275,074)	46% (44%-47%)	25 (1174984)	53% (44%-63%)
Non-probability	15 (32,918)	52% (47%-57%)	13 (19,361)	52% (47%-57%)	4 (18,761)	48% (46%-52%)
Sampling Frame						
Register/complete	117 (305,239)	42% (40%-45%)	98 (230,618)	45% (43%-46%)	17 (52,529)	48% (39%-57%)
Health related	38 (1,130,034)	49% (48%-51%)	31 (38,517)	51% (48%-54%)	6 (1,091,979)	43% (40%-46%)
Convenience/other	13 (47,406)	52% (49%-56%)	12 (18,695)	50% (45%-55%)	5 (38,072)	57% (54%-60%)

eTable 5: Frailty and pre-frailty estimates grouped by sex for physical frailty and deficit accumulation (frailty index) models for individuals aged ≥50.

Instrument	All Scales		Physical Frailty		Frailty Index	
Sex	Number of data points (sample size)	Prevalence (95% CI)	Number of studies (sample size)	Prevalence (95% CI)	Number of data points (sample size)	Prevalence (95% CI)
Frailty						
Male	202 (248,495)	14% (13%-15%)	145 (132,785)	11% (10%-12%)	34 (70,703)	20% (16%-24%)
Female	201 (303,805)	20% (18%-22%)	143 (167,517)	15% (14%-17%)	34 (84,624)	29% (24%-35%)
Pre-Frailty						
Male	135 (158,478)	45% (43%-47%)	119 (112,986)	45% (44%-47%)	19 (39,676)	51% (43%-58%)
Female	134 (196,213)	47% (45%-50%)	117 (140,320)	49% (47%-50%)	19 (48,318)	51% (44%-57%)

eTable 6: Results of the critical appraisal using the *Loney et al.*, critical appraisal tool

Citation	Total Score (1-8)	Sampling	Sample frame	Sample size (≥ 418) ¹	Standard measures	Unbiased assessors	Response rate ($\geq 70\%$) ²	Confidence intervals	Population descriptives
Aarts et al., 2015	7	1	1	1	1	1	1	0	1
Abe et al., 2019	5	1	1	1	1	0	0	0	1
Agreli et al., 2013	4	1	0	0	1	1	0	0	1
Aguilar-Navarro et al., 2015	7	1	1	1	1	1	1	0	1
Ahmad et al., 2018	8	1	1	1	1	1	1	1	1
Akin et al., 2015	5	1	0	1	1	1	0	0	1
Albala et al., 2017	7	1	1	1	1	1	0	1	1
Alvarado et al., 2008	7	1	1	1	1	1	1	0	1
Andrade et al., 2018	7	1	1	1	1	1	0	1	1
Arnadottir et al., 2020	4	1	0	1	1	0	0	0	1
Arosio et al., 2019	5	1	1	0	1	1	0	0	1
Augusti et al., 2017	4	0	0	0	1	1	0	1	1
Avila-Funes et al., 2008	6	1	1	1	1	1	0	0	1
Badrasawi et al., 2016	7	1	1	1	1	1	1	0	1
Bandeen-Roche et al., 2015	6	1	0	1	1	1	0	1	1
Belisário et al., 2018	7	1	1	1	1	1	1	0	1
Bennett et al., 2013	6	0	1	1	1	1	1	0	1
Biritwum et al., 2016	8	1	1	1	1	1	1	1	1
Blodgett et al., 2015	5	1	1	1	1	0	0	0	1
Blodgett et al., 2017	5	1	1	1	1	0	0	0	1
Blyth et al., 2008	6	1	1	1	1	1	0	0	1
Boeckxstaens et al., 2015	4	0	0	1	1	1	0	0	1
Bongue et al., 2017b	5	1	0	1	1	1	0	0	1
Boulos et al., 2013	7	1	1	1	1	1	1	0	1
Bowen, 2012	5	1	1	1	1	0	0	0	1
Brigola et al., 2020	4	1	0	1	1	0	0	0	1
Brown et al., 2019	5	1	0	1	1	1	0	0	1
Buch et al., 2018	5	1	0	1	1	1	0	0	1
Bunce et al., 2019	6	1	1	1	1	1	0	0	1
Çakmur, 2015	4	0	1	0	1	1	0	0	1
Carneiro et al., 2016a	6	1	1	1	1	1	0	0	1
Carneiro et al., 2016b	5	1	1	0	1	1	0	0	1
Carneiro et al., 2017	4	0	0	0	1	1	0	1	1
Castell et al., 2010	6	1	0	1	1	1	1	0	1
Cawthon et al., 2007	6	1	1	1	1	1	0	0	1

Cesari et al., 2006	7	1	1	1	1	1	1	0	1
Cesari et al., 2012	5	1	1	1	1	0	0	0	1
Chamberlain et al., 2016	6	1	0	1	1	1	1	0	1
Chen et al., 2010	7	1	1	1	1	1	1	0	1
Chen et al., 2014	6	1	1	1	1	1	0	0	1
Chen et al., 2015	7	1	1	1	1	1	0	1	1
Choe et al., 2018	4	0	0	1	1	1	0	0	1
Clegg et al., 2016	5	1	0	1	1	1	0	0	1
Closs et al., 2016	6	1	0	1	1	1	0	1	1
Collerton et al., 2012	5	1	0	1	1	1	0	0	1
Cramm et al., 2014	5	1	1	1	1	0	0	0	1
Cruz et al., 2017	5	1	1	0	1	0	0	1	1
Curcio et al., 2014	4	0	0	1	1	1	0	0	1
da Silva et al., 2018a	5	1	0	1	1	1	0	0	1
Dasgupta et al., 2019	5	1	1	0	1	1	0	0	1
Davis et al., 2011	6	1	1	1	1	1	0	0	1
de Labra et al., 2018	4	0	0	1	1	1	0	0	1
de Queiroz Neves et al., 2018	4	1	0	0	1	1	0	0	1
De Witte et al., 2018	6	1	1	1	1	0	1	0	1
del Brutto et al., 2017	6	1	1	0	1	1	1	0	1
Dent et al., 2016	5	1	1	1	1	0	0	0	1
Dent et al., 2017	6	1	0	1	1	1	0	1	1
Diaz de León González et al., 2016	6	1	1	1	1	1	0	0	1
Diniz et al., 2018	5	1	1	0	1	1	0	0	1
Dong et al., 2018	5	1	0	1	1	1	0	0	1
dos Santos Tavares et al., 2017	5	0	0	1	1	1	1	0	1
Duarte et al., 2013	6	1	1	0	1	1	1	0	1
Duarte et al., 2014	6	1	1	0	1	1	0	1	1
Duarte et al., 2015	6	1	1	0	1	1	1	0	1
Ebeid et al., 2016	5	1	1	0	1	1	0	0	1
Ensrud et al., 2007	5	0	1	1	1	1	0	0	1
Espinoza et al., 2010	6	1	1	1	1	1	0	0	1
Etman et al., 2014	6	1	1	0	1	1	0	1	1
Fabricao et al., 2019	5	1	0	0	1	1	1	0	1
Fabricao-Wehbe et al., 2009	5	1	1	0	1	1	0	0	1
Farias-Antúnez et al., 2019	7	1	1	1	1	1	1	0	1
Feng et al., 2014	6	1	1	1	1	1	0	0	1
Ferrioli et al., 2017	6	1	1	1	1	1	0	0	1
Fhon et al., 2012	5	1	1	0	1	1	0	0	1
Forti et al., 2014	6	1	1	1	1	1	0	0	1

Franse et al., 2018	4	1	0	1	1	0	0	0	1
Fried et al., 2001	5	1	0	1	1	1	0	0	1
Garcia-Garcia et al., 2011	7	1	1	1	1	1	0	1	1
García-González et al., 2009	6	1	1	1	1	1	0	0	1
García-Peña et al., 2016	6	1	1	1	1	1	0	0	1
Ge et al., 2017	7	1	1	1	1	1	0	1	1
Ghasemi et al., 2019	6	1	1	1	1	1	0	0	1
Gill et al., 2006	5	0	0	1	1	1	1	0	1
Grden et al., 2017	4	1	0	0	1	1	0	0	1
Gross et al., 2018	6	1	0	1	1	1	1	0	1
Guessous et al., 2014	6	1	1	1	1	1	0	0	1
Gurina et al., 2011	5	1	0	1	1	1	0	0	1
Hao et al., 2016	7	1	1	1	1	1	0	1	1
Harmand et al., 2017	5	1	1	1	1	1	0	0	0
Hegendörfer et al., 2020	4	0	0	1	1	1	0	0	1
Herr et al., 2015	5	1	0	1	1	1	0	0	1
Herr et al., 2018	5	1	0	1	1	1	0	0	1
Higuera-Fresnillo et al., 2018	7	1	1	1	1	1	1	0	1
Hoeck et al., 2012	5	1	1	1	1	0	0	0	1
Hoogendijk et al., 2014	6	0	1	1	1	1	1	0	1
Hoogendijk et al., 2017	4	0	1	1	1	1	0	0	0
Horibe et al., 2018	5	1	1	1	1	0	0	0	1
Huang et al., 2020	5	1	0	1	1	1	0	0	1
Hubbard et al., 2009	6	1	1	1	1	1	0	0	1
Hyde et al., 2010	5	1	1	1	1	0	0	0	1
Iwasaki et al., 2018	4	1	0	0	1	1	0	0	1
Jacobsen et al., 2019	6	1	1	1	1	1	0	0	1
Jauregui et al., 2014	7	1	1	1	1	1	1	0	1
Jotheeswaran et al., 2015	7	1	1	1	1	1	1	0	1
Jung et al., 2014	6	1	1	1	1	1	0	0	1
Jung et al., 2016	5	1	0	0	1	1	1	0	1
Júnior et al., 2014	6	1	1	0	1	1	1	0	1
Jürschik et al., 2012	5	1	0	1	1	1	0	0	1
Kashikar & Nagarkar, 2016	5	1	1	0	1	1	0	0	1
Kehler et al., 2017	6	1	1	1	1	1	0	0	1
Kelly et al., 2017	6	1	1	1	1	1	0	0	1
Kendhapedi et al., 2019	5	1	0	0	1	1	1	0	1
Kera et al., 2017	6	1	1	1	1	0	0	1	1
Keränen et al., 2017	5	1	1	1	1	0	0	0	1
Khamis et al., 2019	6	1	1	0	1	1	1	0	1

Kiely et al., 2009	6	1	1	1	1	1	0	0	1
Kim & Park, 2014	4	1	0	0	1	1	0	0	1
Kim et al., 2014	6	1	0	1	1	1	0	1	1
Kim et al., 2017	6	1	1	1	1	1	0	0	1
Kim et al., 2019a	6	1	1	1	1	1	0	0	1
Kim et al., 2019b	4	0	0	1	1	1	0	0	1
Kim et al., 2019c	5	1	0	1	1	1	0	0	1
Koponen et al., 2013	6	1	1	1	1	1	0	0	1
Kucharska-Newton et al., 2017	6	1	0	1	1	1	0	1	1
Kulminski et al., 2008	4	1	0	1	1	1	0	0	0
Kwan et al., 2015	4	1	0	0	1	1	0	0	1
Lahousse et al., 2014	6	1	1	1	1	1	0	0	1
Langholz et al., 2018	6	1	1	1	1	1	0	0	1
Le Cossec et al., 2016	6	1	0	1	1	1	0	1	1
Lee et al., 2014	4	0	0	1	1	1	0	0	1
Lee et al., 2018	7	1	1	1	1	1	1	0	1
León-Muñoz et al., 2014	6	1	1	1	1	1	0	0	1
Lewis et al., 2018	6	1	1	0	1	1	0	1	1
Lin et al., 2015	6	1	1	1	1	1	0	0	1
Lin et al., 2016	6	1	1	1	1	1	0	0	1
Liu et al., 2015	6	1	1	1	1	1	0	0	1
Liu et al., 2016	5	1	0	1	1	1	0	0	1
Liu et al., 2018	5	0	0	1	1	1	1	0	1
Llano et al., 2017	5	1	0	1	1	0	1	0	1
Lo et al., 2017	6	1	1	1	1	1	0	0	1
Lourenço et al., 2019	7	1	1	1	1	1	1	0	1
Ma et al., 2016	6	1	1	1	1	1	1	0	0
Ma et al., 2018	6	1	1	1	1	1	0	0	1
Ma et al., 2019	6	1	1	1	1	1	1	0	0
Manfredi et al., 2019	6	1	1	1	1	1	0	1	0
Mello et al., 2017	5	1	1	0	1	1	0	0	1
Metzelthin et al., 2010	5	1	0	1	1	0	1	0	1
Mohd Hamidin et al., 2018	6	1	1	0	1	1	1	0	1
Mohr et al., 2007	6	1	1	1	1	1	0	0	1
Moreira et al., 2013	6	1	0	1	1	1	0	1	1
Moreno-Tamayo et al., 2017	6	1	0	1	1	1	1	0	1
Mousavi sisi et al., 2019	5	1	0	1	1	1	0	0	1
Murayama et al., 2012	7	1	1	1	1	1	0	1	1
Nguyen et al., 2019	7	1	1	1	1	1	1	0	1
Nishi et al., 2012	7	1	1	1	1	1	1	0	1

Ntanasi et al., 2018	6	1	1	1	1	1	0	0	1
O'Connell et al., 2015	6	1	1	1	1	1	0	0	1
O'Donovan et al., 2019	6	1	1	0	1	1	0	1	1
Ocampo-Chaparro et al., 2013	5	1	1	0	1	1	0	0	1
Ocampo-Chaparro et al., 2019	7	1	1	1	1	1	1	0	1
Olaroiu et al., 2014	4	1	0	0	1	0	1	0	1
Ottensbacher et al., 2009	6	1	1	1	1	1	0	0	1
Ovares et al., 2018	6	1	1	1	1	1	0	0	1
Palomo et al., 2019	6	1	0	1	1	1	0	1	1
Paulson & Lichtenberg, 2015	6	1	1	1	1	1	0	0	1
Payne et al., 2017	8	1	1	1	1	1	1	1	1
Pengpid & Peltzer, 2019	7	1	1	1	1	1	1	0	1
Pérez-Zepeda et al., 2016	5	1	1	1	1	0	0	0	1
Poli et al., 2017	6	1	1	1	1	1	0	0	1
Pradhananga et al., 2019	6	1	0	1	1	1	0	1	1
Qiao et al., 2018	5	1	0	1	1	1	0	0	1
Ramsay et al., 2015	6	1	1	1	1	1	0	0	1
Ravindrarajah et al., 2017	5	1	0	1	1	1	0	0	1
Rivas-Ruiz et al., 2019	5	1	0	1	1	1	0	0	1
Rodrigues et al., 2018	7	1	1	1	1	1	0	1	1
Roppolo et al., 2017	4	0	0	1	1	1	0	0	1
Ruiz-Arregui et al., 2013	7	1	1	1	1	1	1	0	1
Sabbour et al., 2018	4	0	0	0	1	1	1	0	1
Salminen et al., 2019	7	1	1	1	1	1	1	0	1
Samper-Terment et al., 2017	7	1	1	1	1	1	1	0	1
Sánchez-García et al., 2014	7	1	0	1	1	1	1	1	1
Santiago et al., 2013	4	0	0	0	1	1	1	0	1
Santiago et al., 2018	4	0	0	1	1	1	0	0	1
Santos et al., 2015	4	1	0	0	1	1	0	0	1
Santos-Eggimann et al., 2009	6	1	1	1	1	1	0	1	0
Satake et al., 2017	5	1	1	1	1	0	0	0	1
Sathasivam et al., 2015	7	1	1	1	1	1	1	0	1
Segal et al., 2017	5	1	0	1	1	1	0	0	1
Serra-Prat et al., 2016	4	1	0	0	1	1	0	0	1
Shi et al., 2011	7	1	1	1	1	1	1	0	1
Shimada et al., 2016	5	1	0	1	1	1	0	0	1
Shinkai et al., 2013	6	1	1	1	1	1	1	0	0
Shirooka et al., 2017	4	0	0	1	1	1	0	0	1
Shmuel et al., 2019	6	1	1	1	1	1	0	0	1
Silveira et al., 2015	5	1	0	0	1	1	1	0	1

Siriwardhana et al., 2019	8	1	1	1	1	1	1	1	1
Sleight & Holtzer, 2017	6	1	1	1	1	1	0	0	1
Song et al., 2010	5	1	1	1	1	0	0	0	1
Sousa-Santos et al., 2018	6	1	1	1	1	1	0	0	1
Srinonprasert et al., 2018	6	1	1	1	1	1	0	0	1
St John et al., 2013	7	1	1	1	1	1	1	0	1
Stenholm et al., 2014	6	1	1	1	1	1	0	0	1
Sternberg et al., 2014	4	1	0	0	1	1	0	0	1
Strawbridge et al., 1998	7	1	1	1	1	1	1	0	1
Theou et al., 2012	6	1	1	1	1	1	0	0	1
Theou et al., 2013	6	1	1	1	1	1	0	0	1
Theou et al., 2015	6	1	1	1	1	1	0	0	1
Thompson et al., 2018a	6	1	1	1	1	1	0	0	1
Thompson et al., 2018b	5	1	1	1	1	1	0	0	0
Tian et al., 2019	5	1	0	1	1	1	0	0	1
Tribess et al., 2012	7	1	1	1	1	1	1	0	1
Tyrovolas et al., 2018	5	1	1	1	1	1	0	0	0
Vaingankar et al., 2017	7	1	1	1	1	1	0	1	1
van Assen et al., 2016	6	1	1	1	1	0	0	1	1
Varela Pinedo et al., 2009	4	1	0	0	1	1	0	0	1
Veronese et al., 2017	6	1	1	1	1	1	0	0	1
Verver et al., 2019	4	1	0	1	1	0	0	0	1
Wang et al., 2014	4	0	0	1	1	1	0	0	1
Wang et al., 2020	6	1	1	1	1	1	0	0	1
Watanabe et al., 2017	5	0	1	1	1	1	0	0	1
Watts et al., 2019	5	1	1	1	1	1	0	0	0
Widagdo et al., 2015	6	1	1	1	1	1	0	0	1
Witham et al., 2019	6	1	1	1	1	1	0	0	1
Wong et al., 2010	6	1	0	1	1	1	0	1	1
Woo et al., 2012	4	0	0	1	1	1	0	0	1
Woo et al., 2015a	4	0	0	1	1	1	0	0	1
Wu et al., 2017	6	1	1	1	1	1	0	0	1
Xi & Guo, 2014	5	0	0	1	1	1	0	1	1
Yamada et al., 2017	7	1	1	1	1	0	1	1	1
Yamaguchi et al., 2018	5	0	1	1	1	0	0	1	1
Ye et al., 2020	5	1	1	1	1	0	0	0	1
Yin et al., 2018	8	1	1	1	1	1	1	1	1
Yoshimura et al., 2018	4	0	0	1	1	1	0	0	1
Yu et al., 2017	4	0	0	1	1	1	0	0	1
Zhang et al., 2019	6	1	1	1	1	1	0	0	1

Zhang et al., 2020	5	0	0	1	1	1	1	0	1
Zheng et al., 2016	8	1	1	1	1	1	1	1	1
Zucchelli et al., 2019	7	1	1	1	1	1	1	0	1
Zúñiga et al., 2019	4	1	0	1	1	0	0	0	1
Zuppa et al., 2019	5	1	1	0	1	1	0	0	1

1. Sample size based on the calculation for an error rate of less than 3% taking frailty to be 10.7% (Collard et al., 2012).

2. Item response rate calculated where possible using six definitions summarized by the American Association for Public Opinion Research.

eTable 7. Detailed search strategy (01 January 1998 to 01 April 2020)

Pubmed, Embase, CINAHL, Cochrane Library	Google Scholar
Search terms and combination (Prevalence OR Incidence OR Epidemiology) AND (Elderly OR Aged OR "Older adult\$" OR "Older person\$" OR Geriatric\$) AND (Frailty OR Frail) AND (Population-based OR "Population based") NOT ("Frailty model" OR "Frailty survival model") Steps applied 1. Prevalence OR Incidence OR Epidemiology 2. Elderly OR Aged OR "Older adult\$" OR "Older person\$" OR Geriatric\$ 3. Frailty OR Frail 4. Population-based OR "Population based" 5. 1, 2, 3, 4 using AND 6. "Frailty model" OR "Frailty survival model" 7. 5, 6 using NOT	Search string COUNTRY "frailty prevalence" OR frail OR frailty -"frailty model"

Appendix Table 8. Inter-rater reliability testing scores for critical appraisal using the Loney quality appraisal tool

A1. Comparison of individual items of the appraisal tool

Item name	Measure of Agreement (Kappa Value)
Sampling	0.719
Sampling frame	0.769
Sample size (≥300/appropriate)	0.876
Standard measures	1.000
Unbiased assessors	0.517
Response rate (≥70%)	0.718
CI/sub-group	0.470
Population descriptives	1.000

A2. Total scores of the appraisal tool by reviewers

	Mean score	Item means Mean (min-max)
Reviewer 1	6.05	
Reviewer 2	5.79	
		5.919 (5.791-6.047)

A3. Comparison of total scores of the appraisal tool

Reliability statistics	Cronbach's Alpha	Inter-item correlation	Intraclass Correlation Coefficient	95% Confidence Interval
Total score	0.846	0.735	0.837	0.697-0.912

References

Reference list of included papers (n=240)

1. Aarts, S., Patel, K., Garcia, M., Van Den Akker, M., Verhey, F., Metsemakers, J., . . . Siggeirsdottir, K. (2015). Co-presence of multimorbidity and disability with frailty: an examination of heterogeneity in the frail older population. *The Journal of frailty & aging*, 4(3), 131. doi:10.14283/jfa.2015.45
2. Abe, T., Kitamura, A., Seino, S., Yokoyama, Y., Amano, H., Taniguchi, Y., . . . Shinkai, S. (2019). Differences in the Prevalence of and Factors Associated with Frailty in Five Japanese Residential Areas. *Int J Environ Res Public Health*, 16(20). doi:10.3390/ijerph16203974
3. Agreli, H. L. F., Gaspar, J. C., Yamashita, C. H., Amendola, F., Alvarenga, M. R. M., & de Campos Oliveira, M. A. J. T. c.-e. (2013). Frailty assessment in the elderly assisted at a family health unit. 22, 4239-4231.
4. Aguilar-Navarro, S. G., Amieva, H., Gutiérrez-Robledo, L. M., & Avila-Funes, J. A. (2015). Frailty among Mexican community-dwelling elderly: a story told 11 years later. The Mexican Health and Aging Study. *salud pública de méxico*, 57, s62-s69.
5. Ahmad, N. S., Hairi, N. N., Said, M. A., Kamaruzzaman, S. B., Choo, W. Y., Hairi, F., . . . Bulgiba, A. (2018). Prevalence, transitions and factors predicting transition between frailty states among rural community-dwelling older adults in Malaysia. *PloS one*, 13(11), e0206445. doi:10.1371/journal.pone.0206445
6. Akin, S., Mazıcıoglu, M. M., Mucuk, S., Gocer, S., Deniz Şafak, E., Arguvanli, S., & Ozturk, A. (2015). The prevalence of frailty and related factors in community-dwelling Turkish elderly according to modified Fried Frailty Index and FRAIL scales. *Aging clinical and experimental research*, 27(5), 703-709. doi:10.1007/s40520-015-0337-0
7. Albala, C., Lera, L., Sanchez, H., Angel, B., Marquez, C., Arroyo, P., & Fuentes, P. (2017). Frequency of frailty and its association with cognitive status and survival in older Chileans. *Clinical interventions in aging*, 12, 995. doi:10.2147/CIA.S136906
8. Alcalá, M. V. C., Puime, Á. O., Santos, M. T. S., Barral, A. G., Montalvo, J. I. G., & Zunzunegui, M. V. J. A. p. (2010). Prevalencia de fragilidad en una población urbana de mayores de 65 años y su relación con comorbilidad y discapacidad. 42(10), 520-527.
9. Alvarado, B. E., Zunzunegui, M.-V., Béland, F., & Bamvita, J.-M. (2008). Life course social and health conditions linked to frailty in Latin American older men and women. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(12), 1399-1406. doi:10.1093/gerona/63.12.1399
10. Andrade, J. M., Duarte, Y. A. O., Alves, L. C., Andrade, F. C. D., Souza Junior, P. R. B., Lima-Costa, M. F., & Andrade, F. B. (2018). Frailty profile in Brazilian older adults: ELSI-Brazil. *Rev Saude Publica*, 52Suppl 2(Suppl 2), 17s. doi:10.11606/S1518-8787.2018052000616
11. Arnadottir, S. A., Bruce, J., Lall, R., Withers, E. J., Underwood, M., Shaw, F., . . . Geriatrics, P.-F. S. G. J. B. (2020). The importance of different frailty domains in a population based sample in England. 20(1), 16.

12. Arosio, B., Ferri, E., Casati, M., Mari, D., Vitale, G., Cesari, M. J. A. c., & research, e. (2019). The Frailty Index in centenarians and their offspring. *31*(11), 1685-1688.
13. Augusti, A. C. V., Falsarella, G. R., & Coimbra, A. M. V. (2017). Análise da síndrome da fragilidade em idosos na atenção primária-Estudo transversal. *Revista Brasileira de Medicina de Família e Comunidade*, *12*(39), 1-9.
14. Avila-Funes, J. A., Helmer, C., Amieva, H., Barberger-Gateau, P., Goff, M. L., Ritchie, K., . . . Gutiérrez-Robledo, L. M. (2008). Frailty among community-dwelling elderly people in France: the three-city study. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, *63*(10), 1089-1096. doi:DOI 10.1093/gerona/63.10.1089
15. Badrasawi, M. (2016). Nutritional, physical and cognitive status among pre-frail and frail Malaysian older adults.
16. Bandeen-Roche, K., Seplaki, C. L., Huang, J., Buta, B., Kalyani, R. R., Varadhan, R., . . . Kasper, J. D. (2015). Frailty in older adults: a nationally representative profile in the United States. *The Journals of Gerontology: Series A*, *70*(11), 1427-1434. doi:10.1093/gerona/glv133
17. Belisário, M. S., Dias, F. A., Pegorari, M. S., Paiva, M. M. d., Ferreira, P. C. d. S., Corradini, F. A., & Tavares, D. M. d. S. (2018). Cross-sectional study on the association between frailty and violence against community-dwelling elderly people in Brazil. *Sao Paulo Medical Journal*, *136*(1), 10-19. doi:10.1590/1516-3180.2017.0203290817
18. Bennett, S., Song, X., Mitnitski, A., & Rockwood, K. (2013). A limit to frailty in very old, community-dwelling people: a secondary analysis of the Chinese longitudinal health and longevity study. *Age Ageing*, *42*(3), 372-377. doi:10.1093/ageing/afs180
19. Biritwum, R., Minicuci, N., Yawson, A., Theou, O., Mensah, G., Naidoo, N., . . . Jiang, Y. (2016). Prevalence of and factors associated with frailty and disability in older adults from China, Ghana, India, Mexico, Russia and South Africa. *Maturitas*, *91*, 8-18. doi:10.1016/j.maturitas.2016.05.012
20. Blodgett, J., Theou, O., Kirkland, S., Andreou, P., & Rockwood, K. (2015). Frailty in NHANES: comparing the frailty index and phenotype. *Archives of gerontology and geriatrics*, *60*(3), 464-470. doi:10.1016/j.archger.2015.01.016
21. Blodgett, J. M., Theou, O., Howlett, S. E., & Rockwood, K. J. G. (2017). A frailty index from common clinical and laboratory tests predicts increased risk of death across the life course. *39*(4), 447-455.
22. Blyth, F. M., Rochat, S., Cumming, R. G., Creasey, H., Handelsman, D. J., Le Couteur, D. G., . . . Waite, L. M. (2008). Pain, frailty and comorbidity on older men: the CHAMP study. *Pain*, *140*(1), 224-230. doi:10.1016/j.pain.2008.08.011
23. Boeckxstaens, P., Vaes, B., Legrand, D., Dalleur, O., De Sutter, A., & Degryse, J.-M. (2015). The relationship of multimorbidity with disability and frailty in the oldest patients: a cross-sectional analysis of three measures of multimorbidity in the BELFRAIL cohort. *The European journal of general practice*, *21*(1), 39-44. doi:10.3109/13814788.2014.914167

24. Bongue, B., Buisson, A., Dupre, C., Beland, F., Gonthier, R., & Crawford-Achour, É. (2017). Predictive performance of four frailty screening tools in community-dwelling elderly. *BMC geriatrics*, 17(1), 262. doi:10.1186/s12877-017-0633-y
25. Boulos, C., Salameh, P., & Barberger-Gateau, P. (2013). The AMEL study, a cross sectional population-based survey on aging and malnutrition in 1200 elderly Lebanese living in rural settings: protocol and sample characteristics. *BMC Public Health*, 13(1), 573. doi:10.1186/1471-2458-13-573
26. Bowen, M. E. (2012). The relationship between body weight, frailty, and the disablement process. *Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 67(5), 618-626. doi:10.1093/geronb/gbs067
27. Brigola, A. G., Ottaviani, A. C., Carvalho, D. H. T., Oliveira, N. A., Souza, É. N., & Pavarini, S. C. I. J. A. d. N.-p. (2020). Association between cognitive impairment and criteria for frailty syndrome among older adults. (AHEAD).
28. Brown, L., Young, J., Teale, E., Santorelli, G., Clegg, A. J. A. i. G. M., & Research. (2019). A Cross-Sectional Study of the Impact of Pain in Older People with Frailty: Findings from the Community Ageing Research 75+(CARE75+) Study.
29. Buch, A., Keinan-Boker, L., Berner, Y., Carmeli, E., Goldsmith, R., & Stern, N. (2018). Estimated frailty prevalence among Israeli elderly—results from a cross sectional national survey. *Israel journal of health policy research*, 7(1), 18.
30. Bunce, D., Batterham, P. J., & Mackinnon, A. J. (2019). Long-term Associations Between Physical Frailty and Performance in Specific Cognitive Domains. *J Gerontol B Psychol Sci Soc Sci*, 74(6), 919-926. doi:10.1093/geronb/gbx177
31. Çakmur, H. (2015). Frailty among elderly adults in a rural area of Turkey. *Medical science monitor: international medical journal of experimental and clinical research*, 21, 1232. doi:Doi 10.12659/MSm.893400
32. Carneiro, J. A., Cardoso, R. R., Durães, M. S., Guedes, M. C. A., Santos, F. L., Costa, F. M. d., & Caldeira, A. P. (2017). Frailty in the elderly: prevalence and associated factors. *Revista brasileira de enfermagem*, 70(4), 747-752. doi:10.1590/0034-7167-2016-0633
33. Carneiro, J. A., Ramos, G. C. F., Barbosa, A. T. F., Mendonça, J. M. G. d., Costa, F. M. d., & Caldeira, A. P. (2016). Prevalence and factors associated with frailty in non-institutionalized older adults. *Revista brasileira de enfermagem*, 69(3), 435-442. doi:10.1590/0034-7167.2016690304i
34. Carneiro, J. A., Ramos, G. C. F., Barbosa, A. T. F., Vieira, É. D. S., Silva, J. S. R., & Caldeira, A. P. J. R. b. d. g. e. g. (2016). Falls among the non-institutionalized elderly in northern Minas Gerais, Brazil: prevalence and associated factors. *19(4)*, 613-625.
35. Cawthon, P. M., Marshall, L. M., Michael, Y., Dam, T. T., Ensrud, K. E., Barrett-Connor, E., . . . Group, O. F. i. M. R. (2007). Frailty in older men: prevalence, progression, and relationship with mortality. *Journal of the American Geriatrics Society*, 55(8), 1216-1223. doi:10.1111/j.1532-5415.2007.01259.x

36. Cesari, M., Demougeot, L., Boccalon, H., & Vellas, B. (2012). Prevalence of frailty and mobility limitation in a rural setting in France. *J Frailty Aging*, 1(4), 169-173. doi:10.14283/jfa.2012.26
37. Cesari, M., Leeuwenburgh, C., Lauretani, F., Onder, G., Bandinelli, S., Maraldi, C., . . . Ferrucci, L. J. T. A. j. o. c. n. (2006). Frailty syndrome and skeletal muscle: results from the Invecchiare in Chianti study. 83(5), 1142-1148.
38. Chamberlain, A. M., Finney Rutten, L. J., Manemann, S. M., Yawn, B. P., Jacobson, D. J., Fan, C., . . . St. Sauver, J. L. (2016). Frailty trajectories in an elderly population-based cohort. *Journal of the American Geriatrics Society*, 64(2), 285-292. doi:10.1111/jgs.13944
39. Chen, C.-Y., Wu, S.-C., Chen, L.-J., & Lue, B.-H. (2010). The prevalence of subjective frailty and factors associated with frailty in Taiwan. *Archives of gerontology and geriatrics*, 50, S43-S47. doi:10.1016/S0167-4943(10)70012-1
40. Chen, L.-J., Chen, C.-Y., Lue, B.-H., Tseng, M.-Y., & Wu, S.-C. (2014). Prevalence and associated factors of frailty among elderly people in Taiwan. *International Journal of Gerontology*, 8(3), 114-119. doi:10.1016/j.ijge.2013.12.002
41. Chen, S., Honda, T., Chen, T., Narazaki, K., Haeuchi, Y., Supartini, A., & Kumagai, S. (2015). Screening for frailty phenotype with objectively-measured physical activity in a west Japanese suburban community: evidence from the Sasaguri Genkimon Study. *BMC geriatrics*, 15(1), 36. doi:10.1186/s12877-015-0037-9
42. Choe, Y.-R., Joh, J.-Y., Sunwoo, D., & Kim, Y.-P. (2018). Interaction between frailty and nutritional status on mortality and long-term hospitalization in older Koreans: A retrospective analysis of data from the 2008 Survey on Health and Welfare Status of the Elderly in Korea. *Archives of gerontology and geriatrics*, 76, 106-113. doi:10.1016/j.archger.2018.01.011
43. Clegg, A., Bates, C., Young, J., Ryan, R., Nichols, L., Ann Teale, E., . . . Marshall, T. (2016). Development and validation of an electronic frailty index using routine primary care electronic health record data. *Age and ageing*, 45(3), 353-360. doi:10.1093/ageing/afw039
44. Closs, V. E., Ziegelmann, P. K., Gomes, I., & Schwanke, C. H. A. (2016). Frailty and geriatric syndromes in elderly assisted in primary health care. *Acta scientiarum: health sciences. Maringá. Vol. 38, no. 1 (2016), p. 9-18*, 38(1), 9-18. doi:10.4025/actascihealthsci.v38i1.26327
45. Collerton, J., Martin-Ruiz, C., Davies, K., Hilkens, C. M., Isaacs, J., Kolenda, C., . . . development. (2012). Frailty and the role of inflammation, immunosenescence and cellular ageing in the very old: cross-sectional findings from the Newcastle 85+ Study. 133(6), 456-466.
46. Cramm, J. M., Twisk, J., & Nieboer, A. P. (2014). Self-management abilities and frailty are important for healthy aging among community-dwelling older people; a cross-sectional study. *BMC geriatrics*, 14(1), 28. doi:Artn 2810.1186/1471-2318-14-28
47. Cruz, D. T. d., Vieira, M. d. T., Bastos, R. R., & Leite, I. C. G. (2017). Factors associated with frailty in a community-dwelling population of older adults. *Revista de saude publica*, 51, 106. doi:10.11606/S1518-8787.2017051007098

48. Curcio, C.-L., Henao, G.-M., & Gomez, F. (2014). Frailty among rural elderly adults. *BMC geriatrics*, 14(1), 2. doi:Artn 210.1186/1471-2318-14-2
49. da Silva, V. D., Tribess, S., Meneguci, J., Sasaki, J. E., Santos, D. A. T., Carneiro, J. A. O., & Virtuoso Junior, J. S. (2018). Time Spent in Sedentary Behaviour as Discriminant Criterion for Frailty in Older Adults. *Int J Environ Res Public Health*, 15(7). doi:10.3390/ijerph15071336
50. Dasgupta, A., Bandyopadhyay, S., Bandyopadhyay, L., Roy, S., Paul, B., Mandal, S. J. J. o. f. m., & care, p. (2019). How frail are our elderly? An assessment with Tilburg frailty indicator (TFI) in a rural elderly population of West Bengal. 8(7), 2242.
51. Davis, D. H., Rockwood, M. R., Mitnitski, A. B., & Rockwood, K. (2011). Impairments in mobility and balance in relation to frailty. *Arch Gerontol Geriatr*, 53(1), 79-83. doi:10.1016/j.archger.2010.06.013
52. de Labra, C., Maseda, A., Lorenzo-Lopez, L., Lopez-Lopez, R., Bujan, A., Rodriguez-Villamil, J. L., & Millan-Calenti, J. C. (2018). Social factors and quality of life aspects on frailty syndrome in community-dwelling older adults: the VERISAUDE study. *BMC Geriatr*, 18(1), 66. doi:10.1186/s12877-018-0757-8
53. de Queiroz Neves, Á., da Silva, A. M. C., Cabral, J. F., Mattos, I. E., & Santiago, L. M. (2018). Prevalência e fatores associados à fragilidade em idosos usuários da Estratégia Saúde da Família. *Revista Brasileira de Geriatria e Gerontologia*, 21(6), 680-690. doi:10.1590/1981-22562018021.180043
54. De Witte, N., Hoeyberghs, L., Verte, E., De Donder, L., Dierckx, E., Verte, D., & Schols, J. J. H. A. R. (2018). The comprehensive frailty assessment instrument enables to detect multidimensional frailty in community dwelling older people. 7(3).
55. Del Brutto, O. H., Mera, R. M., Cagino, K., Fanning, K. D., Milla-Martinez, M. F., Nieves, J. L., . . . Sedler, M. J. (2017). Neuroimaging signatures of frailty: A population-based study in community-dwelling older adults (the Atahualpa Project). *Geriatr Gerontol Int*, 17(2), 270-276. doi:10.1111/ggi.12708
56. Dent, E., Dal Grande, E., Price, K., & Taylor, A. W. (2017). Frailty and usage of health care systems: results from the South Australian Monitoring and Surveillance System (SAMSS). *Maturitas*, 104, 36-43. doi:10.1016/j.maturitas.2017.07.003
57. Dent, E., Hoon, E., Karnon, J., Newbury, J., Kitson, A., & Beilby, J. (2016). Frailty and health service use in rural South Australia. *Archives of gerontology and geriatrics*, 62, 53-58. doi:10.1016/j.archger.2015.09.012
58. Diaz de Leon Gonzalez, E., Gutierrez Hermosillo, H., Martinez Beltran, J. A., Chavez, J. H., Palacios Corona, R., Salinas Garza, D. P., & Rodriguez Quintanilla, K. A. (2016). Validation of the FRAIL scale in Mexican elderly: results from the Mexican Health and Aging Study. *Aging Clin Exp Res*, 28(5), 901-908. doi:10.1007/s40520-015-0497-y
59. Diniz, M. A., Rodrigues, R. A. P., Fhon, J. R. S., Haas, V. J., Fabrício-Wehbe, S. C. C., Giacomini, S. B. L., . . . Geriatrics. (2018). Frailty and its relationship to mortality among older adults from a Brazilian community: A cohort study. 9(1), 27-33.
60. Dong, L., Qiao, X., Tian, X., Liu, N., Jin, Y., Si, H., & Wang, C. (2018). Cross-cultural adaptation and validation of the FRAIL scale in Chinese community-dwelling

- older adults. *Journal of the American Medical Directors Association*, 19(1), 12-17.
doi:10.1016/j.jamda.2017.06.011
61. Dos Santos Tavares, D. M., de Freitas Correa, T. A., Dias, F. A., Dos Santos Ferreira, P. C., & Sousa Pegorari, M. (2017). Frailty syndrome and socioeconomic and health characteristics among older adults. *Colomb Med (Cali)*, 48(3), 126-131.
doi:10.25100/cm.v48i3.1978
 62. Duarte, M., & Paúl, C. (2015). Prevalence of phenotypic frailty during the aging process in a Portuguese community. *Revista Brasileira de Geriatria e Gerontologia*, 18(4), 871-880.
 63. Duarte, M. C. S., Fernandes, M. d. G. M., Rodrigues, R. A. P., & Nóbrega, M. M. L. d. (2013). Prevalence and sociodemographic factors associated with frailty in elderly women. *Revista brasileira de enfermagem*, 66(6), 901-906.
 64. Duarte, N., Teixeira, L., Ribeiro, O., & Paul, C. (2014). Frailty phenotype criteria in centenarians: Findings from the Oporto Centenarian Study. *European Geriatric Medicine*, 5(6), 371-376. doi:10.1016/j.eurger.2014.09.015
 65. Ebeid, S. M., El akkad, R. M., Kamel, M. A., Shafeek, N. E., & Abouelezz, N. F. (2016). Frailty Prevalence and Correlates among Free Living Elderly in an Egyptian Rural Elderly. *International Journal of Recent Scientific Research*, 7(2), 8902-8907.
 66. Ensrud, K. E., Ewing, S. K., Taylor, B. C., Fink, H. A., Stone, K. L., Cauley, J. A., . . . Cawthon, P. M. (2007). Frailty and risk of falls, fracture, and mortality in older women: the study of osteoporotic fractures. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 62(7), 744-751. doi:10.1093/gerona/62.7.744
 67. Espinoza, S. E., Jung, I., & Hazuda, H. (2010). Lower Frailty Incidence Among Mexican American than Among European American Older Adults: The San Antonio Longitudinal Study of Aging. *Journal of the American Geriatrics Society*, 58(11), 2142.
 68. Etman, A., Kamphuis, C. B., Prins, R. G., Burdorf, A., Pierik, F. H., & van Lenthe, F. J. (2014). Characteristics of residential areas and transportation walking among frail and non-frail Dutch elderly: does the size of the area matter? *International journal of health geographics*, 13(1), 7.
 69. Fabrício-Wehbe, S. C. C., Schiaveto, F. V., Vendrusculo, T. R. P., Haas, V. J., Dantas, R. A. S., & Rodrigues, R. A. P. (2009). Cross-cultural adaptation and validity of the "Edmonton Frail Scale-EFS" in a Brazilian elderly sample. *Revista latino-americana de enfermagem*, 17(6), 1043-1049. doi:Doi 10.1590/S0104-11692009000600018
 70. Fabrício, D. M., Alexandre, T. S., & Chagas, M. H. N. (2019). Frailty and cognitive performance in older adults living in the community: a cross-sectional study. *J Archives of Clinical Psychiatry*, 46(6), 151-155.
 71. Farias-Antunez, S., & Fassa, A. G. (2019). Frailty prevalence and associated factors in the elderly in Southern Brazil, 2014. *Epidemiol Serv Saude*, 28(1), e2017405. doi:10.5123/S1679-49742019000100008
 72. Feng, L., Nyunt, M. S., Feng, L., Yap, K. B., & Ng, T. P. (2014). Frailty predicts new and persistent depressive symptoms among community-dwelling older adults: findings from Singapore longitudinal aging study. *J Am Med Dir Assoc*, 15(1), 76 e77-76 e12. doi:10.1016/j.jamda.2013.10.001

73. Ferriolli, E., dos Santos Pessanha, F. P. A., Moreira, V. G., Dias, R. C., Neri, A. L., & Lourenço, R. A. (2017). Body composition and frailty profiles in Brazilian older people: Frailty in Brazilian Older People Study-FIBRA-BR. *Archives of gerontology and geriatrics*, 71, 99-104. doi:10.1016/j.archger.2017.03.008
74. Fhon, J. R. S., Diniz, M. A., Leonardo, K. C., Kusumota, L., Haas, V. J., & Rodrigues, R. A. P. (2012). Frailty syndrome related to disability in the elderly. *Acta paulista de enfermagem*, 25(4), 589-594. doi:10.1590/S0103-21002012005000016
75. Forti, P., Maioli, F., Lega, M. V., Montanari, L., Coraini, F., & Zoli, M. (2014). Combination of the clock drawing test with the physical phenotype of frailty for the prediction of mortality and other adverse outcomes in older community dwellers without dementia. *Gerontology*, 60(3), 204-211. doi:10.1159/000356701
76. Franse, C. B., van Grieken, A., Qin, L., Melis, R. J., Rietjens, J. A., & Raat, H. (2018). Ethnic differences in frailty: a cross-sectional study of pooled data from community-dwelling older persons in the Netherlands. *BMJ open*, 8(8), e022241. doi:10.1136/bmjopen-2018-022241
77. Fried, L. P., Tangen, C. M., Walston, J., Newman, A. B., Hirsch, C., Gottdiener, J., . . . Burke, G. (2001). Frailty in older adults: evidence for a phenotype. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(3), M146-M157. doi:10.1093/gerona/56.3.m146
78. Garcia-Garcia, F. J., Avila, G. G., Alfaro-Acha, A., Andres, M. A., Aparicio, M. E., Aparicio, S. H., . . . Rodriguez-Manas, L. (2011). The prevalence of frailty syndrome in an older population from Spain. The Toledo Study for Healthy Aging. *The journal of nutrition, health & aging*, 15(10), 852-856.
79. Garcia-Gonzalez, J. J., Garcia-Pena, C., Franco-Marina, F., & Gutierrez-Robledo, L. M. (2009). A frailty index to predict the mortality risk in a population of senior Mexican adults. *BMC Geriatr*, 9, 47. doi:10.1186/1471-2318-9-47
80. Garcia-Pena, C., Avila-Funes, J. A., Dent, E., Gutierrez-Robledo, L., & Perez-Zepeda, M. (2016). Frailty prevalence and associated factors in the Mexican health and aging study: A comparison of the frailty index and the phenotype. *Exp Gerontol*, 79, 55-60. doi:10.1016/j.exger.2016.03.016
81. Ge, L., Yap, C. W., & Heng, B. H. (2017). Prevalence of frailty and its association with depressive symptoms among older adults in Singapore. *Aging & mental health*, 1-6.
82. Ghasemi, S., Keshavarz Mohammadi, N., Mohammadi Shahboulaghi, F., Ramezankhani, A., & Mehrabi, Y. J. S. I. J. o. A. (2019). Physical Health Status of the Elderly Living at Home in Tehran City, Iran. 13, 652-665.
83. Gill, T. M., Gahbauer, E. A., Allore, H. G., & Han, L. (2006). Transitions between frailty states among community-living older persons. *Archives of internal medicine*, 166(4), 418-423. doi:10.1001/418
84. Grden, C. R. B., Lenardt, M. H., Sousa, J. A. V., Kusomota, L., Dellaroza, M. S. G., & Betiolli, S. E. (2017). Associations between frailty syndrome and sociodemographic characteristics in long-lived individuals of a community. *Rev Lat Am Enfermagem*, 25, e2886. doi:10.1590/1518-8345.1770.2886

85. Gross, C. B., Kolankiewicz, A. C. B., Schmidt, C. R., & Berlezi, E. M. (2018). Frailty levels of elderly people and their association with sociodemographic characteristics. *Acta paulista de enfermagem*, 31(2), 209-216. doi:10.1590/1982-0194201800030
86. Guessous, I., Luthi, J.-C., Bowling, C. B., Theler, J.-M., Paccaud, F., Gaspoz, J.-M., & McClellan, W. (2014). Prevalence of frailty indicators and association with socioeconomic status in middle-aged and older adults in a swiss region with universal health insurance coverage: a population-based cross-sectional study. *Journal of aging research*, 2014, 198603. doi:10.1155/2014/198603
87. Gurina, N. A., Frolova, E. V., & Degryse, J. M. (2011). A roadmap of aging in Russia: The prevalence of frailty in community-dwelling older adults in the St. Petersburg district—The “crystal” study. *Journal of the American Geriatrics Society*, 59(6), 980-988.
88. Hao, Q., Song, X., Yang, M., Dong, B., & Rockwood, K. (2016). Understanding risk in the oldest old: frailty and the metabolic syndrome in a Chinese community sample aged 90+ years. *The journal of nutrition, health & aging*, 20(1), 82-88. doi:10.1007/s12603-015-0553-5
89. Harmand, M. G.-C., Meillon, C., Bergua, V., Teguo, M. T., Dartigues, J.-F., Avila-Funes, J. A., . . . geriatrics. (2017). Comparing the predictive value of three definitions of frailty: Results from the Three-City study. 72, 153-163.
90. Hegendörfer, E., Vaes, B., Van Pottelbergh, G., Matheï, C., Verbakel, J., & Degryse, J.-M. J. J. o. t. A. M. D. A. (2020). Predictive accuracy of frailty tools for adverse outcomes in a cohort of adults 80 years and older: a decision curve analysis. 21(3), 440. e441-440. e448.
91. Herr, M., Arvieu, J. J., Ankri, J., & Robine, J. M. (2018). What is the duration of life expectancy in the state of frailty? Estimates in the SIPAF study. *Eur J Ageing*, 15(2), 165-173. doi:10.1007/s10433-017-0438-z
92. Herr, M., Robine, J.-M., Aegerter, P., Arvieu, J.-J., & Ankri, J. (2015). Contribution of socioeconomic position over life to frailty differences in old age: comparison of life-course models in a French sample of 2350 old people. *Annals of epidemiology*, 25(9), 674-680. e671. doi:10.1016/j.annepidem.2015.05.006
93. Higuera-Fresnillo, S., Cabanas-Sanchez, V., Lopez-Garcia, E., Esteban-Cornejo, I., Banegas, J. R., Sadarangani, K. P., . . . Martinez-Gomez, D. (2018). Physical Activity and Association Between Frailty and All-Cause and Cardiovascular Mortality in Older Adults: Population-Based Prospective Cohort Study. *J Am Geriatr Soc*, 66(11), 2097-2103. doi:10.1111/jgs.15542
94. Hoeck, S., Francois, G., Geerts, J., Van der Heyden, J., Vandewoude, M., & Van Hal, G. (2012). Health-care and home-care utilization among frail elderly persons in Belgium. *Eur J Public Health*, 22(5), 671-677. doi:10.1093/eurpub/ckr133
95. Hoogendijk, E. O., Theou, O., Rockwood, K., Onwuteaka-Philipsen, B. D., Deeg, D. J. H., & Huisman, M. (2017). Development and validation of a frailty index in the Longitudinal Aging Study Amsterdam. *Aging Clin Exp Res*, 29(5), 927-933. doi:10.1007/s40520-016-0689-0

96. Hoogendijk, E. O., van Hout, H. P., Heymans, M. W., van der Horst, H. E., Frijters, D. H., van Groenou, M. I. B., . . . Huisman, M. (2014). Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. *Annals of epidemiology*, 24(7), 538-544. e532. doi:10.1016/j.annepidem.2014.05.002
97. Horibe, Y., Ueda, T., Watanabe, Y., Motokawa, K., Edahiro, A., Hirano, H., . . . Obuchi, S. J. J. o. o. r. (2018). A 2-year longitudinal study of the relationship between masticatory function and progression to frailty or pre-frailty among community-dwelling Japanese aged 65 and older. 45(11), 864-870.
98. Huang, C.-Y., Lee, W.-J., Lin, H.-P., Chen, R.-C., Lin, C.-H., Peng, L.-N., . . . Geriatrics. (2020). Epidemiology of frailty and associated factors among older adults living in rural communities in Taiwan. 87, 103986.
99. Hubbard, R. E., Lang, I. A., Llewellyn, D. J., & Rockwood, K. (2009). Frailty, body mass index, and abdominal obesity in older people. *Journals of Gerontology Series A: Biomedical Sciences and Medical Sciences*, 65(4), 377-381. doi:10.1093/gerona/glp186
100. Hyde, Z., Flicker, L., Almeida, O. P., Hankey, G. J., McCaul, K. A., Chubb, S. P., & Yeap, B. B. (2010). Low free testosterone predicts frailty in older men: the health in men study. *The Journal of Clinical Endocrinology & Metabolism*, 95(7), 3165-3172. doi:10.1210/jc.2009-2754
101. Iwasaki, M., Kimura, Y., Sasiwongsaroj, K., Kettratad-Pruksapong, M., Suksudaj, S., Ishimoto, Y., . . . Songpaisan, Y. (2018). Association between objectively measured chewing ability and frailty: A cross-sectional study in central Thailand. *Geriatrics & gerontology international*, 18(6), 860-866.
102. Jacobsen, K. K., Jepsen, R., Lembeck, M. A., Nilsson, C., & Holm, E. J. B. o. (2019). Associations between the SHARE frailty phenotype and common frailty characteristics: evidence from a large Danish population study. 9(10), e032597.
103. Jauregui, J., Musso, C., Kaplan, R., & Macías Núñez, J. (2014). Comparative analysis of healthy capital, frailty and aging among old people with and without means of support. *Electron J Biomed*, 2, 16-23.
104. Jotheeswaran, A., Bryce, R., Prina, M., Acosta, D., Ferri, C. P., Guerra, M., . . . Sosa, A. L. (2015). Frailty and the prediction of dependence and mortality in low-and middle-income countries: a 10/66 population-based cohort study. *BMC medicine*, 13(1), 138. doi:ARTN 13810.1186/s12916-015-0378-4
105. Jung, H.-W., Jang, I.-Y., Lee, Y. S., Lee, C. K., Cho, E.-I., Kang, W. Y., . . . Kim, D. H. (2016). Prevalence of frailty and aging-related health conditions in older Koreans in rural communities: a cross-sectional analysis of the aging study of Pyeongchang rural area. *Journal of Korean medical science*, 31(3), 345-352. doi:10.3346/jkms.2016.31.3.345
106. Jung, H.-W., Kim, S.-W., Ahn, S., Lim, J.-Y., Han, J.-W., Kim, T.-H., . . . Kim, C.-H. (2014). Prevalence and outcomes of frailty in Korean elderly population: comparisons of a multidimensional frailty index with two phenotype models. *PloS one*, 9(2), e87958. doi:10.1371/journal.pone.0087958

107. Júnior, R., Matos, W., Carneiro, J. A. O., Coqueiro, R. d. S., Santos, K. T., & Fernandes, M. H. (2014). Pre-frailty and frailty of elderly residents in a municipality with a low Human Development Index. *Revista latino-americana de enfermagem*, 22(4), 654-661.
108. Jürschik, P., Nunin, C., Botigué, T., Escobar, M. A., Lavedán, A., & Viladrosa, M. (2012). Prevalence of frailty and factors associated with frailty in the elderly population of Lleida, Spain: the FRALLE survey. *Archives of gerontology and geriatrics*, 55(3), 625-631. doi:10.1016/j.archger.2012.07.002
109. Kashikar, Y., & Nagarkar, A. (2016). Prevalence and Determinants of Frailty in Older Adults in India. *Indian Journal of Gerontology*, 30(3).
110. Kehler, D. S., Ferguson, T., Stammers, A. N., Bohm, C., Arora, R. C., Duhamel, T. A., & Tangri, N. (2017). Prevalence of frailty in Canadians 18–79 years old in the Canadian Health Measures Survey. *BMC geriatrics*, 17(1), 28.
111. Kelly, S., O'Brien, I., Smuts, K., O'Sullivan, M., & Warters, A. (2017). Prevalence of frailty among community dwelling older adults in receipt of low level home support: a cross-sectional analysis of the North Dublin Cohort. *BMC geriatrics*, 17(1), 121. doi:ARTN 12110.1186/s12877-017-0508-2
112. Kendhapedi, K. K., & Devasenapathy, N. J. B. o. (2019). Prevalence and factors associated with frailty among community-dwelling older people in rural Thanjavur district of South India: a cross-sectional study. 9(10), e032904.
113. Kera, T., Kawai, H., Yoshida, H., Hirano, H., Kojima, M., Fujiwara, Y., . . . Obuchi, S. (2017). Classification of frailty using the Kihon checklist: A cluster analysis of older adults in urban areas. *Geriatrics & gerontology international*, 17(1), 69-77. doi:10.1111/ggi.12676
114. Keranen, N. S., Kangas, M., Immonen, M., Simila, H., Enwald, H., Korpelainen, R., & Jamsa, T. (2017). Use of Information and Communication Technologies Among Older People With and Without Frailty: A Population-Based Survey. *J Med Internet Res*, 19(2), e29. doi:10.2196/jmir.5507
115. Khamis, R., Sabbah, H., Sabbah, S., Peters, L., Droubi, N., & Sabbah, I. J. J. o. t. E. P. H. A. (2019). Evaluating the psychometric properties of the Arabic version of the Groningen Frailty Indicator among Lebanese elderly people. 94(1), 28.
116. Kiely, D. K., Cupples, L. A., & Lipsitz, L. A. (2009). Validation and comparison of two frailty indexes: The MOBILIZE Boston Study. *Journal of the American Geriatrics Society*, 57(9), 1532-1539. doi:10.1111/j.1532-5415.2009.02394.x
117. Kim, D. H., Glynn, R. J., Avorn, J., Lipsitz, L. A., Rockwood, K., Pawar, A., & Schneeweiss, S. (2019). Validation of a Claims-Based Frailty Index Against Physical Performance and Adverse Health Outcomes in the Health and Retirement Study. *J Gerontol A Biol Sci Med Sci*, 74(8), 1271-1276. doi:10.1093/gerona/gly197
118. Kim, H., Awata, S., Watanabe, Y., Kojima, N., Osuka, Y., Motokawa, K., . . . international, g. (2019). Cognitive frailty in community-dwelling older Japanese people: Prevalence and its association with falls. 19(7), 647-653.
119. Kim, H., & Park, M. J. J. o. K. G. N. (2014). Physical function and ego-integrity in frail and non-frail elders in a local community. 16(1), 27-37.

120. Kim, M.-J., Seo, S.-H., Seo, A.-R., Kim, B.-K., Lee, G.-Y., Choi, Y.-S., . . . Health, P. (2019). The Association of Perceived Neighborhood Walkability and Environmental Pollution With Frailty Among Community-dwelling Older Adults in Korean Rural Areas: A Cross-sectional Study. *52*(6), 405.
121. Kim, M., Suzuki, T., Kojima, N., Yoshida, H., Yoshida, Y., Hirano, H., . . . Kim, H. (2017). Association Between Serum beta2 -Microglobulin Levels and Prevalent and Incident Physical Frailty in Community-Dwelling Older Women. *J Am Geriatr Soc*, *65*(4), e83-e88. doi:10.1111/jgs.14733
122. Kim, S., Park, J. L., Hwang, H. S., & Kim, Y. P. (2014). Correlation between frailty and cognitive function in non-demented community dwelling older Koreans. *Korean journal of family medicine*, *35*(6), 309.
123. Koponen, M. P., Bell, J. S., Karttunen, N. M., Nykänen, I. A., Desplenter, F. A., & Hartikainen, S. A. (2013). Analgesic use and frailty among community-dwelling older people. *Drugs & aging*, *30*(2), 129-136. doi:10.1007/s40266-012-0046-8
124. Kucharska-Newton, A. M., Palta, P., Burgard, S., Griswold, M. E., Lund, J. L., Capistrant, B. D., . . . Windham, B. G. (2017). Operationalizing Frailty in the Atherosclerosis Risk in Communities Study Cohort. *J Gerontol A Biol Sci Med Sci*, *72*(3), 382-388. doi:10.1093/gerona/glw144
125. Kulminski, A. M., Ukraintseva, S. V., Kulminskaya, I. V., Arbeev, K. G., Land, K., & Yashin, A. I. (2008). Cumulative deficits better characterize susceptibility to death in elderly people than phenotypic frailty: lessons from the Cardiovascular Health Study. *J Am Geriatr Soc*, *56*(5), 898-903. doi:10.1111/j.1532-5415.2008.01656.x
126. Kwan, J. S. K., Lau, B. H. P., & Cheung, K. S. L. (2015). Toward a comprehensive model of frailty: an emerging concept from the Hong Kong centenarian study. *Journal of the American Medical Directors Association*, *16*(6), 536. e531-536. e537. doi:10.1016/j.jamda.2015.03.005
127. Lahousse, L., Maes, B., Ziere, G., Loth, D. W., Verlinden, V. J., Zillikens, M. C., . . . Franco, O. H. (2014). Adverse outcomes of frailty in the elderly: the Rotterdam Study. *European journal of epidemiology*, *29*(6), 419-427. doi:10.1007/s10654-014-9924-1
128. Langholz, P. L., Strand, B. H., Cook, S., & Hopstock, L. A. (2018). Frailty phenotype and its association with all-cause mortality in community-dwelling Norwegian women and men aged 70 years and older: The Tromsø Study 2001–2016. *Geriatrics & gerontology international*, *18*(8), 1200-1205.
129. Le Cossec, C., Perrine, A.-L., Beltzer, N., Fuhrman, C., & Carcaillon-Bentata, L. (2016). Pre-frailty, frailty, and multimorbidity: prevalences and associated characteristics from two French national surveys. *The journal of nutrition, health & aging*, *20*(8), 860-869. doi:10.1007/s12603-016-0802-2
130. Lee, J. S., Auyeung, T. W., Leung, J., Kwok, T., & Woo, J. (2014). Transitions in frailty states among community-living older adults and their associated factors. *J Am Med Dir Assoc*, *15*(4), 281-286. doi:10.1016/j.jamda.2013.12.002

131. Lee, Y., Kim, J., Chon, D., Lee, K.-E., Kim, J.-H., Myeong, S., & Kim, S. (2018). The effects of frailty and cognitive impairment on 3-year mortality in older adults. *Maturitas*, 107, 50-55. doi:10.1016/j.maturitas.2017.10.006
132. León-Muñoz, L. M., Guallar-Castillón, P., López-García, E., & Rodríguez-Artalejo, F. (2014). Mediterranean diet and risk of frailty in community-dwelling older adults. *Journal of the American Medical Directors Association*, 15(12), 899-903. doi:10.1016/j.jamda.2014.06.013
133. Lewis, E. G., Coles, S., Howorth, K., Kissima, J., Gray, W., Urasa, S., . . . Dotchin, C. (2018). The prevalence and characteristics of frailty by frailty phenotype in rural Tanzania. *BMC geriatrics*, 18(1), 283. doi:10.1186/s12877-018-0967-0
134. Lin, C. H., Chou, C. Y., Liu, C. S., Huang, C. Y., Li, T. C., & Lin, C. C. (2015). Association between frailty and subclinical peripheral vascular disease in a community-dwelling geriatric population: Taichung Community Health Study for Elders. *Geriatrics & gerontology international*, 15(3), 261-267.
135. Lin, S.-Y., Lee, W.-J., Chou, M.-Y., Peng, L.-N., Chiou, S.-T., & Chen, L.-K. J. P. O. (2016). Frailty index predicts all-cause mortality for middle-aged and older Taiwanese: implications for active-aging programs. 11(8).
136. Liu, C. K., Lyass, A., Larson, M. G., Massaro, J. M., Wang, N., D'Agostino, R. B., . . . Murabito, J. M. J. A. (2016). Biomarkers of oxidative stress are associated with frailty: the Framingham Offspring Study. 38(1), 1.
137. Liu, L. K., Lee, W. J., Chen, L. Y., Hwang, A. C., Lin, M. H., Peng, L. N., & Chen, L. K. (2015). Association between Frailty, Osteoporosis, Falls and Hip Fractures among Community-Dwelling People Aged 50 Years and Older in Taiwan: Results from I-Lan Longitudinal Aging Study. *PloS one*, 10(9), e0136968. doi:10.1371/journal.pone.0136968
138. Liu, Z.-y., Wei, Y.-z., Wei, L.-q., Jiang, X.-y., Wang, X.-f., Shi, Y., & Hai, H. (2018). Frailty transitions and types of death in Chinese older adults: a population-based cohort study. *Clinical interventions in aging*, 13, 947. doi:10.2147/CIA.S157089
139. Llano, P. M. P. d., Lange, C., Nunes, D. P., Pastore, C. A., Pinto, A. H., & Casagrande, L. P. (2017). Fragilidade em idosos da zona rural: proposta de algoritmo de cuidados. *Acta paulista de enfermagem*, 30(5), 520-530. doi:10.1590/1982-0194201700075
140. Lo, Y. L., Hsieh, Y. T., Hsu, L. L., Chuang, S. Y., Chang, H. Y., Hsu, C. C., . . . Pan, W. H. (2017). Dietary pattern associated with frailty: results from nutrition and health survey in Taiwan. *Journal of the American Geriatrics Society*, 65(9), 2009-2015. doi:10.1111/jgs.14972
141. Lourenço, R. A., Moreira, V. G., Banhato, E. F. C., Guedes, D. V., Silva, K. C. A. d., Delgado, F. E. d. F., . . . coletiva, s. (2019). Prevalence of frailty and associated factors in a community-dwelling older people cohort living in Juiz de Fora, Minas Gerais, Brazil: Fibra-JF Study. 24, 35-44.
142. Ma, L., Tang, Z., Chan, P., & Walston, J. D. (2019). Novel Frailty Screening Questionnaire (FSQ) predicts 8-year mortality in older adults in China. *The Journal of frailty & aging*, 8(1), 33-38. doi:10.14283/jfa.2018.38

143. Ma, L., Tang, Z., Zhang, L., Sun, F., Li, Y., & Chan, P. (2018). Prevalence of frailty and associated factors in the community-dwelling population of China. *Journal of the American Geriatrics Society*, 66(3), 559-564. doi:10.1111/jgs.15214
144. Ma, L., Zhang, L., Tang, Z., Sun, F., Diao, L., Wang, J., . . . Ge, G. (2016). Use of the frailty index in evaluating the prognosis of older people in Beijing: a cohort study with an 8-year follow-up. *Archives of gerontology and geriatrics*, 64, 172-177. doi:10.1016/j.archger.2015.11.002
145. Manfredi, G., Midão, L., Paúl, C., Cena, C., Duarte, M., Costa, E. J. G., & international, g. (2019). Prevalence of frailty status among the European elderly population: Findings from the Survey of Health, Aging and Retirement in Europe. 19(8), 723-729.
146. Mello, A. d. C., Carvalho, M. S., Alves, L. C., Gomes, V. P., & Engstrom, E. M. (2017). Food consumption and anthropometry related to the frailty syndrome in low-income community-living elderly in a large city. *Cadernos de saude publica*, 33(8), e00188815. doi:10.1590/0102-311X00188815
147. Metzelthin, S. F., Daniëls, R., van Rossum, E., de Witte, L., van den Heuvel, W. J., & Kempen, G. I. (2010). The psychometric properties of three self-report screening instruments for identifying frail older people in the community. *BMC Public Health*, 10(1), 176. doi:10.1186/1471-2458-10-176
148. Mohd Hamidin, F. A., Adznam, S. N., Ibrahim, Z., Chan, Y. M., & Abdul Aziz, N. H. (2018). Prevalence of frailty syndrome and its associated factors among community-dwelling elderly in East Coast of Peninsular Malaysia. *SAGE Open Med*, 6, 2050312118775581. doi:10.1177/2050312118775581
149. Mohr, B. A., Bhasin, S., Kupelian, V., Araujo, A. B., O'donnell, A. B., & McKinlay, J. B. (2007). Testosterone, sex hormone-binding globulin, and frailty in older men. *Journal of the American Geriatrics Society*, 55(4), 548-555.
150. Moreira, V. G., & Lourenco, R. A. (2013). Prevalence and factors associated with frailty in an older population from the city of Rio de Janeiro, Brazil: the FIBRA-RJ Study. *Clinics*, 68(7), 979-985. doi:10.6061/clinics/2013(07)15
151. Moreno-Tamayo, K., Manrique-Espinoza, B., Rosas-Carrasco, O., Pérez-Moreno, A., & Salinas-Rodríguez, A. (2017). Sleep complaints are associated with frailty in Mexican older adults in a rural setting. *Geriatrics & gerontology international*, 17(12), 2573-2578. doi:10.1111/ggi.13111
152. Mousavi Sisi, M., Shamshirgaran, S. M., Rezaeipandari, H., & Matlabi, H. (2019). Multidimensional Approach to Frailty among Rural Older People: Applying the Tilburg Frailty Indicator. *Elderly Health Journal*. doi:10.18502/ehj.v5i2.2155
153. Murayama, H., Nishi, M., Shimizu, Y., Kim, M.-J., Yoshida, H., Amano, H., . . . Shinkai, S. (2012). The Hatoyama Cohort Study: design and profile of participants at baseline. *Journal of epidemiology*, 22(6), 551-558. doi:10.2188/jea.JE20120015
154. Nguyen, A. T., Nguyen, L. H., Nguyen, T. X., Nguyen, T. T. H., Nguyen, H. T. T., Nguyen, T. N., . . . health, p. (2019). Frailty Prevalence and Association with Health-Related Quality of Life Impairment among Rural Community-Dwelling Older Adults in Vietnam. 16(20), 3869.

155. Nishi, M., Shinkai, S., Yoshida, H., Fujiwara, Y., Fukaya, T., Amano, H., . . . Watanabe, N. J. N. R. I. z. J. j. o. g. (2012). Prevalence and characteristics of frailty among community-dwelling older people in Japan. *49*(3), 344-354.
156. Ntanasi, E., Yannakoulia, M., Kosmidis, M.-H., Anastasiou, C. A., Dardiotis, E., Hadjigeorgiou, G., . . . Scarmeas, N. (2018). Adherence to mediterranean diet and frailty. *Journal of the American Medical Directors Association, 19*(4), 315-322. e312. doi:10.1016/j.jamda.2017.11.005
157. O'Connell, M. D., Savva, G. M., Fan, C. W., & Kenny, R. A. (2015). Orthostatic hypotension, orthostatic intolerance and frailty: The Irish Longitudinal Study on Aging-TILDA. *Arch Gerontol Geriatr, 60*(3), 507-513. doi:10.1016/j.archger.2015.01.008
158. O'Donovan, M. R., Sezgin, D., Liew, A., & O'Caoimh, R. (2019). Burden of disease, disability-adjusted life years and frailty prevalence. *QJM, 112*(4), 261-267. doi:10.1093/qjmed/hcy291
159. Ocampo-Chaparro, J. M., Reyes-Ortiz, C. A., Castro-Florez, X., & Gomez, F. (2019). Frailty in older adults and their association with social determinants of Health. The SABE Colombia Study. *Colomb Med (Cali), 50*(2), 89-101. doi:10.25100/cm.v50i2.4121
160. Ocampo-Chaparro, J. M., Zapata-Ossa, H. d. J., Cubides-Munévar, Á. M., Curcio, C. L., Villegas, J. d. D., & Reyes-Ortiz, C. A. (2013). Prevalence of poor self-rated health and associated risk factors among older adults in Cali, Colombia. *Colombia Médica, 44*(4), 224-231.
161. Olariou, M., Ghinescu, M., Naumov, V., Brinza, I., & Heuvel, W. v. d. (2014). The psychometric qualities of the Groningen Frailty Indicator in Romanian community-dwelling old citizens. *Family practice, 31*(4), 490-495. doi:10.1093/fampra/cmu022
162. Ottenbacher, K. J., Graham, J. E., Al Snih, S., Raji, M., Samper-Ternent, R., Ostir, G. V., & Markides, K. S. (2009). Mexican Americans and frailty: findings from the Hispanic established populations epidemiologic studies of the elderly. *American Journal of Public Health, 99*(4), 673-679. doi:10.2105/AJPH.2008.143958
163. Ovaes, J. E. P., Calvo, I. C. B., Martínez, F. M., & Jirón, A. S. (2018). Frailty in the elderly population of Costa Rica. *Japan Journal of Medicine, 1, 5*.
164. Palomo, I., Giacaman, R. A., León, S., Lobos, G., Bustamante, M., Wehinger, S., . . . geriatrics. (2019). Analysis of the characteristics and components for the frailty syndrome in older adults from central Chile. The PIEI-ES study. *80, 70-75*.
165. Paulson, D., Lichtenberg, P. A. J. A., & health, m. (2015). The Paulson–Lichtenberg Frailty Index: evidence for a self-report measure of frailty. *19*(10), 892-901.
166. Payne, C. F., Wade, A., Kabudula, C. W., Davies, J. I., Chang, A. Y., Gomez-Olive, F. X., . . . Salomon, J. A. J. B. g. (2017). Prevalence and correlates of frailty in an older rural African population: findings from the HAALSI cohort study. *17*(1), 293.
167. Pengpid, S., & Peltzer, K. (2019). Prevalence and Associated Factors of Frailty in Community-Dwelling Older Adults in Indonesia, 2014-2015. *Int J Environ Res Public Health, 17*(1). doi:10.3390/ijerph17010010

168. Pérez-Zepeda, M. U., Castrejón-Pérez, R. C., Wynne-Bannister, E., & García-Peña, C. (2016). Frailty and food insecurity in older adults. *Public health nutrition*, 19(15), 2844-2849. doi:10.1017/S1368980016000987
169. Poli, S., Cella, A., Puntoni, M., Musacchio, C., Pomata, M., Torriglia, D., . . . Torrigiani, C. (2017). Frailty is associated with socioeconomic and lifestyle factors in community-dwelling older subjects. *Aging clinical and experimental research*, 29(4), 721-728. doi:10.1007/s40520-016-0623-5
170. Pradhananga, S., Regmi, K., Razzaq, N., Ettefaghian, A., Dey, A. B., & Hewson, D. J. A. M. (2019). Ethnic differences in the prevalence of frailty in the United Kingdom assessed using the electronic Frailty Index. 2(3), 168-173.
171. Qiao, X., Wang, C., Tian, X., Dong, L., Liu, N., Jin, Y., & Si, H. (2018). Cross-cultural adaptation and validation of the Comprehensive Frailty Assessment Instrument in Chinese community-dwelling older adults. *Geriatr Gerontol Int*, 18(2), 301-307. doi:10.1111/ggi.13183
172. Ramsay, S., Arianayagam, D., Whincup, P., Lennon, L., Cryer, J., Papacosta, A., . . . Wannamethee, S. (2015). Cardiovascular risk profile and frailty in a population-based study of older British men. *Heart*, 101(8), 616-622. doi:10.1136/heartjnl-2014-306472
173. Ravindrarajah, R., Hazra, N. C., Hamada, S., Charlton, J., Jackson, S. H., Dregan, A., & Gulliford, M. C. J. C. (2017). Systolic blood pressure trajectory, frailty, and all-cause mortality > 80 years of age: cohort study using electronic health records. 135(24), 2357-2368.
174. Rivas-Ruiz, F., Machón, M., Contreras-Fernández, E., Vrotsou, K., Padilla-Ruiz, M., Díez Ruiz, A. I., . . . Practice, G. G. J. E. J. o. G. (2019). Prevalence of frailty among community-dwelling elderly persons in Spain and factors associated with it. 25(4), 190-196.
175. Rodriguez, J. J. L., Prina, A. M., Acosta, D., Guerra, M., Huang, Y., Jacob, K., . . . Williams, J. D. (2018). The prevalence and correlates of frailty in urban and rural populations in Latin America, China, and India: A 10/66 population-based survey. *Journal of the American Medical Directors Association*, 19(4), 287-295. e284. doi:10.1016/j.jamda.2017.09.026
176. Roppolo, M., Mulasso, A., & Rabaglietti, E. (2017). Cognitive frailty in Italian community-dwelling older adults: prevalence rate and its association with disability. *The journal of nutrition, health & aging*, 21(6), 631-636. doi:10.1007/s12603-016-0828-5
177. Ruiz-Arregui, L., Avila-Funes, J. A., Amieva, H., Borges-Yanez, S. A., Villa-Romero, A., Aguilar-Navarro, S., . . . Castrejon-Perez, R. C. (2013). The Coyoacan Cohort Study: Design, Methodology, and Participants' Characteristics of a Mexican Study on Nutritional and Psychosocial Markers of Frailty. *J Frailty Aging*, 2(2), 68-76. doi:10.14283/jfa.2013.11
178. Sabbour, S. M., Abdul Rahamn, S. A., Amin, G. E. E., Mohamed, B. A. J. T. E. J. o. G., & Gerontology. (2018). Frailty and malnutrition among Egyptian elderly: prevalence and risk factors in nursing home and community dwelling elderly. 5(2), 1-5.

179. Salminen, M., Viljanen, A., Eloranta, S., Viikari, P., Wuorela, M., Vahlberg, T., . . . Viikari, L. (2019). Frailty and mortality: an 18-year follow-up study among Finnish community-dwelling older people. *Aging Clin Exp Res*. doi:10.1007/s40520-019-01383-4
180. Samper-Ternent, R., Reyes-Ortiz, C., Ottenbacher, K. J., & Cano, C. A. (2017). Frailty and sarcopenia in Bogotá: results from the SABE Bogotá Study. *Aging clinical and experimental research*, 29(2), 265-272.
181. Sanchez-Garcia, S., Sanchez-Arenas, R., Garcia-Pena, C., Rosas-Carrasco, O., Avila-Funes, J. A., Ruiz-Arregui, L., & Juarez-Cedillo, T. (2014). Frailty among community-dwelling elderly Mexican people: prevalence and association with sociodemographic characteristics, health state and the use of health services. *Geriatr Gerontol Int*, 14(2), 395-402. doi:10.1111/ggi.12114
182. Santiago, L. M., Gobbens, R. J., van Assen, M. A., Carmo, C. N., Ferreira, D. B., Mattos, I. E. J. A. o. g., & geriatrics. (2018). Predictive validity of the Brazilian version of the Tilburg Frailty Indicator for adverse health outcomes in older adults. 76, 114-119.
183. Santiago, L. M., Luz, L. L., Mattos, I. E., Gobbens, R. J., & van Assen, M. A. (2013). Psychometric properties of the Brazilian version of the Tilburg frailty indicator (TFI). *Archives of gerontology and geriatrics*, 57(1), 39-45. doi:10.1016/j.archger.2013.03.001
184. Santos-Eggimann, B., Cuénoud, P., Spagnoli, J., & Junod, J. (2009). Prevalence of frailty in middle-aged and older community-dwelling Europeans living in 10 countries. *The Journals of Gerontology: Series A*, 64(6), 675-681. doi:10.1093/gerona/glep012
185. Santos, P. H. S., Fernandes, M. H., Casotti, C. A., Coqueiro, R. d. S., & Carneiro, J. A. O. (2015). The profile of fragility and associated factors among the elderly registered in a Family Health Unit. *Ciencia & saude coletiva*, 20(6), 1917-1924. doi:10.1590/1413-81232015206.17232014
186. Satake, S., Shimokata, H., Senda, K., Kondo, I., & Toba, K. (2017). Validity of total Kihon checklist score for predicting the incidence of 3-year dependency and mortality in a community-dwelling older population. *Journal of the American Medical Directors Association*, 18(6), 552. e551-552. e556. doi:10.1016/j.jamda.2017.03.013
187. Sathasivam, J., Kamaruzzaman, S. B., Hairi, F., Ng, C. W., & Chinna, K. (2015). Frail elders in an urban district setting in Malaysia: multidimensional frailty and its correlates. *Asia Pacific Journal of Public Health*, 27(8_suppl), 52S-61S. doi:10.1177/1010539515583332
188. Segal, J. B., Huang, J., Roth, D. L., & Varadhan, R. J. A. j. o. e. (2017). External validation of the claims-based frailty index in the national health and aging trends study cohort. 186(6), 745-747.
189. Serra-Prat, M., Papiol, M., Vico, J., Palomera, E., Sist, X., & Cabré, M. (2016). Factors associated with frailty in community-dwelling elderly population. A cross-sectional study. *European Geriatric Medicine*, 7(6), 531-537. doi:10.1016/j.eurger.2016.09.005
190. Shi, J., Song, X., Yu, P., Tang, Z., Mitnitski, A., Fang, X., & Rockwood, K. J. B. g. (2011). Analysis of frailty and survival from late middle age in the Beijing Longitudinal Study of Aging. 11(1), 17.

191. Shimada, H., Makizako, H., Lee, S., Doi, T., Tsutsumimoto, K., Harada, K., . . . Suzuki, T. (2016). Impact of cognitive frailty on daily activities in older persons. *The journal of nutrition, health & aging*, 20(7), 729-735. doi:10.1007/s12603-016-0685-2
192. Shinkai, S., Watanabe, N., Yoshida, H., Fujiwara, Y., Nishi, M., Fukaya, T., . . . Murayama, H. (2013). Validity of the "Kaigo-Yobo Check-List" as a frailty index. *[Nihon koshu eisei zasshi] Japanese journal of public health*, 60(5), 262-274.
193. Shirooka, H., Nishiguchi, S., Fukutani, N., Tashiro, Y., Nozaki, Y., Hirata, H., . . . Matsubara, K. (2017). Cognitive impairment is associated with the absence of fear of falling in community-dwelling frail older adults. *Geriatrics & gerontology international*, 17(2), 232-238.
194. Shmuel, S., Lund, J. L., Alvarez, C., Hsu, C. D., Palta, P., Kucharska-Newton, A., . . . Golightly, Y. M. J. J. o. t. A. G. S. (2019). Polypharmacy and incident frailty in a longitudinal community-based cohort study. 67(12), 2482-2489.
195. Silveira, T., Maycon S. Pegorari, M. S., Shamy S. de Castro, S. S., Gualberto Ruas, G., Novais-Shimano, S. G., & Patrizzi, L. J. (2015). Association of falls, fear of falling, handgrip strength and gait speed with frailty levels in community elderly. *Medicina (Ribeirão Preto)*, 48(6), 549-556. doi:10.11606/issn.2176-7262.v48i6p549-556
196. Siriwardhana, D. D., Weerasinghe, M. C., Rait, G., Falcaro, M., Scholes, S., & Walters, K. R. (2019). Prevalence of frailty in rural community-dwelling older adults in Kegalle district of Sri Lanka: a population-based cross-sectional study. *BMJ open*, 9(1), bmjopen-2018-026314. doi:10.1136/bmjopen-2018-026314
197. Sleight, C., & Holtzer, R. J. J. o. h. p. (2017). Differential associations of functional and cognitive health outcomes with pre-frailty and frailty states in community-dwelling older adults. 1359105317745964.
198. Song, X., Mitnitski, A., & Rockwood, K. (2010). Prevalence and 10-year outcomes of frailty in older adults in relation to deficit accumulation. *Journal of the American Geriatrics Society*, 58(4), 681-687. doi:10.1111/j.1532-5415.2010.02764.x
199. Sousa-Santos, A., Afonso, C., Moreira, P., Padrão, P., Santos, A., Borges, N., & Amaral, T. (2018). Weakness: The most frequent criterion among pre-frail and frail older Portuguese. *Archives of gerontology and geriatrics*, 74, 162-168. doi:10.1016/j.archger.2017.10.018
200. Srinonprasert, V., Chalerm Sri, C., Aekplakorn, W. J. A. o. g., & geriatrics. (2018). Frailty index to predict all-cause mortality in Thai community-dwelling older population: A result from a National Health Examination Survey cohort. 77, 124-128.
201. St. John, P. D., Tyas, S. L., & Montgomery, P. R. (2013). Depressive symptoms and frailty. *International journal of geriatric psychiatry*, 28(6), 607-614. doi:10.1002/gps.3866
202. Stenholm, S., Strandberg, T. E., Pitkälä, K., Sainio, P., Heliövaara, M., Koskinen, S. J. J. o. G. S. A. B. S., & Sciences, M. (2014). Midlife obesity and risk of frailty in old age during a 22-year follow-up in men and women: the Mini-Finland Follow-up Survey. 69(1), 73-78.

203. Sternberg, S., Levin, R., Dkaidek, S., Edelman, S., Resnick, T., & Mencil, J. J. O. I. (2014). Frailty and osteoporosis in older women—a prospective study. *25*(2), 763-768.
204. Strawbridge, W. J., Shema, S. J., Balfour, J. L., Higby, H. R., & Kaplan, G. A. (1998). Antecedents of frailty over three decades in an older cohort. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, *53*(1), S9-S16. doi:10.1093/geronb/53b.1.s9
205. Theou, O., Brothers, T. D., Rockwood, M. R., Haardt, D., Mitnitski, A., & Rockwood, K. (2013). Exploring the relationship between national economic indicators and relative fitness and frailty in middle-aged and older Europeans. *Age and ageing*, *42*(5), 614-619. doi:10.1093/ageing/aft010
206. Theou, O., O'Connell, M. D., King-Kallimanis, B. L., O'Halloran, A. M., Rockwood, K., & Kenny, R. A. (2015). Measuring frailty using self-report and test-based health measures. *Age Ageing*, *44*(3), 471-477. doi:10.1093/ageing/afv010
207. Theou, O., Rockwood, M. R., Mitnitski, A., & Rockwood, K. (2012). Disability and co-morbidity in relation to frailty: how much do they overlap? *Arch Gerontol Geriatr*, *55*(2), e1-8. doi:10.1016/j.archger.2012.03.001
208. Thompson, M. Q., Theou, O., Karnon, J., Adams, R. J., & Visvanathan, R. (2018). Frailty prevalence in Australia: Findings from four pooled Australian cohort studies. *Australas J Ageing*, *37*(2), 155-158. doi:10.1111/ajag.12483
209. Thompson, M. Q., Theou, O., Yu, S., Adams, R. J., Tucker, G. R., & Visvanathan, R. (2018). Frailty prevalence and factors associated with the Frailty Phenotype and Frailty Index: Findings from the North West Adelaide Health Study. *Australas J Ageing*, *37*(2), 120-126. doi:10.1111/ajag.12487
210. Tian, X., Qiao, X., Dong, L., Liu, N., Si, H., Jin, Y., . . . Wang, C. J. G. N. (2019). Cross-cultural adaptation and psychometric properties of the Groningen Frailty Indicator (GFI) among Chinese community-dwelling older adults.
211. Tribess, S., Júnior, J. S. V., & de Oliveira, R. J. (2012). Atividade física como preditor da ausência de fragilidade em idosos. *Revista da associação médica brasileira*, *58*(3), 341-347.
212. Tyrovolas, S., Escrivá, N. G., Ayuso-Mateos, J. L., Chatterji, S., Koyanagi, A., Miret, M., . . . Koskinen, S. (2018). Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. *Experimental gerontology*, *106*, 137-144. doi:10.1016/j.exger.2018.02.028
213. Vaingankar, J. A., Chong, S. A., Abidin, E., Picco, L., Chua, B. Y., Shafie, S., . . . Heng, D. (2017). Prevalence of frailty and its association with sociodemographic and clinical characteristics, and resource utilization in a population of Singaporean older adults. *Geriatrics & gerontology international*, *17*(10), 1444-1454. doi:10.1111/ggi.12891
214. van Assen, M. A., Pallast, E., El Fakiri, F., & Gobbens, R. J. (2016). Measuring frailty in Dutch community-dwelling older people: Reference values of the Tilburg Frailty Indicator (TFI). *Archives of gerontology and geriatrics*, *67*, 120-129. doi:10.1016/j.archger.2016.07.005

215. Varela Pinedo, L. F., Ortiz Saavedra, P. J., & Chavez Jimeno, H. A. (2009). Velocidad de la marcha en adultos mayores de la comunidad en Lima, Perú. *Revista Medica Herediana*, 20(3), 133-138.
216. Veronese, N., Ferrando-Watutantrige, S., Maggi, S., Noale, M., Stubbs, B., Incalzi, R. A., . . . Crepaldi, G. (2017). Serum thyroid-stimulating hormone levels and frailty in the elderly: the Progetto Veneto Anziani Study. *Rejuvenation research*, 20(3), 165-172. doi:10.1089/rej.2016.1872
217. Verver, D., Merten, H., de Blok, C., & Wagner, C. (2019). A cross sectional study on the different domains of frailty for independent living older adults. *BMC Geriatr*, 19(1), 61. doi:10.1186/s12877-019-1077-3
218. Wang, X., Lu, Y., Li, C., Larbi, A., Feng, L., Shen, Q., . . . Feng, L. J. A. (2020). Associations of lifestyle activities and a healthy diet with frailty in old age: a community-based study in Singapore. *I2(1)*, 288.
219. Wang, Y., Wang, Y.-J., Zhan, J.-K., Tang, Z.-Y., Huang, W., Tan, P., . . . Liu, Y.-S. (2014). Vitamin D binding protein affects the correlation of 25 (OH) D and frailty in the older men. *International journal of endocrinology*, 2014, 543783. doi:10.1155/2014/543783
220. Watanabe, Y., Hirano, H., Arai, H., Morishita, S., Ohara, Y., Edahiro, A., . . . Suzuki, T. (2017). Relationship between frailty and oral function in community-dwelling elderly adults. *Journal of the American Geriatrics Society*, 65(1), 66-76.
221. Watts, P. N., Blane, D., & Netuveli, G. (2019). Minimum income for healthy living and frailty in adults over 65 years old in the English Longitudinal Study of Ageing: a population-based cohort study. *BMJ open*, 9(2), e025334. doi:10.1136/bmjopen-2018-025334
222. Widagdo, I., Pratt, N., Russell, M., & Roughead, E. (2015). How common is frailty in older Australians? *Australasian journal on ageing*, 34(4), 247-251.
223. Witham, M. D., Davies, J. I., Barnighausen, T., Bountogo, M., Manne-Goehler, J., Payne, C. F., . . . Harling, G. J. W. O. R. (2019). Frailty and physical performance in the context of extreme poverty: a population-based study of older adults in rural Burkina Faso. *4(135)*, 135.
224. Wong, C. H., Weiss, D., Sourial, N., Karunanathan, S., Quail, J. M., Wolfson, C., & Bergman, H. (2010). Frailty and its association with disability and comorbidity in a community-dwelling sample of seniors in Montreal: a cross-sectional study. *Aging clinical and experimental research*, 22(1), 54-62. doi:10.3275/6675
225. Woo, J., Leung, J., & Morley, J. E. (2012). Comparison of frailty indicators based on clinical phenotype and the multiple deficit approach in predicting mortality and physical limitation. *Journal of the American Geriatrics Society*, 60(8), 1478-1486. doi:10.1111/j.1532-5415.2012.04074.x
226. Woo, J., Yu, R., Wong, M., Yeung, F., Wong, M., & Lum, C. (2015). Frailty screening in the community using the FRAIL scale. *Journal of the American Medical Directors Association*, 16(5), 412-419. doi:10.1016/j.jamda.2015.01.087
227. Wu, C., Smit, E., Xue, Q. L., & Odden, M. C. (2017). Prevalence and Correlates of Frailty Among Community-Dwelling Chinese Older Adults: The China Health and

- Retirement Longitudinal Study. *J Gerontol A Biol Sci Med Sci*, 73(1), 102-108.
doi:10.1093/gerona/glx098
228. Xi, X., & Guo, G. (2014). The current status and influencing factors of frailty among elders in community. *Chinese Nursing Management*, 14(12), 1315-1319.
 229. Yamada, M., & Arai, H. (2017). Self-management group exercise extends healthy life expectancy in frail community-dwelling older adults. *International journal of environmental research and public health*, 14(5), 531. doi:10.3390/ijerph14050531
 230. Yamaguchi, M., Yamada, Y., Nanri, H., Nozawa, Y., Itoi, A., Yoshimura, E., . . . Goto, C. (2018). Association between the frequency of protein-rich food intakes and Kihon-Checklist frailty indices in older Japanese adults: The Kyoto-Kameoka Study. *Nutrients*, 10(1), 84. doi:ARTN 8410.3390/nu10010084
 231. Ye, B., Chen, H., Huang, L., Ruan, Y., Qi, S., Guo, Y., . . . Jiang, Y. (2020). Changes in frailty among community-dwelling Chinese older adults and its predictors: evidence from a two-year longitudinal study. *BMC Geriatr*, 20(1), 130. doi:10.1186/s12877-020-01530-x
 232. Yin, J., Zeng, Y., Zhou, Z., & Fang, Y. J. Z. l. x. b. x. z. Z. l. z. (2018). Study on the status of frailty and related determinants among the elderly in China. 39(9), 1244-1248.
 233. Yoshimura, N., Muraki, S., Oka, H., Iidaka, T., Kodama, R., Horii, C., . . . Tanaka, S. (2018). Do sarcopenia and/or osteoporosis increase the risk of frailty? A 4-year observation of the second and third ROAD study surveys. *Osteoporosis International*, 29(10), 2181-2190.
 234. Yu, R., Wu, W.-C., Leung, J., Hu, S. C., & Woo, J. (2017). Frailty and its contributory factors in older adults: a comparison of two Asian regions (Hong Kong and Taiwan). *International journal of environmental research and public health*, 14(10), 1096. doi:10.3390/ijerph14101096
 235. Zhang, J., Xu, L., Sun, L., Li, J., & Qin, W. (2019). Gender difference in the association of frailty and health care utilization among Chinese older adults: results from a population-based study. *Aging Clin Exp Res*. doi:10.1007/s40520-019-01410-4
 236. Zhang, X., Liu, Y., Van der Schans, C., Krijnen, W., & Hobbelen, J. J. G. n. (2020). Frailty among older people in a community setting in China.
 237. Zheng, Z., Guan, S., Ding, H., Wang, Z., Zhang, J., Zhao, J., . . . Chan, P. (2016). Prevalence and incidence of frailty in community-dwelling older people: Beijing Longitudinal Study of Aging II. *Journal of the American Geriatrics Society*, 64(6), 1281-1286. doi:10.1111/jgs.14135
 238. Zucchelli, A., Vetrano, D. L., Grande, G., Calderón-Larrañaga, A., Fratiglioni, L., Marengoni, A., & Rizzuto, D. J. B. m. (2019). Comparing the prognostic value of geriatric health indicators: a population-based study. 17(1), 185.
 239. Zúñiga, M. P., García, R., & Araya, A. X. J. R. m. d. C. (2019). Fragilidad y su correlación con calidad de vida y utilización de los servicios de salud en personas mayores que viven en la comunidad. 147(7), 870-876.

240. Zuppa, C., de Paula Rocha, J., Bós, Â. J. G., & Machado, D. C. J. A. C. W. (2019). A Síndrome da Fragilidade pode alterar a sobrevivência em nonagenários e centenários? , *63*(3), 249-253.