

Title	The proportion of fermented milk in dehydrated fermented milk-parboiled wheat composites significantly affects their composition, pasting behaviour, and flow properties on reconstitution
Authors	Shevade, Ashwini V.;O'Callaghan, Yvonne C.;O'Brien, Nora M.;O'Connor, Thomas P.;Guinee, Timothy P.
Publication date	2018
Original Citation	Shevade, A., O'Callaghan, Y., O'Brien, N., O'Connor, T. and Guinee, T. (2018) 'The proportion of fermented milk in dehydrated fermented milk-parboiled wheat composites significantly affects their composition, pasting behaviour, and flow properties on reconstitution', Foods, 7(7), 113 (16pp). doi: 10.3390/foods7070113
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://www.mdpi.com/2304-8158/7/7/113 - 10.3390/foods7070113
Rights	© 2018, the Authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/). - http://creativecommons.org/licenses/by/4.0/
Download date	2026-09-02 10:10:32
Item downloaded from	https://hdl.handle.net/10468/6680



UCC

University College Cork, Ireland
 Coláiste na hOllscoile Corcaigh

Supplementary Materials: The Proportion of Fermented Milk in Dehydrated Fermented Milk-Parboiled Wheat Composites Significantly Affects their Composition, Pasting Behaviour and Flow Properties on Reconstitution

Ashwini V. Shevade ¹, Yvonne C. O' Callaghan ², Nora M. O' Brien ², Tom P. O' Connor ², Timothy P. Guinee ^{1,*}




Figure S1. Sorption isotherms for salted dehydrated fermented milk-wheat composites (FMWC) during desorption (a) and adsorption (b): The ratio of fermented milk-to-wheat composites was 1.5(▲), 2.3 (■), 3.0 (□) or 4.0 (●). Presented values are the means of two replicate trials; error bars represent standard deviations of the mean.




Figure S2. DSC endotherms for salted (s) dehydrated fermented milk-wheat composites (FMWC) with different ratios of fermented milk to wheat: 1.5, 1.9, 2.3, 3.0 or 4.0.




Figure S3. Pasting curves of salted (s) dehydrated fermented milk-wheat composites (FMWC) with different ratios of fermented milk to wheat: 1.5, 1.9, 2.3, 3.0 or 4.0.