

Title	Synthesis and characterisation of ordered arrays of mesoporous carbon nanofibres
Authors	Wang, Kaixue;Birjukovs, Pavels;Erts, Donats;Phelan, Richard;Morris, Michael A.;Zhou, Haoshen;Holmes, Justin D.
Publication date	2009-01-27
Original Citation	Wang, K., Birjukovs, P., Erts, D., Phelan, R., Morris, M. A., Zhou, H. and Holmes, J. D. (2009) 'Synthesis and characterisation of ordered arrays of mesoporous carbon nanofibres', Journal of Materials Chemistry, 19(9), pp. 1331-1338. doi: 10.1039/B817156D
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://pubs.rsc.org/en/content/articlepdf/2009/jm/b817156d - 10.1039/B817156D
Rights	© The Royal Society of Chemistry 2009
Download date	2024-04-20 09:29:27
Item downloaded from	https://hdl.handle.net/10468/8159



Electronic Supplementary Information

Synthesis and Characterisation of Ordered Arrays of Mesoporous Carbon Nanofibres

Kaixue Wang,^{abc} Pavels Birjukovs,^d Donats Erts,^{abd} Richard Phelan,^{ab} Michael A. Morris,^{ab} Haoshen Zhou^c and Justin D. Holmes*,^{ab}

^a*Department of Chemistry and the Tyndall National Institute ,University College Cork, Cork, Ireland*

^b*Centre for Research on Adaptive Nanostructures and Nanodevices (CRANN), Trinity College Dublin, Dublin 2, Ireland*

^c*Energy Technology Research Institute, AIST Tsukuba, Central 2, Ibaraki 305-8568, Japan*


^c*Institute of Chemical Physics, University of Latvia*

* To whom correspondence should be addressed. Tel: 00353-21-4903608. Fax: 00353-21-4274097. Email: j.holmes@ucc.ie

Supplementary Material (ESI) for Journal of Materials Chemistry

This journal is © The Royal Society of Chemistry 2009

S1 low-magnification TEM image of the carbon nanofibres bundle released from the AAO membrane show that only one side of the nanofibres has the bubble-like structure.



S2 Low magnification TEM image of mesoporous carbon nanofibres released by dissolving AAO membranes in a 6M HCl solution. The Y-shaped branches and saw-shaped edges in some nanofibres vividly reflect the inner surface morphology of pore channels of AAO membranes

