


Title	Functional environmental screening of a metagenomic library identifies stlA; a unique salt tolerance locus from the human gut microbiome
Authors	Culligan, Eamonn P.;Sleator, Roy D.;Marchesi, Julian R.;Hill, Colin
Publication date	2013
Original Citation	Culligan EP, Sleator RD, Marchesi JR, Hill C (2013) Functional Environmental Screening of a Metagenomic Library Identifies stlA; A Unique Salt Tolerance Locus from the Human Gut Microbiome . PLoS ONE 8(12): e82985. doi:10.1371/journal.pone.0082985
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1371/journal.pone.0082985
Rights	© 2015 Culligan et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited - http://creativecommons.org/licenses/by/4.0/
Download date	2024-03-29 14:06:38
Item downloaded from	https://hdl.handle.net/10468/2350



University College Cork, Ireland
 Coláiste na hOllscoile Corcaigh

Figure S1. Growth in LB broth supplemented with various GI-associated stresses.






Figure S1. Growth in LB broth supplemented with various GI-associated stresses. Growth of *E. coli* MKH13::pCI372 and *E. coli* MKH13::pCI372-*stlA* in LB broth supplemented with numerous stresses associated with the GI (gastrointestinal) tract, such as non-ionic osmotic stress (sucrose and glycerol), low pH and bile. A plasmid-encoded copy of the *stlA* gene did not confer increased tolerance to any of these stresses when expressed in *E. coli* MKH13. Results are presented as the average of triplicate experiments, with error bars being representative of the standard error of the mean (SEM).