

Title	Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin
Authors	Arndt, Jovanna;Sciare, Jean;Mallet, Marc;Roberts, Greg C.;Marchand, Nicolas;Sartelet, Karine;Sellegri, Karine;Dulac, Francois;Healy, Robert M.;Wenger, John C.
Publication date	2017
Original Citation	Arndt, J., Sciare, J., Mallet, M., Roberts, G. C., Marchand, N., Sartelet, K., Sellegri, K., Dulac, F., Healy, R. M. and Wenger, J. C. (2017) 'Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin', Atmospheric Chemistry and Physics, 17(11), (27pp). doi: 10.5194/acp-17-6975-2017
Type of publication	Article (peer-reviewed)
Link to publisher's version	<a href="https://www.atmos-chem-phys.net/17/6975/2017/">https://www.atmos-chem-phys.net/17/6975/2017/</a> - 10.5194/acp-17-6975-2017
Rights	© 2017, the Author(s). This work is distributed under the Creative Commons Attribution 3.0 License. - <a href="https://creativecommons.org/licenses/by/3.0/">https://creativecommons.org/licenses/by/3.0/</a>
Download date	2024-03-28 15:58:47
Item downloaded from	<a href="https://hdl.handle.net/10468/4790">https://hdl.handle.net/10468/4790</a>



Supplement of Atmos. Chem. Phys., 17, 6975–7001, 2017  
<https://doi.org/10.5194/acp-17-6975-2017-supplement>  
© Author(s) 2017. This work is distributed under  
the Creative Commons Attribution 3.0 License.



Atmospheric  
Chemistry  
and Physics  
Open Access  
EGU


*Supplement of*

## **Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin**

**Jovanna Arndt et al.**

*Correspondence to:* John C. Wenger (j.wenger@ucc.ie)

The copyright of individual parts of the supplement might differ from the CC BY 3.0 License.



**Figure 1.** Schematic overview of ATOFMS data analysis.

**Table 1.** Pearson's correlation coefficient ( $R^2$ ) between mass concentrations from ATOFMS (PM<sub>2.5</sub>), TEOM (PM<sub>10</sub> & PM<sub>1</sub>), ACSM (PM<sub>1</sub>), PILS (PM<sub>10</sub>) and MAAP (PM<sub>2.5</sub>) measurements and OPS number concentrations (#/cm<sup>3</sup>) for the full sampling period, and during specific periods.

$R^2$	ATOFMS total	ATOFMS EC-rich	ATOFMS K-rich	PM <sub>10</sub>	PM <sub>1</sub>	BC	ACSM total	ACSM SO <sub>4</sub> <sup>2-</sup>	ACSM NH <sub>4</sub> <sup>+</sup>	ACSM SV-OOA	ACSM LV-OOA	PILS-IC SO <sub>4</sub> <sup>2-</sup>	PILS-IC NH <sub>4</sub> <sup>+</sup>	OPS 0.3-0.579 μm particles	*PILS Oxalate	*WSOC	**ATOFMS fresh sea salt	**PILS SSA	**OPS 0.579-2.156 μm particles	***PILS MSA	***ACSM NO <sub>3</sub> <sup>-</sup>	***PILS NO <sub>3</sub> <sup>-</sup>
ATOFMS total	1																					
ATOFMS EC-rich	0.73	1																				
ATOFMS K-rich	0.48	0.28	1																			
PM <sub>10</sub>	0.21	0.20	0.09	1																		
PM <sub>1</sub>	0.44	0.46	0.30	0.17	1																	
BC	0.55	0.50	0.37	0.19	0.40	1																
ACSM total	0.72	0.66	0.46	0.17	0.54	0.70	1															
ACSM SO <sub>4</sub> <sup>2-</sup>	0.66	0.61	0.38	0.14	0.46	0.48	0.81	1														
ACSM NH <sub>4</sub> <sup>+</sup>	0.65	0.62	0.37	0.12	0.44	0.47	0.81	0.93	1													
ACSM SV-OOA	0.46	0.43	0.35	0.11	0.38	0.57	0.69	0.33	0.32	1												
ACSM LV-OOA	0.59	0.59	0.46	0.17	0.50	0.67	0.88	0.61	0.61	0.63	1											
PILS-IC SO <sub>4</sub> <sup>2-</sup>	0.58	0.52	0.25	0.12	0.41	0.41	0.61	0.81	0.75	0.21	0.42	1										
PILS-IC NH <sub>4</sub> <sup>+</sup>	0.44	0.43	0.23	0.08	0.30	0.30	0.46	0.53	0.53	0.18	0.33	0.68	1									
OPS 0.3-0.579 μm particles	0.73	0.69	0.49	0.24	0.54	0.57	0.82	0.71	0.70	0.54	0.75	0.60	0.46	1								
*PILS Oxalate	0.35	0.41	0.25	0.14	0.36	0.37	0.50	0.28	0.29	0.41	0.54	0.27	0.23	0.42	1							
*WSOC	0.44	0.37	0.29	0.24	0.42	0.46	0.50	0.19	0.18	0.60	0.58	0.19	0.09	0.44	0.55	1						
**ATOFMS fresh sea salt	0.04	0.07	0.05	0.04	0.02	0.04	0.12	0.07	0.05	0.15	0.16	0.06	0.18	0.02	0.01	N/A	1					
**PILS SSA	0.11	0.01	0.02	0.35	0.00	0.00	0.09	0.05	0.06	0.13	0.17	0.02	0.25	0.01	0.04	N/A	0.81	1				
**OPS 0.579-2.156 μm particles	0.42	0.03	0.02	0.24	0.03	0.01	0.01	0.00	0.00	0.03	0.07	0.01	0.08	0.03	0.00	N/A	0.81	0.88	1			
***PILS MSA	0.18	0.19	0.06	0.05	0.16	0.06	0.21	0.35	0.37	0.001	0.17	0.48	0.54	0.20	0.08	0.03	0.06	0.00	0.02	1		
***ACSM NO <sub>3</sub> <sup>-</sup>	0.58	0.53	0.34	0.25	0.54	0.41	0.75	0.71	0.75	0.35	0.66	0.75	0.55	0.65	0.35	0.28	0.05	0.02	0.04	0.46	1	
***PILS NO <sub>3</sub> <sup>-</sup>	0.07	0.06	0.02	0.10	0.04	0.00	0.04	0.13	0.14	0.02	0.03	0.34	0.33	0.13	0.15	0.00	0.01	0.24	0.36	0.53	0.20	1

\*Correlations calculated from 21<sup>st</sup> June-4<sup>th</sup> August.

\*\*Correlations calculated from 20-27<sup>th</sup> June.

\*\*\*Correlations calculated from 23<sup>rd</sup> July-5<sup>th</sup> August




Figure 2. Individual HYSPLIT120-hour back trajectories for each cluster for Period 1 during ADRIMED and SAF-MED.




Figure 3. Daytime average aerosol optical depth at 550 nm (AOD<sub>550</sub>) derived from MSG/SEVIRI (Thieuleux et al., 2005) from 17th to 20th June 2013 showing a dust plume transport over the western Mediterranean basin (produced by <http://www.iCare.univ-lille1.fr>). Land and cloudy pixels in dark and light grey, respectively.