

Title	A narrative review of motor competence in children and adolescents: what we know and what we need to find out
Authors	Lopes, L.;Santos, R.;Coelho-E-Silva, M.;Draper, C.;Mota, J.;Jidovtseff, B.;Clark, C.;Schmidt, M.;Morgan, P.;Duncan, M.;O'Brien, W.;Bentsen, P.;D'Hondt, E.;Houwen, S.;Stratton, G.;Martelaer, K.;Scheuer, C.;Herrmann, C.;García-Hermoso, A.;Ramírez-Vélez, R.;Palmeira, A.;Gerlach, E.;Rosário, R.;Issartel, J.;Esteban-Cornejo, I.;Ruiz, J.;Veldman, S.;Zhang, Z.;Colella, D.;Póvoas, S.;Haibach-Beach, P.;Pereira, J.;McGrane, B.;Saraiva, J.;Temple, V.;Silva, P.;Sigmund, E.;Sousa-Sá, E.;Adamakis, Manolis;Moreira, C.;Utesch, T.;True, L.;Cheung, P.;Carcamo-Oyarzun, J.;Charitou, S.;Chillón, P.;Robazza, C.;Silva, A.;Silva, D.;Lima, R.;Mourão-Carvalho, I.;Khodaverdi, Z.;Zequinão, M.;Pereira, B.;Prista, A.;Agostinis-Sobrinho, C.
Publication date	2020-12-22
Original Citation	Lopes, L et al. (2021) 'A Narrative Review of Motor Competence in Children and Adolescents: What We Know and What We Need to Find Out', International Journal of Environmental Research and Public Health, 18 (1), (19 pp). doi: 10.3390/ijerph18010018
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.mdpi.com/1660-4601/18/1/18 - 10.3390/ijerph18010018
Rights	© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/) - https://creativecommons.org/licenses/by/4.0/
Download date	2025-05-09 03:50:49
Item downloaded from	https://hdl.handle.net/10468/11017



University College Cork, Ireland
Coláiste na hOllscoile Corcaigh



Review

A Narrative Review of Motor Competence in Children and Adolescents: What We Know and What We Need to Find Out

Luís Lopes ^{1,*}, Rute Santos ^{1,2}, Manuel Coelho-e-Silva ³, Catherine Draper ⁴, Jorge Mota ¹, Boris Jidovtseff ⁵, Cain Clark ⁶, Mirko Schmidt ⁷, Philip Morgan ⁸, Michael Duncan ⁶, Wesley O'Brien ⁹, Peter Bentsen ^{10,11}, Eva D'Hondt ¹², Suzanne Houwen ¹³, Gareth Stratton ¹⁴, Kristine De Martelaer ¹², Claude Scheuer ¹⁵, Christian Herrmann ¹⁶, António García-Hermoso ^{17,18}, Robinson Ramírez-Vélez ¹⁹, António Palmeira ²⁰, Erin Gerlach ²¹, Rafaela Rosário ²², Johann Issartel ²³, Irene Esteban-Cornejo ²⁴, Jonatan Ruiz ²⁵, Sanne Veldman ²⁶, Zhiguang Zhang ^{27,28}, Dario Colella ²⁹, Susana Póvoas ^{30,31}, Pamela Haibach-Beach ³², João Pereira ^{3,28}, Bronagh McGrane ³³, João Saraiva ³⁴, Vivienne Temple ³⁵, Pedro Silva ¹, Erik Sigmund ³⁶, Eduarda Sousa-Sá ^{1,20,28}, Manolis Adamakis ⁹, Carla Moreira ¹, Till Utesch ³⁷, Larissa True ³⁸, Peggy Cheung ³⁹, Jaime Carcamo-Oyarzun ⁴⁰, Sophia Charitou ⁴¹, Palma Chillón ²⁴, Claudio Robazza ⁴², Ana Silva ⁴³, Danilo Silva ⁴⁴, Rodrigo Lima ⁴⁵, Isabel Mourão-Carvalho ⁴⁶, Zeinab Khodaverdi ⁴⁷, Marcela Zequinão ⁴⁸, Beatriz Pereira ⁴³, António Prista ⁴⁹ and César Agostinis-Sobrinho ^{1,50}



Citation: Lopes, L.; Santos, R.; Coelho-e-Silva, M.; Draper, C.; Mota, J.; Jidovtseff, B.; Clark, C.; Schmidt, M.; Morgan, P.; Duncan, M.; O'Brien, W.; et al. A Narrative Review of Motor Competence in Children and Adolescents: What We Know and What We Need to Find Out. *Int. J. Environ. Res. Public Health* **2021**, *18*, 18. <https://dx.doi.org/10.3390/ijerph18010018>

Received: 16 November 2020

Accepted: 19 December 2020

Published: 22 December 2020

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

- ¹ Research Centre in Physical Activity, Health and Leisure, Faculty of Sport, University of Porto, 4200-450 Porto, Portugal; rsantos.ciafel@fade.up.pt (R.S.); jmota@fade.up.pt (J.M.); perrinha@gmail.com (P.S.); emdsr885@uowmail.edu.au (E.S.-S.); carla_m_moreira@sapo.pt (C.M.); cesaragostinis@hotmail.com (C.A.-S.)
- ² National Program for Physical Activity Promotion—Portuguese Directorate-General of Health, Portuguese Ministry of Health, 1049-005 Lisbon, Portugal
- ³ Faculty of Sport Sciences and Physical Education, University of Coimbra, Estádio Universitário de Coimbra, 3040-248 Coimbra, Portugal; mjcesilva@hotmail.com (M.C.-e.-S.); pereira.joao.rafael@gmail.com (J.P.)
- ⁴ South African Medical Research Council/Wits Developmental Pathways for Health Research Unit, University of the Witwatersrand, Chris Hani Baragwanath Hospital, Chris Hani Road, Soweto, 2050 Johannesburg, South Africa; Catherine.Draper@wits.ac.za
- ⁵ Department of Sport and Rehabilitation Sciences, Research Unit on Childhood, University of Liège, Allée des sports 2, 4000 Liège, Belgium; b.jidovtseff@uliege.be
- ⁶ Centre for Sport, Exercise and Life Sciences, Coventry University, Coventry CV1 5FB, UK; ad0183@coventry.ac.uk (C.C.); aa8396@coventry.ac.uk (M.D.)
- ⁷ Institute of Sport Science, University of Bern, Bremgartenstrasse 145, 3012 Bern, Switzerland; mirko.schmidt@ispw.unibe.ch
- ⁸ Priority Research Centre for Physical Activity & Nutrition, Faculty of Education & Arts, University of Newcastle, Callaghan, NSW 2308, Australia; philip.morgan@newcastle.edu.au
- ⁹ School of Education, Sports Studies and Physical Education Programme, 2 Lucan Place, Western Road, University College Cork, T12 KX72 Cork, Ireland; wesley.obrien@ucc.ie (W.O.); manosadam@phed.uoa.gr (M.A.)
- ¹⁰ Center for Clinical Research and Prevention, Bispebjerg and Frederiksberg Hospital, Nordre Fasanvej 57, DK-2000 Frederiksberg, Denmark; peter.bentsen@regionh.dk
- ¹¹ Center for Outdoor Recreation and Education, University of Copenhagen, Nødebovej 77A, DK-3480 Fredensborg, Denmark
- ¹² Department of Movement and Sport Sciences, Vrije Universiteit Brussel (VUB), Pleinlaan 2, 1050 Brussel, Belgium; eva.dhondt@vub.be (E.D.); kdmartel@vub.be (K.D.M.)
- ¹³ Inclusive and Special Needs Education Unit, Faculty of Behavioural and Social Sciences, University of Groningen, Grote Rozenstraat 38, 9712 TJ Groningen, The Netherlands; s.houwen@rug.nl
- ¹⁴ Research Centre in Applied Sports, Technology, Exercise and Medicine, College of Engineering, Swansea University, Wales SA1 8EN, UK; g.stratton@swansea.ac.uk
- ¹⁵ Department of Education and Social Work, Campus Belval, Institute for Teaching and Learning, University of Luxembourg, Porte des Sciences 11, L-4366 Esch-sur-Alzette, Luxembourg; claude.scheuer@uni.lu
- ¹⁶ Department for Movement and Sports, Zürich University of Teacher Education, Lagerstrasse 2, LAC—H073 CH-8090 Zürich, Switzerland; christian.herrmann@phzh.ch
- ¹⁷ Navarrabiomed, Complejo Hospitalario de Navarra (CHN), Universidad Pública de Navarra (UPNA), IdiSNA, 31008 Pamplona, Spain; antonio.garciah@unavarra.es
- ¹⁸ Laboratorio de Ciencias de la Actividad Física, el Deporte y la Salud, Facultad de Ciencias Médicas, Universidad de Santiago de Chile, USACH, 71783-5 Santiago, Chile

- 19 Department of Health Sciences, Navarrabiomed, CIBER of Frailty and Healthy Aging (CIBERFES), Instituto de Salud Carlos III, IdISNA, Public University of Navarra, 31006 Pamplona, Spain; robin640@hotmail.com
- 20 CIDEFES, Universidade Lusófona, 1749-024 Lisbon, Portugal; antonio.palmeira@ulusofona.pt
- 21 Educational Sciences, University of Potsdam, Karl-Liebknecht-Str. 24/25, D-14476 Potsdam, Germany; erin.gerlach@uni-potsdam.de
- 22 Campus de Gualtar Edifício 4, School of Nursing, University of Minho, 4710-057 Braga, Portugal; rrosario@ese.uminho.pt
- 23 School of Health and Human Performance, Multisensory Motor Learning Lab, Dublin City University, 9 Dublin, Ireland; johann.issartel@dcu.ie
- 24 PROFITH “PROmoting FITness and Health through Physical Activity” Research Group, Department of Physical Education and Sports, Faculty of Sport Sciences, University of Granada, Ctra. Alfacar, s/n, 18017 Granada, Spain; ireneesteban@ugr.es (I.E.-C.); pchillon@ugr.es (P.C.)
- 25 PROmoting FITness and Health through Physical Activity Research Group (PROFITH), Department of Physical and Sports Education, School of Sports Science, Sport and Health University Research Institute (iMUDS), University of Granada, Ctra. Alfacar, s/n, 18017 Granada, Spain; jruiz@ugr.es
- 26 Amsterdam University Medical Center, Department of Public and Occupational Health, Amsterdam Public Health Research Institute, Amsterdam UMC, Vrije Universiteit Amsterdam, 1081 HV Amsterdam, The Netherlands; s.veldman1@amsterdamumc.nl
- 27 Faculty of Kinesiology, Sport and Recreation, University of Alberta, Edmonton, AB T6G 2H9, Canada; zhiguan1@ualberta.ca
- 28 Early Start, University of Wollongong, Northfields Ave, Wollongong, NSW 2522, Australia
- 29 Department of Clinical and Experimental Medicine, University of Foggia, Virgilio Street, 71100 Foggia, Italy; dario.colella@unifg.it
- 30 Research Center in Sports Sciences, Health Sciences and Human Development, CIDESD, University Institute of Maia, ISMAI, 4475-690 Maia, Portugal; spovoas@ismai.pt
- 31 Department of Sports Science and Clinical Biomechanics, SDU Sport and Health Sciences Cluster (SHSC), University of Southern Denmark, 5230 Odense, Denmark
- 32 Sport Studies & Physical Education Department, Kinesiology, College at Brockport, State University of New York, NY 14420, USA; pbeach@brockport.edu
- 33 St Patrick’s Campus, DCU Institute of Education, School of Arts Education & Movement, Drumcondra, 9 Dublin, Ireland; bronagh.mcgrane@dcu.ie
- 34 Centro de Investigação em Educação, Campus de Gualtar, Instituto de Educação da Universidade do Minho, 4710-057 Braga, Portugal; joaosantos.iec.uminho@gmail.com
- 35 School of Exercise Science, Physical and Health Education, University of Victoria, Victoria, BC V8P 5C2, Canada; vtemple@uvic.ca
- 36 Faculty of Physical Culture, Palacky University Olomouc, třída Míru 117, 771 11 Olomouc, Czech Republic; erik.sigmund@upol.cz
- 37 Department of Sport Psychology, Institute of Sport and Exercise Sciences, University of Münster, Horstmarer Landweg 62b, 48149 Münster, Germany; till.utesch@uni-muenster.de
- 38 Department of Kinesiology and Dance, New Mexico State University, 1572 Stewart St., Las Cruces, NM 88003, USA; ltrue@nmsu.edu
- 39 Department of Health and Physical Education, The Education University of Hong Kong, 10 Lo Ping Road, Tai Po, Hong Kong, China; cheungpy@eduhk.hk
- 40 Departament of Physical Education, Faculty of Education, Social Science & Humanities, Universidad de La Frontera, Av. Francisco Salazar, 01145 Temuco, Chile; jaime.carcamo@ufrontera.cl
- 41 Laboratory of Adapted Physical Activity/Developmental and Physical Disabilities, School of Physical Education and Sport Science, National and Kapodistrian University of Athens, 71 Ethikis Antistasis str., 17238 Athens, Greece; sofhar@phed.uoa.gr
- 42 BIND-Behavioral Imaging and Neural Dynamics Center, Department of Medicine and Aging Sciences, “G. d’Annunzio” University of Chieti-Pescara, Via dei Vestini, 31, 66100 Chieti, Italy; c.robazza@unich.it
- 43 Research Centre on Child Studies (CIEC), Campus de Gualtar, Institute of Education, University of Minho, 4710-057 Braga, Portugal; anasilva0883@gmail.com (A.S.); beatriz@ie.uminho.pt (B.P.)
- 44 Department of Physical Education, Campus “Prof. Aloísio de Campos”, Federal University of Sergipe, Jardim Rosa Elze, São Cristóvão 49100000, Sergipe, Brazil; danilorpsilva@gmail.com
- 45 Institute of Sport Science, University of Graz, 8010 Graz, Austria; rodrigoantlima@gmail.com
- 46 Research Center in Sports Sciences, Health Sciences and Human Development (CIDESD), University Trás-os-Montes e Alto Douro, 5001-801 Vila Real, Portugal; mimc@utad.pt
- 47 Department of Motor Behavior, Faculty of Physical Education and Sport Sciences, Kharazmi University, 15719-14911 Tehran, Iran; sara.khodaverdi@ymail.com
- 48 Center for Health Sciences and Sports, Department of Physical Education, Santa Catarina State University, R. Pascoal Simone, 358, Florianópolis 88080-350, Brazil; marcelazequino@gmail.com

⁴⁹ Faculdade de Educação Física e Desporto, Universidade Pedagógica, Maputo 1106, Mozambique; aprista1@gmail.com

⁵⁰ Faculty of Health Sciences, Klaipeda University, Herkaus Manto g. 84, 92294 Klaipėda, Lithuania

* Correspondence: lclopes@fade.up.pt; Tel.: +351-220-425-245

† These authors were equal first authors and equally contributed.

Abstract: Lack of physical activity is a global public health problem causing not only morbidity and premature mortality, but it is also a major economic burden worldwide. One of the cornerstones of a physically active lifestyle is Motor Competence (MC). MC is a complex biocultural attribute and therefore, its study requires a multi-sectoral, multi-, inter- and transdisciplinary approach. MC is a growing area of research, especially in children and adolescents due to its positive association with a plethora of health and developmental outcomes. Many questions, however, remain to be answered in this field of research, with regard to: (i) Health and Developmental-related Associations of MC; (ii) Assessment of MC; (iii) Prevalence and Trends of MC; (iv) Correlates and Determinants of MC; (v) MC Interventions, and (vi) Translating MC Research into Practice and Policy. This paper presents a narrative review of the literature, summarizing current knowledge, identifying key research gaps and presenting questions for future investigation on MC in children and adolescents. This is a collaborative effort from the International Motor Competence Network (IMCNetwork) a network of academics and researchers aiming to promote international collaborative research and knowledge translation in the expansive field of MC. The knowledge and deliverables generated by addressing and answering the aforementioned research questions on MC presented in this review have the potential to shape the ways in which researchers and practitioners promote MC and physical activity in children and adolescents across the world.

Keywords: motor development; motor coordination; fundamental movement skills; motor proficiency; physical activity

1. Introduction

The ability to move is an essential aspect of human life and development and has important implications for cognitive and social-emotional domains [1]. By inference, it is not surprising that movement is crucial for survival and also to improve and maintain quality of life [2]. Habitual physical activity comprises a wide range of movements considered vital to independence and interaction with the environment, including personal safety, functionality, leisure, performance, and well-being [3]. However, it is required that these movements are adaptive and goal-directed, goal-achieving actions [4]. The acquisition and refinement of proficiency in movement activities, involving interactions between the neuromuscular system and the environment, is commonly referred to in the literature as motor competence (MC) [5]. The term MC has also been referred as the individual's ability to execute different motor actions, including coordination of both fine and gross motor skills that are necessary to manage everyday life [6]. Recently, Utesch and Bardid [7] have also proposed that MC denotes an individual's degree of proficient performance in a broad range of motor skills as well as the underlying mechanisms including quality of movement, motor coordination and motor control. Due to the beneficial implications of MC on health and developmental outcomes, the study of MC—as a distinct topic—is a growing area of research.

It is important to note that MC is one of the various terms used in literature encompassing multiple aspects of human movement skills (i.e., motor proficiency, motor performance, fundamental movement/motor skill, motor ability, and motor coordination) [8,9]. The terminology is often used interchangeably, but this practice lacks precision; and, although there is considerable overlap between these concepts, they do not always refer to the same construct [10]. While there is an urgent need to review and update the terminology in this area of knowledge, this is beyond the scope of the current paper. Currently, there is no

single universally accepted definition to describe MC; therefore, the original terms used by the different authors cited herein were maintained, respecting the study's origin, how the movement outcomes were assessed (i.e., product- or process-oriented measurements), the age group involved, and the study's aims. Additionally, the concept of physical literacy has also emerged as an interesting strategy to facilitate an increase in lifelong physical activity participation [11,12]. This multi-dimensional concept is commonly defined as the essential competence, confidence and knowledge to be physically active for life [13]. MC, while integrated in this physical literacy concept, is thus only one of its domains. In this paper, we acknowledge that there is clearly a "common ground" between these two concepts, in the sense that both claim to be important aspects to physical activity promotion across the lifespan and to be linked with health and developmental outcomes. However, the discussion whether MC is an independent area of research or an integrated part of physical literacy is still open but falls outside of the scope of the present review.

This collaborative paper aims to build upon the International Motor Competence Network (IMC Network—<https://www.imcnetwork.org/>). Established in late 2015, the IMC Network is a network of academics and researchers who aim to promote international collaborative research and knowledge translation in the field of MC. Within this context, we present a narrative review of the literature, summarizing the current knowledge, identifying research gaps and presenting key questions in need of future investigation on MC in children and adolescents.

2. Motor Competence in Children and Adolescents

Lack of physical activity is considered to be a serious global public health problem [14]. The physical inactivity pandemic causes not only morbidity and premature mortality, but is also a major economic burden worldwide [15–17]. One of the cornerstones of a physically active lifestyle is MC [18]. Gross MC, in particular, plays an important role in growth, development, and opportunities that lead to a physically active lifestyle [9,19,20].

The development of MC during childhood and adolescence is dependent upon—and influenced by—both biological (i.e., genetics, sex, and maturation) and environmental factors (e.g., gender roles, rearing style, stereotyping, experiences, opportunities to play, encouragement, demographics, and social factors) [21–24], as well as their interactions [25]. Indeed, children's motor development is an expression of the integration of many physiological systems, including musculoskeletal, cardiorespiratory, sensory, and neurological systems [26] and their ability to interact with the environment [5]. Consequently, the study of motor development or the development of MC is a prerequisite for understanding human development throughout the lifespan [27].

Promoting physical activity across the lifespan is challenging. Early childhood is a critical time for the development of fundamental movement skills [28], which are considered the building blocks of more complex movements [29] and a key factor in the promotion of lifelong active lifestyles and health [4,9,19,20,30]. For this reason, understanding how fundamental movement skills are associated with physical activity across the lifespan may be a key factor in overall physical activity promotion for youth. Fundamental movement skills are generally classified in the literature into three overarching constructs: (1) locomotor skills (e.g., run, hop, jump, slide, gallop, and leap); (2) object control/manipulative skills (e.g., strike, dribble, kick, throw, underarm roll, and catch); and (3) stability/non-locomotor skills (e.g., balancing, body rolling, bending, and twisting) [31]. Recently, Hulteen et al. [32] suggested that this classification may be too narrow and does not capture the full range of movement skills needed for the promotion of physical activity across the lifespan. Therefore, these authors propose including other skills such as resistance training, swimming and cycling, all of which require competency in specific coordinative movement patterns (e.g., swimming strokes, bodyweight squat, push-ups, etc.).

Development of MC during childhood has been recognized as a main factor for engaging in regular physical activity throughout life [19]. Indeed, proficiency in fundamental movement skills is a prerequisite for engagement in physical activities, including sport

participation, which is partly due to improvements in self-regulatory mechanisms, including expectations of self-efficacy and intrinsic motivation [33]. Children with low motor proficiency may consequently prefer a less active lifestyle to avoid movement difficulties [34]. This lack of participation in physical activities is particularly concerning, given that physically inactive children are more likely to become physically inactive adults [35], and physically inactive parents tend to raise physically inactive children [36,37]. The costs and consequences of physical inactivity may, therefore, be passed on to subsequent generations, creating an intergenerational cycle of poor physical and mental health. Moreover, it is known that early life experiences are essential to build strong motor and neurodevelopmental trajectories [38] and to adopt habitual (preferably healthy) lifestyles. Therefore, understanding the most important gaps in the extant literature on this topic is a required first step to targeted research on MC in order to create positive trajectories of health and developmental outcomes in children.

In this context, innovative approaches and fresh thinking on how to improve physical activity levels in children and adolescents, particularly in girls and disadvantaged children, are required and calls for policies with impact on health, youth and sports [39]. The global physical inactivity crisis demands an urgent need to build global capacity, through multi-sectoral, inter-, multi-, and transdisciplinary approaches to tackle this pandemic [15,16].

2.1. Motor Competence and Its Health- and Developmental-Related Associations in Children and Adolescents

2.1.1. What We Know

The importance of promoting MC development at young ages relies on the evidence that there are current and future benefits associated with the acquisition and maintenance of motor proficiency and adequate levels of physical activity [40]. Appropriate MC development contributes to children's physical, mental, and social development, as well as to their health and well-being [27,41,42]. Indeed, evidence supports the positive association between MC and a range of health and developmental outcomes, such as healthy weight status [43–47], higher levels of self-esteem [48,49], perceived physical competence [20,50,51] cardiorespiratory fitness [52–56], muscular fitness [54], physical activity [34,43], decreased sedentary behavior [34,57], increased bone density [58], as well as better cognitive development, executive functions, school readiness, and academic achievement [8,9,59–63].

An interesting conceptual model by Stodden et al. [19] proposed that overweight and obesity trajectories may be triggered by the cumulative effects of low MC on reducing movement opportunities, physical fitness, and perceived MC during childhood. Overall, low MC may result in unsuccessful participation in movement play activities and/or organized sports during childhood, thus leading to a negative spiral of disengagement from an active lifestyle [9]. This idea is not new, as almost 40 years ago, Seefeldt [64] argued for the notion of a “proficiency barrier” and suggested that there might be a “critical threshold” of motor skill competence, above which children will be more active and will successfully apply fundamental movement skill competence, leading to lifetime physical activity engagement.

The notion of a “proficiency barrier” leads to the question of the efficacy of critical periods or windows of opportunity during which children may learn motor skills more easily [4]. It has been suggested that the hypothesized “proficiency barrier” may emerge during the transition from early into middle childhood (that is, during primary school years) when fundamental motor skills are ordinarily sufficiently developed, corresponding to the ages when participation in a variety of youth sports begins [5]. Even though it has been identified as one of the top ten research questions related to growth and maturation, with relevance to physical activity, fitness and performance [5], research has paid very little attention to this “proficiency barrier” [64,65]. This is in part due to the fact that there is a lack of longitudinal studies examining MC in children and adolescents.

The concept of a “proficiency barrier” intuitively considers biosocial determinants of motor coordination and development [66]. However, one may ask, what is an “adequate” level of MC at any given age, in a specific cultural context? Although some of the

existing MC assessment tools have established age- and sex-adjusted normative reference values [67,68], these are usually from children who share the same culture across a limited geographic area [69]. As such, there is a dearth of international normative-referenced values for MC, irrespective of the measurement tool being used, as well as context- and health-related criterion-referenced values. The establishment of international normative and health-related criterion values of what constitutes “adequate” MC, would substantially advance the knowledge on the global prevalence of MC. It would also allow for the international monitoring of trends over time.

2.1.2. What We Need to Find Out

Future research needs to address the cultural sensitivity of testing protocols and instruments. Indeed, many of the MC assessments tools were primarily designed to identify children with motor delays or difficulties and not to assess MC as a central part of human development. This leads to another important question: How should MC be assessed most effectively throughout childhood and adolescence, while also taking into account different environmental and cultural contexts?

2.2. Assessment of Motor Competence in Children and Adolescents

2.2.1. What We Know

Early identification of children with low MC, and consequently early intervention, is both economically efficient and more effective in narrowing (and in some cases minimizing) problems associated with developmental delays in MC, than therapeutic interventions at an older age [70,71]. Moreover, planning, implementation, and evaluation of developmentally adequate movement programs depend on proper identification of the child’s actual level of motor development [72]. Ultimately, the identification of children who may have motor developmental delays is the first step to impede later difficulties [73]. Therefore, the main purpose of a MC assessment should not be only to measure (impaired) performance of skills, but rather the general traits underlying them [50,74].

There are many assessment tools to evaluate MC in children and adolescents [67,68]. The decision on how to assess a child’s MC should be determined by the purpose of the information needed and the age of the participants. MC assessment can be performed using either product- or process-oriented assessment tools [75].

A product-oriented assessment tool evaluates movement from a quantitative assessment approach. This is conducted in order to rate the outcome of skill execution, such as time, distance or frequencies of successful attempts, and thus provides little information with regard to how the movement was performed [74]. The result is generally compared to the performance of a normative group or to predefined problem situations; in this case, the result indicates whether a normatively defined minimally requirement MC level has been reached or not. In contrast, process-oriented assessments are concerned with how the skill is performed rather than the outcome of the skill, and movement is evaluated based on the demonstration of behavioral criteria, which provides information on how the movement is performed. Qualitative assessment thus provides information about the specific components of a motor task or skill that need to be improved and consequently repeated under specific prescription. Hence, these assessments can be undertaken in a more meaningful context than quantitative methods [76].

In order to capture the inherent advantages of both approaches, some assessment tools include both quantitative and qualitative items, such as the Movement Assessment Battery for Children Test—2nd Edition (MABC-2) [77]. The combination of approaches takes into account the more erratic and variable movement patterns of beginners, when compared to the more consistent patterns of skilled performers [76]. Another distinction between test instruments can be identified on the level of the test items, which can be either context-independent, movement-specific, or context-specific [68].

The preference for using a certain MC assessment tool also varies by geographic region, country, ethnicity, and socioeconomic status of the participants. For example, in Europe the

KTK (Körperkoordination Test für Kinder) [78,79]—a product-oriented non-sport specific gross motor coordination test battery—has been widely used. More recently, various versions of the Motorische Basiskompetenzen (MOBAKs) [80–82]—product-oriented test instruments for different school grade levels assessing the mastery of motor skills in specific situations—have been widely used across Europe, especially in Luxembourg and Switzerland as well as in 12 European countries participating in the Erasmus⁺ funded project BMC-EU (Basic Motor Competencies in Europe—<http://mobak.info/bmc-eu/>). In other countries, such as the USA and Australia, the Test of Gross Motor Development—2nd edition (TGMD-2) [83]—a process-oriented test battery of fundamental locomotor and object-control motor skills—has been frequently used. Of particular note, the research on convergent validity between the KTK and the TGMD-2 assessment tools has yielded only moderate correlations [75,84] showing that the different approaches measure somewhat different constructs of MC.

The use of several MC assessment tools by different studies and countries precludes direct comparisons across the globe. Indeed, there is no universal agreement about what might constitute a “gold standard” assessment of MC. Alternatively, the construction of international standardized field-based assessments of MC would ensure comparability between populations and over time. This new MC assessment tool should also ensure that socio-cultural diversity is respected. The way children and adolescents move and the movement skills that a given society expects from their children have a strong socio-cultural dependency, and therefore vary significantly worldwide [5].

There is evidence of internationally agreed assessment collaborations in the areas of health, physical activity, and fitness that have developed or adapted internationally comparable measurement tools. An example is the development of the International Physical Activity Questionnaire (IPAQ) in 1998 [85], which can be used for the standardized assessment of physical activity levels across countries. Another example is the ALPHA (Assessing Levels of Physical Activity) project, a European Union (EU) funded study that aimed to construct a set of instruments for assessing physical activity and physical fitness levels, as well as its underlying factors in a comparable way within the EU countries. The ALPHA field-based physical fitness battery is an effective illustration of a standardized test battery constructed based upon existing test instruments that has proven to be health-related, feasible, reliable, valid, and safe for school-aged children, which can be used for scientific research, as well as by practitioners (i.e., school teachers) [86,87]. As Bardid and colleagues (2015) pointed out, “The wide adoption of a single assessment tool to measure MC, has the potential to build a strong picture of how children are performing on an international level, rather than just on a national level. This would have many benefits in terms of understanding, on a global level, how motor competent children are and then proceeding to understand what cultural factors help to better facilitate MC” [88].

From a practitioner point of view (e.g., schoolteachers, physical educators, sports coaches, physicians, physiotherapists, etc.), any MC assessment tool should be valid, reliable, safe, preferably simple to use and interpret, and also feasible to apply in a school/sports club setting or in a clinical context [89,90]. This is a key aspect that is often overlooked in translating research into applied practice. Indeed, field-based assessments should serve both research and practitioners’ purposes, as they allow the monitoring of growth, development and progress of a particular child, group of children or population over time. From a public health and preventive point of view, early childhood education centers and schools play a central role in the provision and promotion of movement opportunities along with other health-related behaviors, as children spend a large amount of their time in these environments [91].

Further, there exists a proliferative interest in automating the assessment of MC using ubiquitous sensors. Recently, there have been advancements in technological and analytical capability, permitting more precise quantification of complex human movement behaviors [92,93]. Pervasive technologies, such as accelerometers, inertial measurement units and magnetometers, have been used with reasonable success. In the study of Barnes

et al. [94], a magnetometer (which measures the direction, strength, or relative change of a magnetic field at a given location) was worn during a MC assessment. Using robust machine learning, data was subsequently processed, yielding visualizations of the relative performance in three-dimensions and a relative distance between children within the multi-dimensional scaling that could be used to create an automated sensor-based rank scoring, resulting in good agreement between observer and sensor scores. In a further example, Bisi et al. [95] employed inertial measurement units to compare computer-automated and human-observer assessment. Algorithm results showed agreement with raw scores assigned visually by a human observer with a mean percentage (on the entire group of children) that ranged from 82% to 100%. As such, it is important that technological developments are monitored for potential assessment of MC as our sophistication and analytical capability ensues.

It is evident that an international, standardized field-based assessment tool of MC would also be favorable for the longitudinal monitoring of MC, throughout childhood and adolescence, according to the principals of lifespan development. Indeed, the literature is still lacking in studies devoted to the prevalence of “adequate” MC, whilst limited information exists on the secular trends of MC.

2.2.2. What We Need to Find Out

There is a need to develop an international standardized field-based MC assessment tool, for children and adolescents that respects the principals of lifespan development and that ensures socio-cultural diversity, allowing for comparability between populations, and the monitoring of MC levels over time.

2.3. Prevalence and Trends of Motor Competence in Children and Adolescents

2.3.1. What We Know

As previously mentioned, data on MC prevalence and trends are limited. The available evidence about prevalence emanates from cross-sectional and longitudinal studies and describes children’s and adolescents’ MC levels as suboptimal, with rates ranging from 9% up to 52%, depending on the assessment tool being used, the year when the study was conducted, the age, and geographical origin of the participants [8,79,96–100]. Moreover, some evidence indicates that there is a secular decline in movement skills and movement patterns in school children [50,101–105]. For example, Prätorius and Milani [101] have shown that over a period of 30 years, the percentage of German children with low MC has increased substantially, from 16% in the original KTK validation study to a level of 38%.

One important point of note is that the majority of those studies investigating prevalence and trends have been conducted with relatively small samples, in different age ranges and employing different MC assessment tools, precluding a clear view on the “true” prevalence of low MC levels. Moreover, most studies were conducted in developed countries, where sedentary lifestyles are rather common among contemporary children and adolescents [106–108] and where pediatric overweight and obesity rates in children and adolescents are also high [109–111]. Therefore, there is not only a need for a standardized tool to assess MC, as stated above, but also for studies with nationally representative samples. Nevertheless, pooling data from existing studies across the world that assessed MC with the same assessment tools would provide, for the first time, an insight on the global prevalence and possibly secular trends of MC. There is evidence of well-succeeded international collaborations to pool data for physical activity, such as the International Children’s Accelerometer Database (ICAD) for example (<https://www.mrc-epid.cam.ac.uk/research/studies/icad/>). The ICAD initiative has pushed forward the field, by providing a global view on the prevalence and health-related associations of physical activity, in children and adolescents. Prospectively, the establishment of an international MC observatory, would ensure the global monitoring of children’s and adolescents’ MC levels over time, by supporting studies with representative samples and standardized test instruments.

Cross-cultural research could provide valuable insights regarding determinants (or correlates) of MC in different cultural contexts and how test batteries that measure specific motor skills, are culturally sensitive. However, studies assessing cross-cultural comparisons are also scarce [88,112–114]. For example, using the KTK as an assessment tool, Bardid et al. [88] reported that Belgian children scored higher on MC than Australian children, and that both sets of children scored lower than children assessed 40 years earlier. The authors putatively suggested that differences in educational policies and practices between countries and secular trends in sedentary behaviors may explain the results [88]. Data pooling would provide, for the first-time, important information on the cultural sensitivity of different test instruments, as well as an understanding of how different cultural practices serve to enhance or restrict children's MC development.

2.3.2. What We Need to Find Out

Pooled data and multi-center collaborative actions within an international observatory of MC, with sufficiently powered samples, examining global prevalence, trends and cross-cultural comparisons of MC are needed. These types of studies would signal the need for further investigation and calls for interventions in different countries and regions may gain heightened traction.

The level of MC of a given individual is determined by innumerable biological and environmental factors, and their interactions. As the lifestyles of the current generation of children and adolescents are substantially different from previous generations, there is a continuous need for the study of the correlates and determinants of MC.

2.4. Motor Competence and Its Correlates and Determinants in Children and Adolescents

2.4.1. What We Know

When studying motor behavior, a developmental perspective is essential for a comprehensive understanding of movement and mobility [4]. Within an ecological framework of potential influencing factors that operate and interact at multiple levels (individual, social, environmental, and policy) [115], the study of the correlates and determinants of MC is paramount for capturing global similarities and individual differences in motor development [116].

As children grow and develop, the factors associated with MC change. In a systematic review [23] encompassing children aged 3 to 18 years old, age (increasing) was consistently identified as a correlate of MC; weight status (healthy), sex (male), and socio-economic status (higher) were consistent correlates for certain aspects of MC. However, most apparent in this review was that many potential MC correlates (e.g., psychosocial and environmental influences) had not yet been studied, suggesting that there is much to be elucidated until a theoretical framework is constructed, to explain the factors that influence the development of MC at a given age during childhood and adolescence.

It is well established that with increasing age, a gradual improvement in MC occurs; this improvement in MC is acknowledged as a general phenomenon during child development depending on the pre-dispositions of an individual and the accumulation of motor experiences, including both motor control and motor learning developmental processes [117–119].

With respect to biological sex, it is known that boys and girls go through the same sequence(s) of motor skill development. However, sex differences in MC, in parallel to familial sex-stereotypes or gender role models, can be found from toddlerhood onwards [120], with girls usually showing lower levels of global MC and object control/manipulation skills than boys [80,121–124]. Indeed, gender inequality is a key driver of negative health outcomes and girls seem to be given fewer opportunities to be physically active and to develop their MC than boys [106,125,126]. This is particularly concerning in those from low socio-economic backgrounds. Indeed, it is also well established that low socio-economic status is an important predictor of health impairment throughout the lifespan, contributing significantly to morbidity and premature mortality [127,128]. Moreover, it is known that

health and health-related behaviors track from childhood and adolescence into adulthood, and that health inequalities are established early in life [129]. Within the behavioral explanations of the health-related associations of socio-economic status, low physical activity levels seem to play an important role [130,131]. Emerging evidence indicates that children from ethnic minorities, disadvantaged and poor environments show lower levels of MC [132]. Some disparities may exist regarding the opportunities for MC development for these children [121,122], which consequently, may lead to further disparities in physical activity levels throughout the lifespan, thereby perpetuating the cycle of poverty. For example, Temple et al. [132] found that object control skills mediated the relationship between neighborhood vulnerability and participation in physical activities among children in their first year of school. Concomitantly, children from more vulnerable neighborhoods began their school career with lower motor skill proficiency than children from less vulnerable neighborhoods.

Environmental factors are of utmost importance for MC development, as the specific physical and social context in which a child is reared and lives impacts his/her development [24]. Recently, Flôres et al. [133] concluded in their narrative review of various affordances for children's motor development that an optimal home environment with household conditions (i.e., variety of play materials and adequate physical spaces), high family socioeconomic status, and living in a neighborhood with good potential for motor affordances is essential to children's outdoor free play. This in turn may improve children's motor capabilities at various ages. Regarding the school environment (i.e., physical education classes, recess, schoolyards, and playgrounds), Flôres et al. (2019) concluded that literature is generally focused on the importance of increasing physical activity levels. Nevertheless, a systematic review with pre-school children reported little evidence regarding associations between children's fundamental motor skills competence and social and physical environment [134]. Data from The Skilled Kids Study, with Finish children, also reported that the time spent in a physical environment providing the affordances needed for physical activity was associated with higher level of MC [135].

2.4.2. What We Need to Find Out

In an era of global societal changes, where income inequalities are rising and health inequalities are widening, especially among the youngest [136,137], there is an urgent need to understand the correlates and determinants of MC across different countries and regions, as well as various socio-economic and cultural backgrounds. Pooling existing data from different studies across the world, developing an international standardized field-based MC assessment tool and establishing a permanent international MC observatory, would enable researchers and practitioners to have a more robust, precise, and comprehensive overview of MC correlates and determinants. This will especially be useful for identification of subgroups within the population that are the most in need of intervention. These data will inform the design of effective intervention studies and policies, and test the validity of theory-driven models [138].

2.5. Motor Competence Interventions in Children and Adolescents

2.5.1. What We Know

The early years (0–5 years) are a crucial period of life for raising physically competent children and should be viewed as a period of development when motor skills are acquired through structured and purposeful learning environments. There is a general acceptance that the proficiency level on a range of fundamental movement skills reflects to a large extent the degree of learning to which the individual has been exposed. Although rudimentary movement patterns may be naturally developed with free play, a mature form of MC is less likely to be achieved without appropriate practice, encouragement, feedback and instruction [31,139]. During early childhood, children should be encouraged to experience enriched environments, allowing them to achieve their full motor potential.

For this reason, acquiring movement skills should be elected as central on appropriate movement programs [140].

Evidence suggests that both short-term (4–8 weeks) and long term (≥ 6 months) motor skill interventions are effective in improving fundamental movement skills, in children without disabilities, of both genders [140–145]. These interventions are especially effective when school and community-based programs are delivered by physical education specialists or highly trained classroom teachers [142]. However, published articles reporting intervention results often lack important details, such as the theoretical or pedagogical approach on which the intervention was based on, program intensity and duration, fidelity of implementation and characteristics of facilitators and participants [23,142]. Without such detailed information, it remains unclear to infer from available studies which factors should be targeted to ensure that the interventions are optimized and, whether, and for whom, targeted and tailored interventions should be developed [146]. Moreover, most of the existing intervention studies were conducted in children from developed countries [140], which may preclude generalizability of their implementation.

Furthermore, there is currently no quality assessment tool to specifically evaluate MC programs, despite the fact that complete program evaluations represent an important and desired prerequisite to continuous quality improvements [147]. Additionally, although a list of “candidate characteristics” of good practice of what a typically successful physical activity intervention is has been described [148], as well as the adaptation of the European Foundation for Quality Management Excellence Model for the evaluation of physical activity programs [147,149] and the construction of a self-assessment tool for physical activity programs in adults [150]; similar work focused on MC in children and adolescents is yet to be conducted. Nevertheless, such quality assessment tool for MC programs should consider the specificities of the countries and cultures where interventions take place.

Fundamental movement skills are optimally developed and ideally targeted during early and middle childhood, but many youth entering high school lack appropriate levels of MC [50,99]. This is an important area for future work to focus on [142]. However, intervention studies targeting adolescents’ MC are currently scarce. Although, the Y-PATH, a multi-component school-based RCT, showed that despite children not reaching mastery of fundamental movement skills by the age of 10 years and entering into adolescence lacking some fundamental movement skills, it is still possible to improve these via interventions during adolescence [151,152].

2.5.2. What We Need to Find Out

Pooling international data on MC correlates and determinants, as well as bringing together a panel of international experts on MC interventions, would enable to advise and support for the implementation of age, sex/gender, and socio-cultural-specific interventions for MC development in children and adolescents worldwide.

The majority of intervention studies have been conducted in early childhood education, preschools and primary/elementary school settings; however, other stakeholders may also play an important role in the promotion of children’s and adolescents’ MC. Efforts conducted by several public health institutions around the world to promote MC development (e.g., education and health systems, local authorities, community services, after school programs) would benefit from a greater understanding of evidence-based strategies to improve MC, as research needs to be translated for practice and policy.

2.6. Translating Motor Competence Research into Practice and Policy

2.6.1. What We Know

One of the biggest research challenges is its subsequent translation into practice and policy. From awareness through acceptance and adoption, converting research findings into practice and policy has the potential to disrupt currently outdated practices [153]. Therefore, the development of integrated translation plans within research projects and

networks has become an important task, urging researchers to ensure that the evidence of their studies reaches those who can benefit the most—the knowledge users.

MC development is recognized as an important component of the physical education curricula in many countries. According to McLennan and Thompson [154], a Quality Physical Education acts as “the foundation for lifelong engagement in physical activity and sport”, and offers children and adolescents appropriated learning experiences that help them to acquire psychomotor, social, emotional skills, as well as the cognitive understanding necessary to lead a physically active life. It is considered that early childhood education centers and schools should (i) implement planned movement programs as a strategy to promote MC development, (ii) ensure that physical education classes are delivered in a pedagogically appropriate manner, and (iii) that well-trained physical education teachers are engaged [140,142]. However, when working towards MC development, physical education classes and MC development programs should also consider children’s self-perceptions of MC, since it has been shown that the accuracy of children’s self-perceptions (i.e., alignment between actual MC and perceived MC) fosters their future physical activity [155].

Of note, a thorough review of good educational practices and policies across the world in relation to MC development is yet to be performed. The construction of a MC policy audit tool that provides a protocol and method for the detailed compilation and communication of country-level education policy responses on MC development and promotion, would significantly increase researchers’ and practitioners’ understanding of the most effective practices and policies on MC promotion around the world. This yet to be developed MC policy audit tool should be a standardized screening tool that will enable the monitoring of (changes in) policies and practices across countries and regions over time. The knowledge generated by the compilation of this information would be helpful to define guidelines and recommendations for the promotion of motor development in schools. This tool would provide an in-depth policy audit and cross-country comparison, highlighting similarities and differences in progress, challenges and accomplishments. Its results could reveal new ideas and opportunities for other countries.

The current World Health Organization physical activity guidelines for children and youth (from 5 to 18 years old) and for young children (<5 years old) focus on the health-related components of physical fitness (i.e., cardiorespiratory fitness and muscular strength) [156] and on free play [157], respectively. However, specific recommendations for developing MC are lacking. However, the international recommendation for the early years of the *Federation Internationale D’ Education Physique* (International Federation of Physical Education) [158], as well as some national physical activity guidelines, such as those for Finnish children [159], acknowledge the importance of motor skill development, showing that in some cultures, MC is getting more consideration. Indeed, failure to consider MC as a key antecedent of physical activity and positive health and developmental trajectories in children and adolescents likely results in treating the symptoms rather than the cause of physical inactivity and ill health.

2.6.2. What We Need to Find Out

There is a need for a thorough review of good educational practices and policies across the world in relation to MC development, as well as a MC policy audit tool, for a better understanding of the most effective practices and policies on MC promotion around the world. Future international physical activity guidelines should include specific recommendations for developing MC, in children and adolescents.

3. Conclusions

Motor competence is a complex bio-cultural construct and, therefore, its study requires a multi-sectoral, multi-, inter-, and transdisciplinary approach. The knowledge and deliverables generated by addressing and answering the research questions and associated gaps herein presented have the potential to shape the way researchers and practitioners promote physical activity in children and adolescents across the world. It is strongly

believed that these innovative progressions will open new horizons, generate future research questions and further opportunities for research, by (i) adding evidence on levels, determinants and health-related associations of motor competence in children and adolescents; (ii) pooling data from different studies across the world; (iii) developing a new international standardized field-based motor competence assessment tool; (iv) constructing a motor competence policy audit tool for education systems; (v) establishing a permanent International Motor Competence Observatory; (vi) developing recommendations on how to promote motor competence in children and adolescents; and (vii) translating research on motor competence into policy and practice. Failure to consider motor competence as a key antecedent of physical activity and positive health and developmental trajectories in children and adolescents likely results in treating the symptoms rather than the cause of physical inactivity and ill health.

In late 2015, an International Motor Competence Network of academics and researchers was established, and the current collaborative narrative review builds upon this network (<https://www.imcnetwork.org/>). The mission of the network is to promote international collaborative research and knowledge translation in the field of motor competence. This network represents an opportunity to push forward the scientific knowledge and develop future lines of research by improving our understanding of health, growth and developmental-related associations and determinants of appropriate levels of motor competence. Innovative approaches and fresh thinking on how to improve physical activity levels are necessary to give children the best start in life.

Author Contributions: L.L. and R.S., conceived the design of the work, wrote the first draft of the manuscript and coordinated the final draft of the manuscript; M.C.-e.-S., C.D., J.M., C.A.-S. contributed to the conception and design of the work; L.L., R.S., M.C.-e.-S., C.D., J.M., B.J., C.C., M.S., P.M., M.D., W.O., P.B., E.D., S.H., G.S., K.D.M., C.S., C.H., A.G.-H., R.R.-V., A.P. (António Palmeira), E.G., R.R., J.I., I.E.-C., J.R., S.V., Z.Z., D.C., S.P., P.H.-B., J.P., B.M., J.S., V.T., P.S., E.S., E.S.-S., M.A., C.M., T.U., L.T., P.C. (Peggy Cheung), J.C.-O., S.C., P.C. (Palma Chillón), C.R., A.S., D.S., R.L., I.M.-C., Z.K., M.Z., B.P., A.P. (António Prista) and C.A.-S. were involved in the writing of the manuscript and revising it critically for important intellectual content; provided final approval of the version to be published and agree with the order of presentation of the authors. All authors have read and agreed to the published version of the manuscript.

Funding: Luís Lopes is supported by the Portuguese Foundation for Science and Technology (CEECIND/01089/2017 and FCT/UIDB/00617/2020); Rute Santos is supported by the Portuguese Foundation for Science and Technology (CEECIND/01069/2017 and FCT/UIDB/00617/2020); Jorge Mota, Carla Moreira, César Agostinis-Sobrinho, Pedro Silva and Eduarda Sousa-Sá are supported by the Portuguese Foundation for Science and Technology (FCT/UIDB/00617/2020); Erik Sigmund is supported by grant No. 19-03276S from the Czech Science Foundation; Irene Esteban-Cornejo is supported by the Spanish Ministry of Economy and Competitiveness (RTI2018-095284-J-100) and by the Spanish Ministry of Science and Innovation (RYC2019-027287-I); Jaime Carcamo-Oyarzun is supported by the National Commission for Scientific Research and Technology of Chile (CONICYT—FONDECYT 11170525); Jonatan Ruiz is supported by the University of Granada Plan Propio de Investigación 2016 (Excellence actions: Unit of Excellence on Exercise and Health [UCEES]), by the European Regional Development Fund (ERDF), by the Junta de Andalucía, Consejería de Conocimiento, Investigación y Universidades (ref. SOMM17/6107/UGR); Antonio Garcia-Hermoso is a Miguel Servet Fellow (Instituto de Salud Carlos III—FSE, CP18/0150).

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to publish the results.

References

1. Schmidt, R.A.; Lee, T.D. *Motor Control and Learning: A Behavioral Emphasis*; Human Kinetics: Champaign, IL, USA, 2011.
2. Bouchard, C.; Blair, S.N.; Haskell, W.L. Why Study physical Activity and Health. In *Physical Activity and Health*; Bouchard, C., Blair, S.N., Haskell, W.L., Eds.; Human Kinetics: Champaign, IL, USA, 2007; pp. 3–19.
3. Utley, A.; Astill, S. *Motor Control, Learning and Development*; Taylor & Francis Group: New York, NY, USA, 2008.
4. Clark, J.E. From the beginning: A developmental perspective on movement and mobility. *Quest* **2005**, *57*, 37–45. [[CrossRef](#)]

5. Malina, R.M. Top 10 research questions related to growth and maturation of relevance to physical activity, performance, and fitness. *Res. Q. Exerc. Sport* **2014**, *85*, 157–173. [\[CrossRef\]](#)
6. Henderson, S.E.; Sugden, D. *The Movement Assessment Battery for Children*; The Psychological Corporation: Kent, UK, 1992.
7. Utesch, T.; Bardid, F. Motor competence. In *Dictionary of Sport Psychology: Sport, Exercise, And Performing Arts*, 1st ed.; Hackfort, D., Schinke, R., Strauss, B., Eds.; Elsevier: Berlin/Heidelberg, Germany, 2019; p. 186.
8. Lopes, L.; Santos, R.; Pereira, B.; Lopes, V.P. Associations between gross Motor Coordination and Academic Achievement in elementary school children. *Hum. Mov. Sci.* **2013**, *32*, 9–20. [\[CrossRef\]](#)
9. Robinson, L.E.; Stodden, D.F.; Barnett, L.M.; Lopes, V.P.; Logan, S.W.; Rodrigues, L.P.; D'Hondt, E. Motor Competence and its Effect on Positive Developmental Trajectories of Health. *Sports Med.* **2015**, *45*, 1273–1284. [\[CrossRef\]](#)
10. Logan, S.W.; Ross, S.M.; Chee, K.; Stodden, D.F.; Robinson, L.E. Fundamental motor skills: A systematic review of terminology. *J. Sports Sci.* **2018**, *36*, 781–796. [\[CrossRef\]](#) [\[PubMed\]](#)
11. Edwards, L.C.; Bryant, A.S.; Keegan, R.J.; Morgan, K.; Cooper, S.M.; Jones, A.M. 'Measuring' physical Literacy and Related Constructs: A Systematic Review of Empirical Findings. *Sports Med.* **2018**, *48*, 659–682. [\[CrossRef\]](#) [\[PubMed\]](#)
12. Jones, G.R.; Stathokostas, L.; Young, B.W.; Wister, A.V.; Chau, S.; Clark, P.; Duggan, M.; Mitchell, D.; Nordland, P. Development of a physical literacy model for older adults—A consensus process by the collaborative working group on physical literacy for older Canadians. *BMC Geriatr.* **2018**, *18*, 13. [\[CrossRef\]](#) [\[PubMed\]](#)
13. Cairney, J.; Dudley, D.; Kwan, M.; Bulten, R.; Kriellaars, D. Physical Literacy, Physical Activity and Health: Toward an Evidence-Informed Conceptual Model. *Sports Med.* **2019**, *49*, 371–383. [\[CrossRef\]](#) [\[PubMed\]](#)
14. Guthold, R.; Stevens, G.A.; Riley, L.M.; Bull, F.C. Worldwide trends in insufficient physical activity from 2001 to 2016: A pooled analysis of 358 population-based surveys with 1.9 million participants. *Lancet Glob. Health* **2018**, *6*, e1077–e1086. [\[CrossRef\]](#)
15. Ding, D.; Lawson, K.D.; Kolbe-Alexander, T.L.; Finkelstein, E.A.; Katzmarzyk, P.T.; van Mechelen, W.; Pratt, M. Lancet physical Activity Series 2 Executive, C. The economic burden of physical inactivity: A global analysis of major non-communicable diseases. *Lancet* **2016**, *388*, 1311–1324. [\[CrossRef\]](#)
16. Kohl, H.W., 3rd; Craig, C.L.; Lambert, E.V.; Inoue, S.; Alkandari, J.R.; Leetongin, G.; Kahlmeier, S. Lancet physical Activity Series Working, G. The pandemic of physical inactivity: Global action for public health. *Lancet* **2012**, *380*, 294–305. [\[CrossRef\]](#)
17. Booth, F.W.; Roberts, C.K.; Thyfault, J.P.; Rueggsegger, G.N.; Toedebusch, R.G. Role of Inactivity in Chronic Diseases: Evolutionary Insight and Pathophysiological Mechanisms. *Physiol. Rev.* **2017**, *97*, 1351–1402. [\[CrossRef\]](#) [\[PubMed\]](#)
18. Ennis, C.D. Physical Education Curriculum Priorities: Evidence for Education and Skillfulness. *Quest* **2011**, *63*, 5–18. [\[CrossRef\]](#)
19. Stodden, D.F.; Goodway, S.D.; Langendorfer, M.R.; Rudisill, M.E.; Garcia, C.; Garcia, L.E. A Developmental Perspective on the Role of Motor Skill Competence in physical Activity: An Emergent Relationship. *Quest* **2008**, *60*, 290–306. [\[CrossRef\]](#)
20. Lubans, D.R.; Morgan, P.J.; Cliff, D.P.; Barnett, L.M.; Okely, A.D. Fundamental movement skills in children and adolescents: Review of associated health benefits. *Sports Med.* **2010**, *40*, 1019–1035. [\[CrossRef\]](#) [\[PubMed\]](#)
21. Thomas, F.; Bean, K.; Pannier, B.; Oppert, J.M.; Guize, L.; Benetos, A. Cardiovascular mortality in overweight subjects: The key role of associated risk factors. *Hypertension* **2005**, *46*, 654–659. [\[CrossRef\]](#)
22. Gallahue, D.L. *Motor Development and Movement Experiences for Young Children*; John Wiley and Sons, Inc.: Hoboken, NJ, USA, 1982.
23. Barnett, L.M.; Lai, S.K.; Veldman, S.L.C.; Hardy, L.L.; Cliff, D.P.; Morgan, P.J.; Zask, A.; Lubans, D.R.; Shultz, S.P.; Ridgers, N.D.; et al. Correlates of Gross Motor Competence in Children and Adolescents: A Systematic Review and Meta-Analysis. *Sports Med.* **2016**, *46*, 1663–1688. [\[CrossRef\]](#)
24. Venetsanou, F.; Kambas, A. Environmental factors affecting preschoolers' motor development. *Early Child. Educ. J.* **2010**, *37*, 319–327. [\[CrossRef\]](#)
25. Newell, K.M. Constraints on the development of coordination. In *Motor Development in Children: Aspects of Coordination and Control*; Wade, M.G., Whiting, H.T.A., Eds.; Martinus Nijhoff: Dordrecht, The Netherlands, 1986; pp. 341–360.
26. Dwyer, G.M.; Baur, L.A.; Hardy, L.L. The challenge of understanding and assessing physical activity in preschool-age children: Thinking beyond the framework of intensity, duration and frequency of activity. *J. Sci. Med. Sport* **2009**, *12*, 534–536. [\[CrossRef\]](#)
27. Payne, G.; Isaacs, L. *Human Motor Development: A Lifespan Approach*; Mayfield Publishing Company: California, CA, USA, 1998.
28. Berk, L. *Development through the Lifespan*, 7th ed.; Pearson Education: Hoboken, NJ, USA, 2018.
29. Clark, J.E.; Metcalfe, J.M. The mountain of motor development: A metaphor. In *Motor Development: Research and Reviews*; Humphrey, J.C., Humphrey, J., Eds.; NASPE Publications: Reston, VA, USA, 2002; pp. 163–190.
30. Strong, W.B.; Malina, R.M.; Blimkie, C.J.; Daniels, S.R.; Dishman, R.K.; Gutin, B.; Hergenroeder, A.C.; Must, A.; Nixon, P.A.; Pivarnik, J.M.; et al. Evidence based physical activity for school-age youth. *J. Pediatr.* **2005**, *146*, 732–737. [\[CrossRef\]](#)
31. Gallahue, D.L.; Ozmun, J.C.; Goodway, J.D. *Understanding Motor Development: Infants, Children, Adolescents, Adults*, 7th ed.; McGraw-Hill: New York, NY, USA, 2012.
32. Hulteen, R.M.; Morgan, P.J.; Barnett, L.M.; Stodden, D.F.; Lubans, D.R. Development of Foundational Movement Skills: A Conceptual Model for physical Activity Across the Lifespan. *Sports Med.* **2018**, *48*, 1533–1540. [\[CrossRef\]](#) [\[PubMed\]](#)
33. Babic, M.J.; Morgan, P.J.; Plotnikoff, R.C.; Lonsdale, C.; White, R.L.; Lubans, D.R. Physical activity and physical self-concept in youth: Systematic review and meta-analysis. *Sports Med.* **2014**, *44*, 1589–1601. [\[CrossRef\]](#) [\[PubMed\]](#)
34. Wrotniak, B.H.; Epstein, L.H.; Dorn, J.M.; Jones, K.E.; Kondilis, V.A. The relationship between motor proficiency and physical activity in children. *Pediatrics* **2006**, *118*, e1758–e1765. [\[CrossRef\]](#) [\[PubMed\]](#)

35. Telama, R. Tracking of physical activity from childhood to adulthood: A review. *Obes. Facts* **2009**, *2*, 187–195. [[CrossRef](#)] [[PubMed](#)]
36. Yao, C.A.; Rhodes, R.E. Parental correlates in child and adolescent physical activity: A meta-analysis. *Int. J. Behav. Nutr. Phys. Act.* **2015**, *12*, 10. [[CrossRef](#)]
37. Mori, S.; Nakamoto, H.; Mizuochi, H.; Ikudome, S.; Gabbard, C. Influence of Affordances in the Home Environment on Motor Development of Young Children in Japan. *Child. Dev. Res.* **2013**. [[CrossRef](#)]
38. Shonkoff, J.P.; Boyce, W.T.; McEwen, B.S. Neuroscience, molecular biology, and the childhood roots of health disparities: Building a new framework for health promotion and disease prevention. *JAMA* **2009**, *301*, 2252–2259. [[CrossRef](#)]
39. Bonney, E.; Smits Engelsman, B.C. Movement Skill Assessment in Children: Overview and Recommendations for Research and Practice. *Curr. Dev. Disord. Rep.* **2019**, *6*, 67–77. [[CrossRef](#)]
40. Lubans, D.R.; Morgan, P.J.; Callister, R.; Collins, C.E.; Plotnikoff, R.C. Exploring the mechanisms of physical activity and dietary behavior change in the program x intervention for adolescents. *J. Adolesc. Health* **2010**, *47*, 83–91. [[CrossRef](#)]
41. Haga, M. The relationship between physical fitness and motor competence in children. *Child. Care Health Dev.* **2008**, *34*, 329–334. [[CrossRef](#)]
42. Piek, J.P.; Baynam, G.B.; Barrett, N.C. The relationship between fine and gross motor ability, self-perceptions and self-worth in children and adolescents. *Hum. Mov. Sci.* **2006**, *25*, 65–75. [[CrossRef](#)] [[PubMed](#)]
43. Lopes, V.P.; Maia, J.A.; Rodrigues, L.P.; Malina, R.M. Motor coordination, physical activity and fitness as predictors of longitudinal change in adiposity during childhood. *Eur. J. Sport Sci.* **2011**, *12*, 384–391. [[CrossRef](#)]
44. Lopes, V.P.; Stodden, D.F.; Bianchi, M.M.; Maia, J.A.; Rodrigues, L.P. Correlation between BMI and motor coordination in children. *J. Sci. Med. Sport* **2012**, *15*, 38–43. [[CrossRef](#)] [[PubMed](#)]
45. Lopes, L.; Santos, R.; Moreira, C.; Pereira, B.; Lopes, V.P. Sensitivity and specificity of different measures of adiposity to distinguish between low/high motor coordination. *J. Pediatr.* **2015**, *91*, 44–51. [[CrossRef](#)]
46. O'Brien, W.; Belton, S.; Issartel, J. The relationship between adolescents' physical activity, fundamental movement skills and weight status. *J. Sports Sci.* **2016**, *34*, 1159–1167. [[CrossRef](#)]
47. Herrmann, C.; Heim, C.; Seelig, H. Construct and correlates of basic motor competencies in primary school-aged children. *J. Sport Health Sci.* **2019**, *8*, 63–70. [[CrossRef](#)]
48. Ulrich, B.D. Perceptions of physical competence, motor competence and participation in organized sport: Their interrelationships in young children. *Res. Q. Exerc. Sport* **1987**, *58*, 57–67. [[CrossRef](#)]
49. Schmidt, M.; Blum, M.; Valkanover, S.; Conzelmann, A. Motor ability and self-esteem: The mediating role of physical self-concept and perceived social acceptance. *Psychol. Sport Exerc.* **2015**, *17*, 15–23. [[CrossRef](#)]
50. O'Brien, W.; Duncan, M.J.; Farmer, O.; Lester, D. Do Irish Adolescents Have Adequate Functional Movement Skill and Confidence? *J. Motor Learn. Dev.* **2018**, *6*, S301–S319. [[CrossRef](#)]
51. Herrmann, C.; Seelig, H. "I can dribble!". On the relationship between children's motor competencies and corresponding self-perceptions. *Ger. J. Exerc. Sport Res.* **2017**, *47*, 324–334. [[CrossRef](#)]
52. Okely, A.D.; Booth, M.L.; Patterson, J.W. Relationship of cardiorespiratory endurance to fundamental movement skill proficiency among adolescents. *Pediatr. Exerc. Sci.* **2001**, *13*, 380–391. [[CrossRef](#)]
53. Rodrigues, L.P.; Stodden, D.F.; Lopes, V.P. Developmental pathways of change in fitness and motor competence are related to overweight and obesity status at the end of primary school. *J. Sci. Med. Sport* **2016**, *19*, 87–92. [[CrossRef](#)] [[PubMed](#)]
54. Cattuzzo, M.T.; Dos Santos Henrique, R.; Re, A.H.; de Oliveira, I.S.; Melo, B.M.; de Sousa Moura, M.; de Araujo, R.C.; Stodden, D. Motor competence and health related physical fitness in youth: A systematic review. *J. Sci. Med. Sport* **2016**, *19*, 123–129. [[CrossRef](#)] [[PubMed](#)]
55. Barnett, L.M.; Van Beurden, E.; Morgan, P.J.; Brooks, L.O.; Beard, J.R. Does childhood motor skill proficiency predict adolescent fitness? *Med. Sci. Sports Exerc.* **2008**, *40*, 2137–2144. [[CrossRef](#)] [[PubMed](#)]
56. Lopes, L.; Povoas, S.; Mota, J.; Okely, A.D.; Coelho, E.S.M.J.; Cliff, D.P.; Lopes, V.P.; Santos, R. Flexibility is associated with motor competence in schoolchildren. *Scand. J. Med. Sci. Sports* **2017**, *27*, 1806–1813. [[CrossRef](#)]
57. Lopes, L.; Santos, R.; Pereira, B.; Lopes, V.P. Associations between sedentary behavior and motor coordination in children. *Am. J. Hum. Biol.* **2012**, *24*, 746–752. [[CrossRef](#)]
58. Cantell, M.; Crawford, S.G.; Tish Doyle-Baker, P.K. Physical fitness and health indices in children, adolescents and adults with high or low motor competence. *Hum. Mov. Sci.* **2008**, *27*, 344–362. [[CrossRef](#)]
59. Haapala, E.A. Cardiorespiratory fitness and motor skills in relation to cognition and academic performance in children—A review. *J. Hum. Kinet.* **2013**, *36*, 55–68. [[CrossRef](#)]
60. Schmidt, M.; Egger, F.; Benzing, V.; Jager, K.; Conzelmann, A.; Roebbers, C.M.; Pesce, C. Disentangling the relationship between children's motor ability, executive function and academic achievement. *PLoS ONE* **2017**, *12*, e0182845. [[CrossRef](#)]
61. Ludyga, S.; Mucke, M.; Kamijo, K.; Andra, C.; Puhse, U.; Gerber, M.; Herrmann, C. The Role of Motor Competences in Predicting Working Memory Maintenance and Preparatory Processing. *Child. Dev.* **2020**, *91*, 799–813. [[CrossRef](#)]
62. Mulvey, K.L.; Taunton, S.; Pennell, A.; Brian, A. Head, Toes, Knees, SKIP! Improving Preschool Children's Executive Function Through a Motor Competence Intervention. *J. Sport Exerc. Psychol.* **2018**, *40*, 233–239. [[CrossRef](#)] [[PubMed](#)]
63. Veldman, S.L.C.; Santos, R.; Jones, R.A.; Sousa-Sa, E.; Okely, A.D. Associations between gross motor skills and cognitive development in toddlers. *Early Hum. Dev.* **2019**, *132*, 39–44. [[CrossRef](#)] [[PubMed](#)]

64. Seefeldt, V. Developmental motor patterns: Implications for elementary school physical education. In *Psychology of Motor Behavior and Sport*; Nadeau, C., Holliwell, W., Newell, K., Roberts, G., Eds.; Human Kinetics: Champaign, IL, USA, 1980; pp. 314–323.
65. Stodden, D.F.; True, L.K.; Langendorfer, S.J.; Gao, Z. Associations among selected motor skills and health-related fitness: Indirect evidence for Seefeldt's proficiency barrier in young adults? *Res. Q. Exerc. Sport* **2013**, *84*, 397–403. [\[CrossRef\]](#) [\[PubMed\]](#)
66. Malina, R.M.; Cumming, S.P.; Coelho, E.S.M.J. Physical Activity and Movement Proficiency: The Need for a Biocultural Approach. *Pediatr. Exerc. Sci.* **2016**, *28*, 233–239. [\[CrossRef\]](#) [\[PubMed\]](#)
67. Cools, W.; Martelaer, K.D.; Samaey, C.; Andries, C. Movement skill assessment of typically developing preschool children: A review of seven movement skill assessment tools. *J. Sports Sci. Med.* **2009**, *8*, 154–168.
68. Scheuer, C.; Herrmann, C.; Bund, A. Motor tests for primary school aged children: A systematic review. *J. Sports Sci.* **2019**, *37*, 1097–1112. [\[CrossRef\]](#)
69. Iivonen, S.; Saakslähti, A.K.; Laukkanen, A. A review of studies using Körperkoordination test für kinder (KTK). *Eur. J. Adapt. Phys. Act.* **2015**, *8*, 18–36. [\[CrossRef\]](#)
70. Berk, R.A.; DeGangri, C.A. Technical considerations in the evaluation of pediatric motor scales. *Am. J. Occup. Ther.* **1979**, *33*, 240–244.
71. McIntosh, D.; Gibney, L.; Quinn, K.; Kundert, D. Concurrent validity of the early screening profiles and the differential ability scales with an at-risk preschool sample. *Psychol. Sch.* **2000**, *37*, 201–207. [\[CrossRef\]](#)
72. Zimmer, R.; Cicurs, H. *Psychomotorik*; Hofmann Verla: Schorndorf, Germany, 1993.
73. Venetsanou, F.; Kambas, A.; Aggeloussis, N.; Fatouros, I.; Taxildaris, K. Motor assessment of preschool aged children: A preliminary investigation of the validity of the Bruininks-Oseretsky test of motor proficiency—Short form. *Hum. Mov. Sci.* **2009**, *28*, 543–550. [\[CrossRef\]](#)
74. Burton, A.W.; Miller, D.E. *Movement Skill Assessment*; Human Kinetics: Champaign, IL, USA, 1998.
75. Logan, S.W.; Barnett, L.M.; Goodway, J.D.; Stodden, D.F. Comparison of performance on process- and product-oriented assessments of fundamental motor skills across childhood. *J. Sports Sci.* **2017**, *35*, 634–641. [\[CrossRef\]](#) [\[PubMed\]](#)
76. Hands, B.P. How can we best measure fundamental movement skills? In Proceedings of the Australian Council for Health, Physical Education and Recreation Inc. (ACHPER) 23rd Biennial National/International Conference: Interactive Health & Physical Education, Launceston, TAS, Australia, 3–5 July 2002.
77. Henderson, S.E.; Sugden, D.A.; Barnett, A. *Movement Assessment Battery for Children-2*; Harcourt Assessment: London, UK, 2007.
78. Kiphard, E.J.; Schilling, F. Körperkoordinationstest für Kinder. In *Überarbeitete und Ergänzte Aufl Age [Body Coordination Test for Children. Revised and Supplemented Edition]*; Beltz Test GmbH: Göttingen, Germany, 2007.
79. Kiphard, E.J.; Schilling, F. *Körperkoordination Test. für Kinder, KTK*; Beltz Test GmbH: Weinheim, Germany, 1974.
80. Herrmann, C.; Gerlach, E.; Seelig, H. Development and Validation of a Test Instrument for the Assessment of Basic Motor Competencies in Primary School. *Meas. Phys. Educ. Exerc. Sci.* **2015**, *19*, 80–90. [\[CrossRef\]](#)
81. Scheuer, C.; Bund, A.; Becker, W.; Herrmann, C. Development and validation of a survey instrument for detecting basic motor competencies in elementary school children. *Cogent Educ.* **2017**, *4*, 1337544. [\[CrossRef\]](#)
82. Scheuer, C.; Bund, A.; Herrmann, C. Diagnosis and Monitoring of Basic Motor Competencies among Third-Graders in Luxembourg. An Assessment Tool for Teachers. *Meas. Phys. Educ. Exerc. Sci.* **2019**, *23*, 258–271. [\[CrossRef\]](#)
83. Ulrich, D. Test of Gross Motor Development TGMD-2. In *Examiner's Manual*, 2nd ed.; Austin, TX, USA, 2000; Available online: <https://www.wpspublish.com/tgmd-2-test-of-gross-motor-development-second-edition> (accessed on 22 November 2020).
84. Logan, S.W.; Robinson, L.E.; Getchell, N. The comparison of performances of preschool children on two motor assessments. *Percept. Mot. Skills* **2011**, *113*, 715–723. [\[CrossRef\]](#) [\[PubMed\]](#)
85. Craig, C.L.; Marshall, A.L.; Sjostrom, M.; Bauman, A.E.; Booth, M.L.; Ainsworth, B.E.; Pratt, M.; Ekelund, U.; Yngve, A.; Sallis, J.F.; et al. International physical activity questionnaire: 12-country reliability and validity. *Med. Sci. Sports Exerc.* **2003**, *35*, 1381–1395. [\[CrossRef\]](#)
86. Ruiz, J.R.; Castro-Piñero, J.; Artero, E.G.; Ortega, F.B.; Sjostrom, M.; Suni, J.; Castillo, M.J. Predictive validity of health-related fitness in youth: A systematic review. *Br. J. Sports Med.* **2009**, *43*, 909–923. [\[CrossRef\]](#)
87. Ruiz, J.R.; Castro-Piñero, J.; Espana-Romero, V.; Artero, E.G.; Ortega, F.B.; Cuenca, M.M.; Jimenez-Pavon, D.; Chillón, P.; Girela-Rejon, M.J.; Mora, J.; et al. Field-based fitness assessment in young people: The ALPHA health-related fitness test battery for children and adolescents. *Br. J. Sports Med.* **2011**, *45*, 518–524. [\[CrossRef\]](#)
88. Bardid, F.; Rudd, J.R.; Lenoir, M.; Polman, R.; Barnett, L.M. Cross-cultural comparison of motor competence in children from Australia and Belgium. *Front. Psychol.* **2015**, *6*, 964. [\[CrossRef\]](#)
89. Lander, N.; Morgan, P.J.; Salmon, J.; Logan, S.W.; Barnett, L.M. The reliability and validity of an authentic motor skill assessment tool for early adolescent girls in an Australian school setting. *J. Sci. Med. Sport* **2017**, *20*, 590–594. [\[CrossRef\]](#)
90. Lander, N.; Hanna, L.; Brown, H.; Telford, A.; Morgan, P.J.; Salmon, J.; Barnett, L. Teachers' perceptions of a fundamental movement skill (FMS) assessment battery in a school setting. *Meas. Phys. Educ. Exerc. Sci.* **2016**, *20*, 50–62. [\[CrossRef\]](#)
91. Pate, R.R.; Davis, M.G.; Robinson, T.N.; Stone, E.J.; McKenzie, T.L.; Young, J.C. Promoting physical activity in children and youth: A leadership role for schools: A scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism (Physical Activity Committee) in collaboration with the Councils on Cardiovascular Disease in the Young and Cardiovascular Nursing. *Circulation* **2006**, *114*, 1214–1224. [\[CrossRef\]](#) [\[PubMed\]](#)

92. Clark, C.C.; Barnes, C.M.; Stratton, G.; McNarry, M.A.; Mackintosh, K.A.; Summers, H.D. A Review of Emerging Analytical Techniques for Objective physical Activity Measurement in Humans. *Sports Med.* **2017**, *47*, 439–447. [[CrossRef](#)] [[PubMed](#)]
93. Chinapaw, M.J.; Wang, X.; Andersen, L.B.; Altenburg, T.M. From Total Volume to Sequence Maps: Sophisticated Accelerometer Data Analysis. *Med. Sci. Sports Exerc.* **2019**, *51*, 814–820. [[CrossRef](#)] [[PubMed](#)]
94. Barnes, C.M.; Clark, C.C.T.; Rees, P.; Stratton, G.; Summers, H.D. Objective profiling of varied human motion based on normative assessment of magnetometer time series data. *Physiol. Meas.* **2018**, *39*, 045007. [[CrossRef](#)] [[PubMed](#)]
95. Bisi, M.C.; Pacini Panebianco, G.; Polman, R.; Stagni, R. Objective assessment of movement competence in children using wearable sensors: An instrumented version of the TGMD-2 locomotor subtest. *Gait Posture* **2017**, *56*, 42–48. [[CrossRef](#)] [[PubMed](#)]
96. Okely, A.D.; Booth, M.L. Mastery of fundamental movement skills among children in New South Wales: Prevalence and sociodemographic distribution. *J. Sci. Med. Sport* **2004**, *7*, 358–372. [[CrossRef](#)]
97. Graf, C.; Koch, B.; Kretschmann-Kandel, E.; Falkowski, G.; Christ, H.; Coburger, S.; Lehmacher, W.; Bjarnason-Wehrens, B.; Platen, P.; Tokarski, W.; et al. Correlation between BMI, leisure habits and motor abilities in childhood (CHILT-project). *Int. J. Obes.* **2004**, *28*, 22–26. [[CrossRef](#)] [[PubMed](#)]
98. Vandorpe, B.; Vandendriessche, J.; Lefevre, J.; Pion, J.; Vaeyens, R.; Matthys, S.; Philippaerts, R.; Lenoir, M. The KörperkoordinationsTest für Kinder: Reference values and suitability for 6–12-year-old children in Flanders. *Scand. J. Med. Sci. Sports* **2011**, *21*, 378–388. [[CrossRef](#)] [[PubMed](#)]
99. O'Brien, W.; Belton, S.; Issartel, J. Fundamental movement skill proficiency amongst adolescent youth. *Phys. Educ. Sport Pedagog.* **2016**, *21*, 557–571. [[CrossRef](#)]
100. Herrmann, C. MOBAK 1-4. In *Test zur Erfassung Motorischer Basiskompetenzen für die Klassen 1–4 (Hogrefe Schultest)*; Hogrefe: Göttingen, Germany, 2018.
101. Prätorius, B.; Milani, T.L. Motorische Leistungsfähigkeit bei Kindern: Koordinations- und Gleichgewichtsfähigkeit: Untersuchung des Leistungsgefälles zwischen Kindern mit verschiedenen Sozialisationsbedingungen. *Deutsche Zeitschrift Für Sportmedizin* **2004**, *55*, 172–176.
102. Roth, K.; Ruf, K.; Obinger, M.; Mauer, S.; Ahnert, J.; Schneider, W.; Graf, C.; Hebestreit, H. Is there a secular decline in motor skills in preschool children? *Scand. J. Med. Sci. Sports* **2010**, *20*, 670–678. [[CrossRef](#)] [[PubMed](#)]
103. Hardy, L.L.; Barnett, L.; Espinel, P.; Okely, A.D. Thirteen-year trends in child and adolescent fundamental movement skills: 1997–2010. *Med. Sci. Sports Exerc.* **2013**, *45*, 1965–1970. [[CrossRef](#)] [[PubMed](#)]
104. Fuhner, T.; Kliegl, R.; Arntz, F.; Kriemler, S.; Granacher, U. An Update on Secular Trends in physical Fitness of Children and Adolescents from 1972 to 2015: A Systematic Review. *Sports Med.* **2020**, *17*, 5671. [[CrossRef](#)] [[PubMed](#)]
105. Eberhardt, T.; Niessner, C.; Oriwol, D.; Buchal, L.; Worth, A.; Bos, K. Secular Trends in physical Fitness of Children and Adolescents: A Review of Large-Scale Epidemiological Studies Published after 2006. *Int. J. Environ. Res. Public Health* **2020**, *17*, 5671. [[CrossRef](#)] [[PubMed](#)]
106. Ruiz, J.R.; Ortega, F.B.; Martinez-Gomez, D.; Labayen, I.; Moreno, L.A.; De Bourdeaudhuij, I.; Manios, Y.; Gonzalez-Gross, M.; Mauro, B.; Molnar, D.; et al. Objectively measured physical activity and sedentary time in European adolescents: The HELENA study. *Am. J. Epidemiol.* **2011**, *174*, 173–184. [[CrossRef](#)]
107. Arundell, L.; Fletcher, E.; Salmon, J.; Veitch, J.; Hinkley, T. A systematic review of the prevalence of sedentary behavior during the after-school period among children aged 5–18 years. *Int. J. Behav. Nutr. Phys. Act.* **2016**, *13*, 93. [[CrossRef](#)]
108. Fakhouri, T.H.; Hughes, J.P.; Burt, V.L.; Song, M.; Fulton, J.E.; Ogden, C.L. Physical activity in U.S. youth aged 12–15 years, 2012. *NCHS Data Brief.* **2014**, *141*, 1–8.
109. Ahrens, W.; Pigeot, I.; Pohlabeln, H.; De Henauw, S.; Lissner, L.; Molnar, D.; Moreno, L.A.; Tornaritis, M.; Veidebaum, T.; Siani, A.; et al. Prevalence of overweight and obesity in European children below the age of 10. *Int. J. Obes.* **2014**, *38* (Suppl. S2), S99–S107. [[CrossRef](#)]
110. De Onis, M.; Blossner, M.; Borghi, E. Global prevalence and trends of overweight and obesity among preschool children. *Am. J. Clin. Nutr.* **2010**, *92*, 1257–1264. [[CrossRef](#)]
111. Ogden, C.L.; Carroll, M.D.; Kit, B.K.; Flegal, K.M. Prevalence of childhood and adult obesity in the United States, 2011–2012. *JAMA* **2014**, *311*, 806–814. [[CrossRef](#)] [[PubMed](#)]
112. Chow, S.M.; Henderson, S.E.; Barnett, A.L. The Movement Assessment Battery for Children: A comparison of 4-year-old to 6-year-old children from Hong Kong and the United States. *Am. J. Occup. Ther.* **2001**, *55*, 55–61. [[CrossRef](#)] [[PubMed](#)]
113. Luz, C.; Cordovil, R.; Rodrigues, L.P.; Gao, Z.; Goodway, J.D.; Sacko, R.S.; Nesbitt, D.R.; Ferkel, R.C.; True, L.K.; Stodden, D.F. Motor competence and health-related fitness in children: A cross-cultural comparison between Portugal and the United States. *J. Sport Health Sci.* **2019**, *8*, 130–136. [[CrossRef](#)] [[PubMed](#)]
114. D'Hondt, E.; Venetsanou, F.; Kambas, A.; Lenoir, M. Motor Competence Levels in Young Children: A Cross-Cultural Comparison Between Belgium and Greece. *J. Motor Learn. Dev.* **2019**, *7*, 289–306. [[CrossRef](#)]
115. Sallis, J.F.; Floyd, M.F.; Rodriguez, D.A.; Saelens, B.E. Role of built environments in physical activity, obesity, and cardiovascular disease. *Circulation* **2012**, *125*, 729–737. [[CrossRef](#)]
116. Vereijken, B. Motor Development. In *Cambridge Encyclopedia in Child Development*; Hopkins, J.B., Ed.; Cambridge University Press: Cambridge, MA, USA, 2005; pp. 217–226.
117. Cech, D.J.; Martin, S.T. *Functional Movement Development Across the Life Span—E-Book*; Sciences, E.H., Ed.; Elsevier Health Sciences: St. Louis, MI, USA, 2011.

118. Haywood, K.M.; Getchell, N. *Life Span Motor Development*; Human Kinetics Publishers: Champaign, IL, USA, 2019.
119. Lester, D.; McGrane, B.; Belton, S.; Duncan, M.J.; Chambers, F.C.; O'Brien, W. The Age-Related Association of Movement in Irish Adolescent Youth. *Sports* **2017**, *5*, 77. [\[CrossRef\]](#)
120. Veldman, S.L.C.; Jones, R.A.; Santos, R.; Sousa-Sá, E.; Okely, A.D. Gross motor skills in toddlers: Prevalence and socio-demographic differences. *J. Sci. Med. Sport* **2018**, *21*, 1226–1231. [\[CrossRef\]](#)
121. Goodway, J.D.; Famelia, F.; Bakhtiar, S. Future Direction in physical Education & Sport: Developing Fundamental Motor competence in the Early Years is Paramount to Lifelong physical Activity. *Asian Soc. Sci.* **2014**, *10*, 44–53.
122. Golding, J.; Emmett, P.; Iles-Caven, Y.; Steer, C.; Lingam, R. A review of environmental contributions to childhood motor skills. *J. Child. Neurol.* **2014**, *29*, 1531–1547. [\[CrossRef\]](#)
123. Morley, D.; Till, K.; Ogilvie, P.; Turner, G. Influences of gender and socioeconomic status on the motor proficiency of children in the UK. *Hum. Mov. Sci.* **2015**, *44*, 150–156. [\[CrossRef\]](#)
124. Herrmann, C.; Seelig, H. Structure and Profiles of Basic Motor Competencies in the Third Grade-Validation of the Test Instrument MOBAK-3. *Percept. Mot. Skills* **2017**, *124*, 5–20. [\[CrossRef\]](#) [\[PubMed\]](#)
125. Veldman, S.L.; Palmer, K.K.; Okely, A.D.; Robinson, L.E. Promoting ball skills in preschool-age girls. *J. Sci. Med. Sport* **2017**, *20*, 50–54. [\[CrossRef\]](#) [\[PubMed\]](#)
126. Robinson, L.E.; Veldman, S.L.C.; Palmer, K.K.; Okely, A.D. A Ball Skills Intervention in Preschoolers: The CHAMP Randomized Controlled Trial. *Med. Sci. Sports Exerc.* **2017**, *49*, 2234–2239. [\[CrossRef\]](#) [\[PubMed\]](#)
127. Mackenbach, J.P.; Stirbu, I.; Roskam, A.J.; Schaap, M.M.; Menvielle, G.; Leinsalu, M.; Kunst, A.E. Socioeconomic inequalities in health in 22 European countries. *N. Engl. J. Med.* **2008**, *358*, 2468–2481. [\[CrossRef\]](#) [\[PubMed\]](#)
128. Bleich, S.N.; Jarlenski, M.P.; Bell, C.N.; LaVeist, T.A. Health inequalities: Trends, progress, and policy. *Annu. Rev. Public Health* **2012**, *33*, 7–40. [\[CrossRef\]](#) [\[PubMed\]](#)
129. Viner, R.M.; Ozer, E.M.; Denny, S.; Marmot, M.; Resnick, M.; Fatusi, A.; Currie, C. Adolescence and the social determinants of health. *Lancet* **2012**, *379*, 1641–1652. [\[CrossRef\]](#)
130. Kershaw, K.N.; Droomers, M.; Robinson, W.R.; Carnethon, M.R.; Daviglus, M.L.; Monique Verschuren, W.M. Quantifying the contributions of behavioral and biological risk factors to socioeconomic disparities in coronary heart disease incidence: The MORGEN study. *Eur. J. Epidemiol.* **2013**, *28*, 807–814. [\[CrossRef\]](#)
131. Chzhen, Y.; Moor, I.; Pickett, W.; Toczydłowska, E.; Stevens, G. *Family Affluence and Inequality in Adolescent Health and Life Satisfaction: Evidence from the HBSC Study 2002–2014*; Innocenti Working Paper No. 2016-10; UNICEF Office of Research: Florence, Italy, 2016.
132. Temple, V.A.; Lefebvre, D.L.; Field, S.C.; Crane, J.R.; Smith, B.; Naylor, P. Object control skills mediate the relationship between neighborhood vulnerability and participation in physical activities. *J. Motor Learn. Dev.* **2019**, *7*, 49–63. [\[CrossRef\]](#)
133. Flores, F.S.; Rodrigues, L.P.; Copetti, F.; Lopes, F.; Cordovil, R. Affordances for Motor Skill Development in Home, School, and Sport Environments: A Narrative Review. *Percept. Mot. Skills* **2019**, *126*, 366–388. [\[CrossRef\]](#)
134. Iivonen, S.; Sääkslahti, A.K. Preschool children's fundamental motor skills: A review of significant determinants. *Early Child. Dev. Care* **2014**, *184*, 1107–1126. [\[CrossRef\]](#)
135. Niemisto, D.; Finni, T.; Haapala, E.A.; Cantell, M.; Korhonen, E.; Saakselahti, A. Environmental Correlates of Motor Competence in Children-The Skilled Kids Study. *Int. J. Environ. Res. Public Health* **2019**, *16*, 1989. [\[CrossRef\]](#) [\[PubMed\]](#)
136. OECD. *In It Together: Why Less Inequality Benefits All*; OECD Publishing: Paris, France, 2015.
137. Elgar, F.J.; Pfortner, T.K.; Moor, I.; De Clercq, B.; Stevens, G.W.; Currie, C. Socioeconomic inequalities in adolescent health 2002–2010: A time-series analysis of 34 countries participating in the Health Behaviour in School-aged Children study. *Lancet* **2015**, *385*, 2088–2095. [\[CrossRef\]](#)
138. Sallis, J.F.; Owen, N.; Fotheringham, M.J. Behavioral epidemiology: A systematic framework to classify phases of research on health promotion and disease prevention. *Ann. Behav. Med.* **2000**, *22*, 294–298. [\[CrossRef\]](#) [\[PubMed\]](#)
139. Belton, S.; O'Brien, W.; McGann, J.; Issartel, J. Bright spots physical activity investments that work: Youth-physical Activity Towards Health (Y-PATH). *Br. J. Sports Med.* **2019**, *53*, 208–212. [\[CrossRef\]](#) [\[PubMed\]](#)
140. Logan, S.W.; Robinson, L.E.; Wilson, A.E.; Lucas, W.A. Getting the fundamentals of movement: A meta-analysis of the effectiveness of motor skill interventions in children. *Child. Care Health Dev.* **2012**, *38*, 305–315. [\[CrossRef\]](#)
141. Lai, S.K.; Costigan, S.A.; Morgan, P.J.; Lubans, D.R.; Stodden, D.F.; Salmon, J.; Barnett, L.M. Do school-based interventions focusing on physical activity, fitness, or fundamental movement skill competency produce a sustained impact in these outcomes in children and adolescents? A systematic review of follow-up studies. *Sports Med.* **2014**, *44*, 67–79. [\[CrossRef\]](#)
142. Morgan, P.J.; Barnett, L.M.; Cliff, D.P.; Okely, A.D.; Scott, H.A.; Cohen, K.E.; Lubans, D.R. Fundamental movement skill interventions in youth: A systematic review and meta-analysis. *Pediatrics* **2013**, *132*, e1361–e1383. [\[CrossRef\]](#)
143. Riethmuller, A.M.; Jones, R.; Okely, A.D. Efficacy of interventions to improve motor development in young children: A systematic review. *Pediatrics* **2009**, *124*, e782–e792. [\[CrossRef\]](#)
144. Veldman, S.L.; Jones, R.A.; Okely, A.D. Efficacy of gross motor skill interventions in young children: An updated systematic review. *BMJ Open Sport Exerc. Med.* **2016**, *2*, e000067. [\[CrossRef\]](#)
145. Wick, K.; Leeger-Aschmann, C.S.; Monn, N.D.; Radtke, T.; Ott, L.V.; Rebholz, C.E.; Cruz, S.; Gerber, N.; Schmutz, E.A.; Puder, J.J.; et al. Interventions to Promote Fundamental Movement Skills in Childcare and Kindergarten: A Systematic Review and Meta-Analysis. *Sports Med.* **2017**, *47*, 2045–2068. [\[CrossRef\]](#)

146. Lander, N.; Eather, N.; Morgan, P.J.; Salmon, J.; Barnett, L.M. Characteristics of Teacher Training in School-Based physical Education Interventions to Improve Fundamental Movement Skills and/or physical Activity: A Systematic Review. *Sports Med.* **2017**, *47*, 135–161. [[CrossRef](#)] [[PubMed](#)]
147. Marques, A.I.; Santos, L.; Soares, P.; Santos, R.; Oliveira-Tavares, A.; Mota, J.; Carvalho, J. A proposed adaptation of the Eurpupe Foundation for Quality Management Excellence Model to physical activity programmes for the elderly—Development of a quality self-assessment tool using a modified Delphi process. *Int. J. Behav. Nutr. Phys. Act.* **2011**, *8*, 104. [[CrossRef](#)] [[PubMed](#)]
148. Horodyska, K.; Luszczynska, A.; van den Berg, M.; Hendriksen, M.; Roos, G.; De Bourdeaudhuij, I.; Brug, J. Good practice characteristics of diet and physical activity interventions and policies: An umbrella review. *BMC Public Health* **2015**, *15*, 19. [[CrossRef](#)] [[PubMed](#)]
149. Marques, A.I.; Soares, P.; Soares-Miranda, L.; Moreira, C.; Oliveira-Tavares, A.; Clara-Santos, P.; Vale, S.; Santos, R.; Carvalho, J. Evaluation of physical activity programmes for the elderly—Exploring the lessons from other sectors and examining the general characteristics of the programmes. *BMC Res. Notes* **2011**, *4*, 368. [[CrossRef](#)] [[PubMed](#)]
150. Marques, A.I.; Rosa, M.J.; Amorim, M.; Soares, P.; Oliveira-Tavares, A.; Santos, R.; Mota, J.; Carvalho, J. Study protocol: Using the Q-STEPS to assess and improve the quality of physical activity programmes for the elderly. *BMC Res. Notes* **2012**, *5*, 171. [[CrossRef](#)]
151. McGrane, B.; Belton, S.; Fairclough, S.J.; Powell, D.; Issartel, J. Outcomes of the Y-PATH Randomized Controlled Trial: Can a School-Based Intervention Improve Fundamental Movement Skill Proficiency in Adolescent Youth? *J. Phys. Act. Health* **2018**, *15*, 89–98. [[CrossRef](#)]
152. Belton, S.; W, O.B.; Meegan, S.; Woods, C.; Issartel, J. Youth-physical Activity Towards Health: Evidence and background to the development of the Y-PATH physical activity intervention for adolescents. *BMC Public Health* **2014**, *14*, 122. [[CrossRef](#)]
153. Green, L.A.; Seifert, C.M. Translation of research into practice: Why we can't "just do it". *J. Am. Board Fam. Pract.* **2005**, *18*, 541–545. [[CrossRef](#)]
154. McLennan, N.; Thompson, J. Quality Physical Education. In *Guidelines for Policy-Makers*; UNESCO: Paris, France, 2015.
155. Utesch, T.; Dreiskamper, D.; Naul, R.; Geukes, K. Understanding physical (in-) activity, overweight, and obesity in childhood: Effects of congruence between physical self-concept and motor competence. *Sci. Rep.* **2018**, *8*, 5908. [[CrossRef](#)]
156. World Health Organization (WHO). *Global Recommendations on Physical Activity for Health*; WHO: Geneva, Switzerland, 2010.
157. WHO. *Guidelines on Physical Activity, Sedentary Behaviour and Sleep for Children Under 5 Years of Age*; WHO: Geneva, Switzerland, 2019.
158. Howells, K.; Sääkslahti, A.E.; De Martelaer, K.; De Craemer, M.; Jidovtseff, B.; Dong, J.; Johansen, D.L.N.; Skovgaard, T.; Naul, R.; Coulter, M.; et al. Physical Activity Recommendations for Early Childhood: An International Analysis of Ten Different Countries' Current National physical Activity Policies and Practices for those under the Age of 5. In *Physical Education in Early Childhood Education and Care Researches—Best Practices—Situation*, 1st ed.; Antala, B., Demirhan, G., Carraro, A., Oktar, C., Oz, H., Kaplánová, A., Eds.; Slovak Scientific Society for Physical Education and Sport and Fédération Internationale D'Éducation Physique: Bratislava, Slovakia, 2019; pp. 321–336.
159. MEC. Ministry of Education and Culture. Finnish recommendations for physical activity in early childhood. In *Joy, Play and Doing Together*; Publications of the Ministry of Education and Culture: Helsinki, Finland, 2016.