

Title	The use of a dietary quality score as a predictor of childhood overweight and obesity
Authors	Perry, Catherine P.;Keane, Eimear;Layte, Richard;Fitzgerald, Anthony P.;Perry, Ivan J.;Harrington, Janas M.
Publication date	2015-06-24
Original Citation	PERRY, C. P., KEANE, E., LAYTE, R., FITZGERALD, A. P., PERRY, I. J. & HARRINGTON, J. M. 2015. The use of a dietary quality score as a predictor of childhood overweight and obesity. BMC Public Health, 15: 581, 1-9. http://dx.doi.org/10.1186/s12889-015-1907-y
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1186/s12889-015-1907-y
Rights	© 2015 Perry et al.; licensee BioMed Central Ltd. 2015. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly credited. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated. - http://creativecommons.org/licenses/by/4.0/
Download date	2024-05-02 17:52:06
Item downloaded from	https://hdl.handle.net/10468/2192

Additional file 2: Prevalence odds ratios for overweight and obesity with Child DQS[‡] and potential confounders

[‡] derived from child's answers to 10-item FFQ of foods eaten yesterday in child main questionnaire. Model 1 unadjusted model, Model 2 Adjusted for gender and parent's education,

N (%)		N (%)							
		Model 1 Unadjusted		Model 2 Demographics factors		Model 3 Lifestyle factors		Model 4 Parent factor	
		Overweight 1,565 (19.3)	Obese 531 (6.6)	Overweight	Obese	Overweight	Obese	Overweight	Obese
		OR (95 % CI)							
DQS	Q1 (Highest DQ)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Q2	1.09 (0.85 1.39)	1.00 (0.65 1.53)	1.07 (0.83 1.37)	0.95 (0.62 1.46)	1.05 (0.82 1.35)	0.92 (0.60 1.41)	1.08 (0.84 1.40)	0.99 (0.62 1.60)
	Q3	1.03 (0.81 1.30)	1.09 (0.71 1.66)	0.99 (0.78 1.26)	0.99 (0.64 1.53)	0.99 (0.77 1.26)	0.96 (0.61 1.49)	1.00 (0.78 1.29)	1.06 (0.67 1.68)
	Q4	1.02 (0.84 1.24)	1.50 (1.05 2.12)	0.98 (0.81 1.19)	1.32 (0.93 1.88)	0.96 (0.79 1.16)	1.24 (0.87 1.77)	0.93 (0.76 1.13)	1.24 (0.85 1.83)
	Q5 (Lowest DQ)	0.93 (0.75 1.14)	1.27 (0.87 1.84)	0.86 0.69 1.07	1.03 (0.70 1.51)	0.82 (0.66 1.02)	0.91 (0.62 1.36)	0.79 (0.63 0.99)	0.88 (0.58 1.33)
Gender									
	Boys Girls			1.00 1.47 (1.28 1.70)	1.00 1.56 (1.24 1.97)	1.00 1.44 (1.25 1.67)	1.00 1.41 (1.11 1.78)	1.00 1.44 (1.24 1.67)	1.00 1.39 (1.09 1.79)
Parent education									
	Third level			1.00	1.00	1.00	1.00	1.00	1.00
	Non-degree			1.21 (0.98 1.48)	1.89 (1.21 2.97)	1.18 (0.96 1.45)	1.80 (1.14 2.83)	1.16 (0.93 1.44)	2.10 (1.36 3.24)
	Higher second level <= Lower secondary level			1.26 (1.03 1.53) 1.47 (1.18 1.83)	2.01 (1.33 3.03) 3.31 (2.20 4.99)	1.21 (1.00 1.47) 1.40 (1.12 1.75)	1.83 (1.21 2.78) 2.91 (1.93 4.37)	1.22 (0.99 1.49) 1.30 (1.03 1.63)	2.21 (1.52 3.22) 2.97 (2.03 4.36)
PA									
	9 days or more					1.00	1.00	1.00	1.00
	6-8 days					1.05 (0.88 1.25)	1.45 (1.08 1.95)	1.05 (0.88 1.27)	1.47 (1.06 2.02)
	3-5days					1.39 (1.16 1.67)	2.26 (1.66 3.08)	1.38 (1.14 1.66)	2.29 (1.67 3.14)
	1-2 days None					1.08 (0.77 1.52) 1.19 (0.75 1.89)	2.56 (1.63 4.02) 4.37 (2.56 7.48)	1.09 (0.76 1.55) 1.22 (0.76 1.95)	2.34 (1.42 3.84) 4.60 (2.62 8.09)
TV									
	Low					1.00	1.00	1.00	1.00
	Moderate High					1.12 (0.93 1.34) 1.51 (1.16 1.97)	1.56 (1.11 2.18) 1.90 (1.21 2.98)	1.05 (0.87 1.27) 1.42 (1.08 1.88)	1.38 (0.98 1.96) 1.78 (1.13 2.82)
Parent BMI									
	Normal							1.00	1.00
	Overweight Obese							1.77 (1.49 2.10) 2.62 (2.15 3.20)	3.53 (2.54 4.91) 6.64 (4.70 9.37)

Model 3 Adjusted model 2 and physical activity, and child's T.V. viewing time Model 4 adjusted for models 2 and 3 and parent's BMI