

Title	Do changing levels of maternal exercise during pregnancy affect neonatal adiposity? Secondary analysis of the babies after SCOPE: evaluating the longitudinal impact using neurological and nutritional endpoints (BASELINE) birth cohort (Cork, Ireland)
Authors	Norris, Tom;McCarthy, Fergus P.;Khashan, Ali S.;Murray, Deirdre M.;Kiely, Mairead E.;Hourihane, Jonathan O'B.;Baker, Philip N.;Kenny, Louise C.
Publication date	2017
Original Citation	Norris, T., McCarthy, F. P., Khashan, A. S., Murray, D. M., Kiely, M., Hourihane, J. O. B., Baker, P. N. and Kenny, L. C. (2017) 'Do changing levels of maternal exercise during pregnancy affect neonatal adiposity? Secondary analysis of the babies after SCOPE: evaluating the longitudinal impact using neurological and nutritional endpoints (BASELINE) birth cohort (Cork, Ireland)', BMJ Open, 7(11), e017987 (100pp). doi: 10.1136/bmjopen-2017-017987
Type of publication	Article (peer-reviewed)
Link to publisher's version	http://bmjopen.bmj.com/content/7/11/e017987 - 10.1136/ bmjopen-2017-017987
Rights	© 2017, the Authors. This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial - http://creativecommons.org/licenses/by-nc/4.0/
Download date	2024-03-28 12:27:05
Item downloaded from	https://hdl.handle.net/10468/5407



