CORA Cork Open Research Archive
Cartlann Taighde Oscailte Chorcaí

Title	Cholestasis induced by bile duct ligation promotes changes in the intestinal microbiome in mice
Authors	Cabrera-Rubio, Raul;Patterson, Angela M.;Cotter, Paul D.;Beraza, Naiara
Publication date	2019-08-23
Original Citation	Cabrera-Rubio, R., Patterson, A. M., Cotter, P. D. and Beraza, N. (2019) 'Cholestasis induced by bile duct ligation promotes changes in the intestinal microbiome in mice', Scientific Reports, 9(1), 12324. (10pp.) doi: 10.1038/s41598-019-48784-z
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1038/s41598-019-48784-z
Rights	© The Author(s) 2019. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/. - http://creativecommons.org/licenses/by/4.0/
Download date	2026-11-05 09:29:42
Item downloaded from	https://hdl.handle.net/10468/9335




University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Cholestasis induced by bile duct ligation promotes changes in the intestinal microbiome in mice


Raul Cabrera-Rubio[1, 2], Angela M Patterson[3], Paul D Cotter[1,2], Naiara Beraza[3]

Supplemental material for Cabrera-Rubio et al.

A


Control
BDL3d
BDL7d
1.00
0.75
0.50
0.25
0.00
Proportions
S1
S2
S3
S4
S5
S6
S19
S20
S21
S22
S23
S33
S34
S35
S36
S37
S38
Sample
Taxa
Bacteroidetes
Firmicutes
Proteobacteria
Deferribacteres
Tenericutes
Candidatus.Saccharibacteria
Verrucomicrobia
Actinobacteria
Others

B


Control
BDL3d
BDL7d
1.00
0.75
0.50
0.25
0.00
Proportions
S1
S2
S3
S4
S5
S6
S19
S20
S21
S22
S23
S33
S34
S35
S36
S37
S38
Sample
Taxa
Lachnospiraceae
Porphyromonadaceae
unclassified_Lachnospiraceae
unclassified_Porphyromonadaceae
Rikenellaceae
Ruminococcaceae
Prevotellaceae
Bacteroidaceae
unclassified_Ruminococcaceae
Deferribacteraceae
Anaeroplasmataceae
Bdellovibrionaceae
Rhodospirillaceae
unclassified_Rhodospirillaceae
Sutterellaceae
Verrucomicrobiaceae
Others

Supplemental Figure legend

Supplemental Figure 1: Effects of BDL treatment on bacterial composition. (A) Phylum level bacterial composition in individual samples obtained from mice (control, BDL 3d and BDL 7d). **(B)** Family level bacterial composition in individual samples obtained from mice (control, BDL 3d and BDL 7d).