CORA Cork Open Research Archive
Cartlann Taighde Oscailte Chorcaí

Title	Factors affecting food allergy-related quality of life from parents' perception in Turkish children
Authors	Yilmaz, Ebru Arik;Cavkaytar, Ozlem;Buyuktiryaki, Betul;Soyer, Ozge;Sahiner, Umit M.;Sekerel, Bulent E.;Dunn Galvin, Audrey;Karabulut, Erdem;Sackesen, Cansin
Publication date	2018
Original Citation	Arik Yilmaz, E., Cavkaytar, O., Buyuktiryaki, B., Soyer, O., Sahiner, U. M., Sekerel, B. E., DunnGalvin, A., Karabulut, E. and Sackesen, C. (2018) 'Factors affecting food allergy-related quality of life from parents' perception in Turkish children', Allergy, Asthma and Immunology Research, 10(4), pp. 379-386. doi: 10.4168/aair.2018.10.4.379
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://synapse.koreamed.org/DOIx.php?id=10.4168/aair.2018.10.4.379 - 10.4168/aair.2018.10.4.379
Rights	© 2018, The Korean Academy of Asthma, Allergy and Clinical Immunology, The Korean Academy of Pediatric Allergy and Respiratory Disease. This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/4.0/) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited. - https://creativecommons.org/licenses/by-nc/4.0/
Download date	2026-11-01 08:40:40
Item downloaded from	https://hdl.handle.net/10468/6679



University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Supplementary Table 1. The values of "*r*" coefficient according to the Spearman correlations between subscale scores of the T-FAQLQ-PF and the FAIM scores, and CHQ PF50

	Emotional impact	Food anxiety	Social and dietary limitations	Total score
FAIM 1A	0.287*	0.225*	0.107	0.232*
FAIM F1B	0.320*	0.199*	0.182*	0.256*
FAIM F2A	0.096	0.094	0.234*	0.164*
FAIM F2B	0.189*	0.169*	0.250*	0.239*
FAIM F3A	0.233*	0.213*	0.344*	0.301*
FAIM F3B	0.323*	0.313*	0.327*	0.382*
FAIM F3C	0.323*	0.289*	0.347*	0.380*
FAIM F4A	0.275*	0.222*	0.372*	0.326*
FAIM F4B	0.257*	0.240*	0.349*	0.325*
CHQ PF50 1 1	-0.349*	-0.233*	-0.255*	-0.318*
CHQ PF50 2 1	-0.294*	-0.221*	-0.228*	-0.284*
CHQ PF50 3 1	0.331*	0.310*	0.387*	0.404*
CHQ PF50 3 2	-0.386*	-0.228*	-0.359*	-0.358*
CHQ PF50 4	-0.246*	-0.149	-0.108	-0.190*
CHQ PF50 5	-0.430*	-0.319*	-0.345*	-0.400*
CHQ PF50 5 2	-0.343*	-0.200*	-0.257*	-0.292*
CHQ PF50 6	-0.398*	-0.286*	-0.299*	-0.358*
CHQ PF50 7	-0.331*	-0.314*	-0.195*	-0.322*
CHQ PF50 8 1	-0.399*	-0.291*	-0.334*	-0.380*
CHQ PF50 9 1	-0.325*	-0.186*	-0.132	-0.236*
CHQ PF50 9 2	-0.205*	-0.108	-0.165*	-0.163*
CHQ PF50 9 3	-0.311*	-0.178*	-0.352*	-0.307*
CHQ PF50 9 4	-0.088	-0.001	-0.086	-0.039
Duration of food allergy	0.355*	0.410*	0.168*	0.383*

T-FAQLQ-PF, Turkish Food Allergy QoL Questionnaire-Parent Form; FAIM, Food Allergy Independent Measures; CHQ_PF50, Child Health Questionnaire-Parent Form 50.
*$P < 0.05$.