

Title	Can power to methane systems be sustainable and can they improve the carbon intensity of renewable methane when used to upgrade biogas produced from grass and slurry?
Authors	Vo, Truc T. Q.;Rajendran, Karthik;Murphy, Jerry D.
Publication date	2018-07-06
Original Citation	Vo, T. T. Q., Rajendran, K. and Murphy, J. D. (2018) 'Can power to methane systems be sustainable and can they improve the carbon intensity of renewable methane when used to upgrade biogas produced from grass and slurry?', Applied Energy, 228, pp. 1046-1056. doi:10.1016/j.apenergy.2018.06.139
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1016/j.apenergy.2018.06.139
Rights	© 2018, Elsevier Ltd. All rights reserved. This manuscript version is made available under the CC-BY-NC-ND 4.0 license. - https://creativecommons.org/licenses/by-nc-nd/4.0/
Download date	2026-09-01 07:16:53
Item downloaded from	https://hdl.handle.net/10468/6489

Appendices

Appendix 1. Kg N in digestate (section 2.2.2)

50:50 grass: slurry

4 kg N/t grass and 3 kg N/t slurry equates to 3.5 kg N/t feedstock

94% N remaining = 3.29 kg N/t

84% reduction in volume of digestate

Thus $3.29/0.84 = 3.89$ kg N/t digestate

Appendix 2: H₂ conversion efficiency (section 2.2.3)

1 kg H₂ equivalent to 11.2 m³ H₂ equivalent to 134 MJ or 37 kWh.

49kWh to produce 37 kWh equates to 75% conversion efficiency.

Appendix 3. Simulation results from Superpro Designer for S1, S2 and S3 with 60 : 40 VS grass and slurry (section 2.4.2).

Table 3.1: Inputs and outputs for three scenarios

	S1	S2	S3
Grass silage (tonnes)	25,344	25,344	25,344
Slurry (tonnes)	70,607	70,607	70,607
Hydrogen (tonnes)	-	1436	1496
Renewable methane (m ³)	4,174,132	8,196,291	8,341,716
Digestate (tonnes)	84,660	84,660	84,660

Table 3.2: Parasitic energy demands

	Scenario 1		Scenario 2		Scenario 3	
Energy produced - MJ (LHV):	150,268,753		295,066,477		300,301,780	
	Heat (kWh)	Electricity (kWh)	Heat (kWh)	Electricity (kWh)	Heat (kWh)	Electricity (kWh)
Biogas production	1,842,305	1,558,781	1,842,305	1,558,781	1,842,305	1,558,781
Amine upgrading	8,767,488	185,872	8,767,488	185,872	-	-
Ex-situ biological methanation	-	-	0	3,966,336	0	4,126,320
Compression		1,460,946		2,868,702		2,919,601