

Title	Metabolome and microbiome profiling of a stress-sensitive rat model of gut-brain axis dysfunction
Authors	Bassett, Shalome A.;Young, Wayne;Fraser, Karl;Dalziel, Julie E.;Webster, Jim;Ryan, Leigh;Fitzgerald, Patrick;Stanton, Catherine;Dinan, Timothy G.;Cryan, John F.;Clarke, Gerard;Hyland, Niall P.;Roy, Nicole C.
Publication date	2019-10-01
Original Citation	Bassett, S. A., Young, W., Fraser, K., Dalziel, J. E., Webster, J., Ryan, L., Fitzgerald, P., Stanton, C., Dinan, T. G., Cryan, J. F., Clarke, G., Hyland, N. and Roy, N. C. (2019) 'Metabolome and microbiome profiling of a stress-sensitive rat model of gut-brain axis dysfunction', Scientific Reports, 9(1), 14026. (13pp.) DOI: 10.1038/s41598-019-50593-3
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.nature.com/articles/s41598-019-50593-3 - 10.1038/s41598-019-50593-3
Rights	© The Author(s) 2019. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/ . - http://creativecommons.org/licenses/by/4.0/
Download date	2024-03-29 07:12:11

Item downloaded
from

<https://hdl.handle.net/10468/8843>



Supplementary Information

Metabolome and microbiome profiling of a stress-sensitive rat model of gut-brain axis dysfunction

Shalome A. Bassett, Wayne Young, Karl Fraser, Julie E. Dalziel, Jim Webster, Leigh Ryan, Patrick Fitzgerald, Catherine Stanton, Timothy G. Dinan, John F. Cryan, Gerard Clarke, Niall Hyland, and Nicole C. Roy




Fig. S1: Open field test results. SD and WKY rats differed across all measured aspects ($P < 0.01$ and $P < 0.001$, respectively). The mean and SEM are shown. SD = Sprague Dawley; WKY = Wistar Kyoto rats. The arena was divided into four zones where the 25% zone refers to the inner zone and the 100% zone refers to the outer zone, respectively.




Fig. S2: Novel object recognition test results showing (A) the exploration time (i.e. the amount of time spent exploring either the old (familiar) or novel object) and (B) the Discrimination Index where a positive score indicates more time spent with the novel object. While both strains showed more interest in the novel object, there was no significant difference between strains. The mean and SEM are shown. SD = Sprague Dawley; WKY = Wistar Kyoto rats.





Fig. S3: Forced swim test results showing the percentage of time spent climbing, swimming or immobile. The number of faecal pellets produced were also measured. The mean and SEM are shown. SD = Sprague Dawley; WKY = Wistar Kyoto rats.

A.



B.




Fig. S4: (A) Mean concentration of caecal short chain fatty acids (SCFA); (B) Levels of isobutyric, isovaleric, butyric and succinic acids were significantly different between strains but not between tested *vs* untested rats within strains.




Fig. S5: Study design. Ten week old male Sprague Dawley (SD) and Wistar Kyoto (WKY) rats were individually caged and fed a standard rodent AIN-93M diet for 32 days. Half the rats underwent behavioural testing which acted as a stressor using the Open Field Test (OFT), Novel Object Recognition (NOR) and Forced Swim Test (FST) on Days 21, 24 and 32, respectively and were immediately euthanized after completing the FST. Blood samples were taken from behaviourally tested rats just prior to the FST (8-10 am) as well as immediately post-mortem. Tissue and caecal samples were also collected for further analyses.

Table S1: Mean corticosterone concentrations

Group	Mean Corticosterone (pg/mL)	SEM
SD Control terminal	6287.51	1042.628
SD Pre-FST	6762.10 ^a	810.9855
SD Stressed terminal	19928.66 ^b	1899.201
WKY Control terminal	7467.42	940.0187
WKY Pre-FST	6863.04 ^a	556.9703
WKY Stressed terminal	18309.09 ^b	1359.153

^a Significant difference ($P < 0.001$) between pre-FST and terminal corticosterone levels in stressed rats (both strains)

^b Significant difference ($P < 0.001$) between stressed and control rats (both strains)

Table S2: Random forest classification of microbiome from SD and WKY rats subjected to acute stress or non-stressed controls.

Group	Classified as:		Class error
	Non-stressed Control	Stressed	
SD non-stressed	3	9	75.0%
SD stressed	5	7	41.7%
WKY non-stressed	10	2	16.7%
WKY stressed	2	10	16.7%

Table S3: Plasma lipid changes in response to stress. The log2 fold change (log₂FC) in response to stress for each rat strain is shown. Lipids highlighted in orange were consistently different between rat strains.

SD rats	log ₂ FC SD-stressed/SD- control	WKY rats	log ₂ FC WKY- stressed/WKY- control
TG(28:1/16:0/18:1)+NH4	1.28	TG(16:0/14:0/16:1)+NH4	0.69
TG(16:0/18:1/24:0)+NH4	1.20	TG(16:0/14:0/18:1)+NH4	0.64
TG(18:0/18:2/24:0)+NH4	1.19	TG(16:0/16:1/16:1)+NH4	0.63
TG(16:0/18:1/23:0)+NH4	1.18	TG(18:0/18:2/24:0)+NH4	0.56
TG(18:1/18:1/23:0)+NH4	1.18	TG(30:1/18:1/18:1)+NH4	0.54
TG(30:1/16:0/18:2)+NH4	1.09	TG(16:0/14:1/16:1)+NH4	0.47
TG(16:0/18:2/23:0)+NH4_2	1.08	TG(15:0/16:0/18:1)+NH4	0.46
TG(26:1/18:1/18:2)+NH4	1.08	TG(16:0/18:1/19:0)+NH4	0.45
TG(30:1/18:1/18:1)+NH4	1.06	TG(15:0/16:1/18:2)+NH4	0.44
TG(26:0/16:0/16:0)+NH4	1.05	TG(18:0/16:0/18:1)+NH4	0.42
TG(16:0/16:0/23:0)+NH4	1.04	TG(16:0/16:0/18:1)+NH4	0.40
TG(26:1/18:2/24:2)+NH4	0.95	TG(15:0/16:0/16:1)+NH4	0.40
TG(18:1/18:2/23:0)+NH4	0.94	TG(16:1/16:1/18:1)+NH4	0.39
TG(16:0/18:1/19:0)+NH4	0.92	TG(18:1/18:2/24:0)+NH4	0.38
TG(18:1/18:2/24:1)+NH4	0.90	TG(16:0/16:1/18:1)+NH4	0.38
TG(16:0/18:1/24:1)+NH4	0.86	TG(15:0/16:0/18:2)+NH4	0.37
TG(18:1/18:2/24:0)+NH4	0.78	TG(16:0/18:1/23:0)+NH4	0.37
TG(18:0/18:0/18:1)+NH4	0.78	TG(26:0/18:1/18:2)+NH4	0.35
TG(18:0/16:0/18:0)+NH4	0.75	TG(16:0/14:0/16:0)+NH4	0.35
TG(16:0/18:2/24:1)+NH4	0.74	TG(16:1/14:0/18:2)+NH4	0.34
TG(18:0/16:0/16:0)+NH4	0.71	TG(26:1/18:2/24:2)+NH4	0.33
TG(26:0/18:1/18:2)+NH4	0.70	TG(26:1/18:1/18:2)+NH4	0.32
TG(15:0/16:0/18:1)+NH4	0.68	TG(16:0/18:1/24:0)+NH4	0.30
TG(25:0/18:2/18:2)+NH4	0.68	TG(18:0/18:0/18:1)+NH4	0.30
TG(16:0/16:0/16:0)+NH4	0.66	TG(16:0/16:0/16:0)+NH4	0.30
TG(17:0/18:1/18:1)+NH4	0.61	TG(16:0/18:1/24:1)+NH4	0.30
TG(18:1/18:2/22:1)+NH4	0.59	TG(16:0/18:2/23:0)+NH4_2	0.27
TG(15:0/16:0/16:1)+NH4	0.58	TG(16:0/17:1/18:1)+NH4	0.27
TG(16:1/18:2/20:5)+NH4_1	0.57	TG(16:0/14:0/20:4)+NH4	0.25
TG(18:0/16:0/18:1)+NH4	0.57	TG(26:0/16:0/16:0)+NH4	0.24
TG(14:0/18:2/20:4)+NH4	0.56	TG(18:0/16:0/16:0)+NH4	0.24
TG(16:0/14:0/16:0)+NH4	0.55	TG(17:0/18:1/18:1)+NH4	0.23
TG(18:3/18:2/18:2)+NH4	0.55	TG(28:1/16:0/18:1)+NH4	0.23
TG(16:0/14:0/16:1)+NH4	0.53	TG(30:1/16:0/18:2)+NH4	0.21
TG(15:0/16:0/18:2)+NH4	0.50	TG(12:0/18:2/18:2)+NH4	0.20
TG(16:0/14:0/18:1)+NH4	0.50	TG(18:1/18:2/23:0)+NH4	0.19
TG(16:0/16:0/18:1)+NH4	0.48	TG(16:0/18:1/21:0)+NH4	0.19
TG(15:0/16:1/18:2)+NH4	0.48	TG(18:1/18:1/23:0)+NH4	0.19
TG(18:1/18:2/18:3)+NH4	0.47	TG(16:0/16:0/23:0)+NH4	0.18

TG(15:0/18:2/18:2)+NH4	0.47	TG(18:1/18:2/24:1)+NH4	0.18
TG(16:0/16:1/16:1)+NH4	0.44	TG(25:0/18:2/18:2)+NH4	0.18
TG(12:0/18:2/18:2)+NH4	0.42	TG(16:0/18:2/24:1)+NH4	0.17
TG(16:0/14:1/16:1)+NH4	0.41	TG(16:0/18:2/23:0)+NH4_1	0.16
TG(16:0/17:1/18:1)+NH4	0.41	TG(18:0/16:0/18:0)+NH4	0.15
TG(20:1/18:1/18:1)+NH4	0.40	TG(16:1/16:1/18:3)+NH4	0.13
TG(16:0/18:1/20:1)+NH4	0.39	TG(18:1/18:2/22:1)+NH4	0.12
TG(18:0/18:2/18:3)+NH4_1	0.38	TG(17:0/18:1/18:2)+NH4	0.12
TG(16:0/18:2/18:3)+NH4	0.38	TG(16:0/18:1/18:1)+NH4	0.11
TG(18:2/17:1/18:2)+NH4	0.38	TG(20:1/18:1/18:1)+NH4	0.10
TG(22:1/18:2/18:2)+NH4	0.37	TG(16:0/18:1/20:1)+NH4	0.08
TG(20:3/18:2/18:2)+NH4	0.36	TG(18:1/18:1/18:1)+NH4	0.08
TG(16:1/16:1/18:3)+NH4	0.34	TG(14:0/18:2/20:4)+NH4	0.07
TG(17:0/18:1/18:2)+NH4	0.34	TG(15:0/18:1/18:2)+NH4	0.06
TG(16:0/16:1/18:1)+NH4	0.33	TG(15:0/18:2/18:2)+NH4	0.06
TG(18:0/18:2/18:3)+NH4_2	0.33	TG(20:1/18:1/18:2)+NH4	0.04
TG(18:1/17:1/18:2)+NH4	0.32	TG(20:1/18:2/18:2)+NH4	0.03
TG(15:0/18:1/18:2)+NH4	0.30	TG(16:0/18:2/21:0)+NH4	0.02
TG(16:1/14:0/18:2)+NH4	0.30	TG(16:0/18:1/18:2)+NH4	0.02
TG(16:0/14:0/20:4)+NH4	0.29	TG(18:1/17:1/18:2)+NH4	-0.01
TG(16:0/18:2/23:0)+NH4_1	0.27	TG(18:1/18:1/22:4)+NH4	-0.02
TG(16:1/16:1/18:1)+NH4	0.26	TG(16:0/16:1/22:6)+NH4	-0.03
TG(16:0/18:1/21:0)+NH4	0.24	TG(18:0/18:2/18:3)+NH4_2	-0.04
TG(16:0/16:1/22:6)+NH4	0.21	TG(18:1/18:1/18:2)+NH4	-0.06
TG(20:1/18:2/18:2)+NH4	0.18	TG(16:1/18:2/20:5)+NH4_2	-0.06
TG(16:0/16:0/20:4)+NH4	0.17	TG(20:3/18:2/18:2)+NH4	-0.06
TG(18:1/18:1/18:2)+NH4	0.17	TG(16:0/16:0/20:4)+NH4	-0.07
TG(20:1/18:1/18:2)+NH4	0.13	TG(18:2/17:1/18:2)+NH4	-0.09
TG(16:0/18:1/18:2)+NH4	0.10	TG(16:0/18:2/22:6)+NH4	-0.10
TG(16:0/18:1/18:1)+NH4	0.09	TG(22:1/18:2/18:2)+NH4	-0.10
TG(16:0/18:2/21:0)+NH4	0.07	TG(16:0/16:0/22:6)+NH4	-0.10
TG(18:1/18:1/22:4)+NH4	0.07	TG(18:0/18:2/18:3)+NH4_1	-0.11
TG(18:1/18:1/18:1)+NH4	0.06	TG(16:0/18:1/22:6)+NH4_2	-0.11
TG(18:2/18:2/22:6)+NH4_1	0.03	TG(18:1/18:2/22:4)+NH4	-0.11
TG(18:3/18:2/22:6)+NH4	0.02	TG(18:1/18:2/22:6)+NH4	-0.13
TG(16:0/16:0/22:6)+NH4	0.02	TG(16:0/18:2/18:3)+NH4	-0.14
TG(18:1/18:1/22:6)+NH4_2	0.00	TG(16:1/18:2/22:6)+NH4	-0.15
TG(18:1/18:1/22:6)+NH4_1	-0.01	TG(18:1/18:1/22:6)+NH4_1	-0.17
TG(16:1/18:2/22:6)+NH4	-0.02	TG(16:0/18:1/22:6)+NH4_1	-0.18
TG(16:0/18:1/22:6)+NH4_1	-0.06	TG(18:3/18:2/22:6)+NH4	-0.18
TG(18:2/18:2/22:6)+NH4_2	-0.06	TG(18:2/18:2/22:6)+NH4_1	-0.19
TG(16:0/18:1/22:6)+NH4_2	-0.20	TG(18:1/18:2/18:3)+NH4	-0.22
TG(16:0/18:2/22:6)+NH4	-0.20	TG(18:2/18:2/22:6)+NH4_2	-0.23
TG(16:1/18:2/20:5)+NH4_2	-0.23	TG(18:1/18:1/22:6)+NH4_2	-0.27
TG(18:1/18:2/22:4)+NH4	-0.27	TG(18:3/18:2/18:2)+NH4	-0.32
TG(18:1/18:2/22:6)+NH4	-0.33	TG(22:5/18:2/18:2)+NH4	-0.33
TG(22:5/18:2/18:2)+NH4	-0.80	TG(16:1/18:2/20:5)+NH4_1	-0.34