
CORA Cork Open Research Archive
Cartlann Taighde Oscailte Chorcaí

Title	Secondary prevention measures in anaphylaxis patients: Data from the anaphylaxis registry
Authors	Kraft, Magdalena;Knop, Macarena Pia;Renaudin, Jean-Marie;Scherer Hofmeier, Kathrin;Pföhler, Claudia;Bilò, Maria Beatrice;Lang, Roland;Treudler, Regina;Wagner, Nicola;Spindler, Thomas;Hourihane, Jonathan O'B.;Maris, Ioana;Koehli, Alice;Bauer, Andrea;Lange, Lars;Müller, Sabine;Papadopoulos, Nikolaos G.;Wedi, Bettina;Moeser, Anne;Ensina, Luis F.;Fernandez-Rivas, Montserrat;Cichocka-Jarosz, Ewa;Christoff, George;Garcia, Blanca E.;Poziomkowska-Gęsicka, Iwona;Cardona, Victoria;Mustakov, Tihomir B.;Rabe, Uta;Mahler, Vera;Grabenhenrich, Linus;Dölle-Bierke, Sabine;Worm, Margitta
Publication date	2019-10-04
Original Citation	Kraft, M., Knop, M. P., Renaudin, J.-M., Scherer Hofmeier, K., Pföhler, C., Bilò, M. B., Lang, R., Treudler, R., Wagner, N., Spindler, T., Hourihane, J. O. B., Maris, I., Koehli, A., Bauer, A., Lange, L., Müller, S., Papadopoulos, N. G., Wedi, B., Moeser, A., Ensina, L. F., Fernandez-Rivas, M., Cichocka-Jarosz, E., Christoff, G., Garcia, B. E., Poziomkowska-Gęsicka, I., Cardona, V., Mustakov, T. B., Rabe, U., Mahler, V., Grabenhenrich, L., Dölle-Bierke, S., Worm, M. and Anaphylaxis, T. N. f. O. R. o. (2020) 'Secondary prevention measures in anaphylaxis patients: Data from the anaphylaxis registry', Allergy, 75(4), pp.901-910. https://doi.org/10.1111/all.14069
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1111/all.14069
Rights	©2019 The Authors. Allergy published by John Wiley & Sons Ltd.This is an open access article under the terms of the Creative Commons Attribution#NonCommercial#NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non# commercial and no modifications or adaptations are made - https://creativecommons.org/licenses/by-nc-nd/4.0/

Download date	2026-11-10 14:39:25
Item downloaded from	https://hdl.handle.net/10468/9352




A
Percent of patients
0
20
40
60
80
100
65%
33%
2%
1
2
>2
The number of autoinjectors prescribed
B
Percent of patients who were prescribed more than one autoinjector
0
20
40
60
80
100
44%
49%
56%
22%
31%
30%
25%
Preschool children (1-6 y)
School children (6-11 y)
Adolescent (12-19 y)
Young adults (20-35 y)
Adults (36-50 y)
Adults (51-64 y)
Elderly (65-79 y)