

Title	A reflection on the use of 'electric flux' in introductory physics instruction
Authors	O'Sullivan, Colm T.
Publication date	2018-03-28
Original Citation	O'Sullivan, C. T. (2018) 'A reflection on the use of 'electric flux' in introductory physics instruction', European Journal of Physics, 39 (4), 045708. doi:10.1088/1361-6404/aaba3d
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1088/1361-6404/aaba3d
Rights	© 2018, European Physical Society. This Accepted Manuscript is available for reuse under a CC BY-NC-ND 3.0 licence. - <a href="https://creativecommons.org/licenses/by-nc-nd/3.0/">https://creativecommons.org/licenses/by-nc-nd/3.0/</a>
Download date	2024-09-11 13:50:24
Item downloaded from	<a href="https://hdl.handle.net/10468/5749">https://hdl.handle.net/10468/5749</a>



# UCC

**University College Cork, Ireland**  
 Coláiste na hOllscoile Corcaigh



ACCEPTED MANUSCRIPT

## A reflection on the use of 'electric flux' in introductory physics instruction

To cite this article before publication: Colm T O'Sullivan *et al* 2018 *Eur. J. Phys.* in press <https://doi.org/10.1088/1361-6404/aaba3d>

### Manuscript version: Accepted Manuscript

Accepted Manuscript is "the version of the article accepted for publication including all changes made as a result of the peer review process, and which may also include the addition to the article by IOP Publishing of a header, an article ID, a cover sheet and/or an 'Accepted Manuscript' watermark, but excluding any other editing, typesetting or other changes made by IOP Publishing and/or its licensors"

This Accepted Manuscript is © 2018 European Physical Society.

During the embargo period (the 12 month period from the publication of the Version of Record of this article), the Accepted Manuscript is fully protected by copyright and cannot be reused or reposted elsewhere.

As the Version of Record of this article is going to be / has been published on a subscription basis, this Accepted Manuscript is available for reuse under a CC BY-NC-ND 3.0 licence after the 12 month embargo period.

After the embargo period, everyone is permitted to use copy and redistribute this article for non-commercial purposes only, provided that they adhere to all the terms of the licence <https://creativecommons.org/licenses/by-nc-nd/3.0>

Although reasonable endeavours have been taken to obtain all necessary permissions from third parties to include their copyrighted content within this article, their full citation and copyright line may not be present in this Accepted Manuscript version. Before using any content from this article, please refer to the Version of Record on IOPscience once published for full citation and copyright details, as permissions will likely be required. All third party content is fully copyright protected, unless specifically stated otherwise in the figure caption in the Version of Record.

View the [article online](#) for updates and enhancements.

## A reflection on the use of 'electric flux' in introductory physics instruction

Colm O'Sullivan

*Department of Physics, University College Cork, Cork, Ireland*

(Dated: February 25, 2018)

The treatment of electric fields and flux in most textbooks on introductory physics, at least in the English language, differs radically from the nomenclature recommended by all relevant standards organizations and authorities. The general approach also conflicts with the usual methodology adopted in electrical engineering texts. The origin of the discrepancy is outlined and it is suggested that resolving the conflict would be beneficial to the teaching and learning of this and related topics.

Accepted Manuscript

## I. INTRODUCTION – STANDARDISATION OF UNITS AND NOMENCLATURE

Prior to the 1960s learning introductory physics was complicated by the multiplicity of different systems of units used (cgs, MKS, British Imperial, British Engineering, e.s.u., e.m.u., Gaussian, Practical Electrical Units, etc.) not to mention the wide variety of symbols and nomenclature involved for the same physical quantity in textbooks and scientific publications in those days.

These difficulties were largely resolved by two important developments. Firstly, the formal adoption by the 11th Conférence Générale des Poids et Mesures (CGPM) in 1960 of the Système International d'Unités (SI).<sup>1</sup> At the same time a move toward further standardization was under way in the shape of the development of internationally agreed standards for symbols and nomenclature agreed by intergovernmental treaty organizations, national and international standards authorities and non-governmental subject agencies such as CGPM, Bureau International des Poids et Mesures (BIPM), the US National Institute of Standards and Technology (NIST), the International Union of Pure and Applied Physics (IUPAP), and the International Union of Pure and Applied Chemistry (IUPAC). The adoption and implementation, sometimes reluctantly, by the physics community of these developments had profound and beneficial effect on physics education.

In the years that followed, most physicists, chemists, engineers and others readily adopted the recommendations for symbols and nomenclature agreed by these authorities. This standardization in the form of internationally agreed conventions has greatly enhanced commercial, technical and scientific communication. In education such standardization applied to high school science curricula and textbooks is of considerable assistance to students who go on to study physics and/or chemistry at a university. At university level, the adoption in introductory physics textbooks of the same internationally agreed symbols and nomenclature makes it easier for students to proceed to intermediate and advanced level courses in areas such as physics, chemistry and engineering.

The agreed standards for symbols, units and nomenclature are laid down in documents published by BIPM (*SI Brochure*),<sup>2</sup> IUPAP (*Red Book*)<sup>3</sup> and IUPAC (*Green Book*).<sup>4</sup>

## II. THE ISSUE OF ELECTRIC FLUX

There remains, however, one very obvious exception where agreed nomenclature is not universally embraced. The quantity electric flux is defined by IUPAP and IUPAC such that the total electric

flux through a surface  $S$  is defined as

$$\Psi_E = \iint \mathbf{D} \cdot d\mathbf{S} \quad (1)$$

where  $\mathbf{D}$  is the electric displacement at each point on the surface.

By contrast, the great majority of textbooks aimed at students taking introductory physics courses in university or at the upper level in high school use a different definition for the quantity ‘electric flux’, namely

$$\Psi'_E = \iint \mathbf{E} \cdot d\mathbf{S} \quad (2)$$

where  $\mathbf{E}$  is the electric field strength (intensity) at each point on the surface.

In a survey of over 150 introductory physics textbooks in one university library,<sup>5</sup> only two were found to be in conformity with the IUPAP/IUPAC definition. Some thirty or so textbooks on intermediate or advanced electromagnetism in the same library divided evenly between the two approaches while almost all electrical engineering texts defined electric flux as in definition (1) above. An explanation of how this disparity arose historically is discussed in Section III below.

The incompatibility between different treatments is most noticeable in the way in which Gauss’ law is presented. In the traditional approach and, crucially as we have seen, in most current electromagnetism/electromagnetics textbooks aimed at students of engineering, the total electric flux through a surface  $S$  is given by definition (1) and Gauss’ law is written as

$$\oiint \mathbf{D} \cdot d\mathbf{S} = Q \quad (3)$$

where  $Q$  is the net electric charge within the (closed) surface. This approach is consistent with the definition of electric flux as defined by IUPAP and IUPAC. While official documents from BIPM<sup>2</sup> and NIST<sup>6</sup> on nomenclature generally avoid the use of the term ‘electric flux’, these documents define  $\mathbf{D}$  as the *electric flux density*, thus indicating conformity with the IUPAP/IUPAC norm.

The flux model underlying definition (1) above can be found in the early (1856) work of James Clerk Maxwell.<sup>7,8</sup> As Longair<sup>9</sup> has pointed out, Maxwell invoked formal analogies between the mathematics of hydrodynamical systems and electromagnetic phenomena. He drew particular attention to the application of incompressible fluid flow concepts to Faraday’s notion of electric and magnetic ‘lines of force’, which correspond to streamlines in the hydrodynamic model. Maxwell,

of course, went on to develop a complete self-consistent field theory of classical electromagnetism which no longer required such analogies and primitive models.




FIG. 1. A tube of electric flux crossing an interface between dielectric media.

One significant feature of the flux model underlying definition (1) lies in the fact that the flux density at a point in a medium due to a given system of charges is independent of the dielectric properties of the medium and that flux is continuous across interfaces between media (Fig. 1),<sup>10</sup> in other words  $\iint \mathbf{D}_1 \cdot d\mathbf{S}_1 = \iint \mathbf{D}_2 \cdot d\mathbf{S}_2$ .

On the other hand, the great majority of introductory physics textbooks in the English language adopt definition (2) for ‘electric flux’ and Gauss’ law is usually presented in the form

$$\iint \mathbf{E} \cdot d\mathbf{S} = \frac{Q}{\epsilon_0} \quad (4)$$

where  $\epsilon_0$  is the permittivity of vacuum. From this viewpoint,  $\mathbf{E}$  is the ‘electric flux density’, in clear conflict with the IUPAP/IUPAC compatible definition (1) of the term.

‘Electric flux’ as defined by (2) has quite distinct characteristics from the IUPAP/IUPAC definition and Maxwell’s analogy. For example, referring to the tube of flux in Fig. 1,  $\iint \mathbf{E}_1 \cdot d\mathbf{S}_1$  is *not* equal to  $\iint \mathbf{E}_2 \cdot d\mathbf{S}_2$ . Indeed, in this context,  $\iint \mathbf{E} \cdot d\mathbf{S}$  does not have the characteristics of a flux at all. Similarly, standard treatments of the electric field due to a uniformly polarized dielectric specimen<sup>11</sup> or of the field inside and outside a dielectric body placed in an external electric field<sup>12</sup> show that, while the  $\mathbf{D}$ -field lines are continuous across interfaces, the  $\mathbf{E}$ -field lines are not.<sup>13</sup>

The use of the permittivity of vacuum in Eq. (4) suggests an intention *ab initio* to only deal with electric fields in vacuum. For reasons outlined in Section III below, many introductory physics curricula do indeed take this approach. Note that, in this particular context, the nomenclature could be brought into more conformity with IUPAP/IUPAC standards by *defining* electric flux as  $\iint (\epsilon_0 \mathbf{E}) \cdot d\mathbf{S}$  instead of definition (2). Before proceeding to deal with electric fields in materials,

1  
2  
3 however, this definition requires generalisation to definition (1) but, once so extended, it enables  
4 more simple treatments than is possible by maintaining definition (2). This is particularly useful  
5 for learners who go on to study intermediate level courses in electromagnetism, materials science,  
6 applied physics and engineering.  
7  
8  
9

10 It should be pointed out that the situation tends to be more nuanced in textbooks written in  
11 languages other than English. In Continental European languages, for example, the tendency is to  
12 identify two distinct fluxes: that defined by (1) above may be translated as ‘electric displacement  
13 flux’ and the flux defined by (2) as ‘electric field strength flux’. While not strictly conforming  
14 to IUPAP and IUPAC conventions, this approach is far less unsatisfactory than current English  
15 language practice.  
16  
17  
18  
19

20 Interestingly, there is no similar dispute concerning the definition of magnetic flux which all authors  
21 and authorities agree is defined as  
22  
23

$$\Psi_M = \iint \mathbf{B} \cdot d\mathbf{S} \quad (5)$$

24  
25  
26 where  $\mathbf{B}$  is the magnetic flux density or magnetic induction. Magnetic flux is the direct analogue of  
27 electric flux as defined by (1) and has exactly the same behavior at an interface between magnetic  
28 media as shown by electric flux between dielectric media.  
29  
30  
31  
32  
33  
34

### 35 III. MID-TWENTIETH CENTURY CURRICULUM REFORM

36  
37 The 1950 also saw the start of major curriculum reform at both high school and university level,  
38 particularly in the US. These developments were driven by a number of different factors, including  
39 the experience of the part played by physicists during World War 2, the reaction to the launch of  
40 Sputnik in 1957 and the perceived needs of the Cold War. The setting up of the National Science  
41 Foundation (NSF) in 1950 created a vehicle for lobbying and supporting curriculum development  
42 initiatives and providing in-service training and materials for teachers.  
43  
44  
45  
46  
47

48 Also significant were the reforms introduced in the United States by two important projects spon-  
49 sored by the NSF which were directed at improving teaching in high school, namely, the Physical  
50 Science Study Committee (PSSC) program,<sup>14-16</sup> initiated during 1956 - 1960, and Project Physics  
51 (1962 - 1972).<sup>17-19</sup>  
52  
53  
54  
55

56 A significant influence on the reformed curriculum was a desire to include 20th century topics. For  
57 example, a PSSC report<sup>20</sup> in 1960 stated that  
58  
59  
60

1  
2  
3 the Committee believed that it would be to the benefit of physics teaching if the presen-  
4 tation of the subject matter were focused towards one goal, and that goal ought to be *the*  
5 *atomic picture of the universe*. (italics original)  
6  
7

8  
9 The curriculum and courses developed by the PSSC were designed for use in upper level secondary  
10 school and entry level at university. The curriculum makes interesting reading at this remove.  
11 In particular, it introduced ‘the student to electricity and through it to the physics of the atom’.  
12 This intermixing of atomic physics with electromagnetism was novel and radical and reflected  
13 the contemporary zeitgeist – indeed, in the early PSSC syllabus electromagnetism was entirely  
14 incorporated within ‘Atomic Physics’.  
15  
16  
17  
18

19 University based physicists were heavily involved in these projects and this had some effect on  
20 curriculum development at College level. A more important influence on the physics curriculum in  
21 universities, however, was the available textbooks. Between 1944 and 1946 the first editions of the  
22 three volumes of Francis Weston Sears’ *The Principles of Physics*<sup>21</sup> were published followed in 1949  
23 by the very influential *College Physics* and *University Physics*<sup>22</sup> by Sears and Zemansky. In 1960,  
24 Wiley published *Physics for Students of Science and Engineering*<sup>23</sup> by Halliday and Resnick which  
25 partly supplanted Sears and Zemansky as the standard introductory physics text in US universities.  
26 These books effectively defined a new curriculum for introductory physics texts which emphasized  
27 basic principles and the unity of physics while dropping many traditional topics. The atomistic  
28 approach of the PSSC approach was considered, but rejected, by Halliday and Resnick in their  
29 hugely influential 1960 textbook.<sup>23</sup> In the Preface to the first edition they state that they considered  
30 ‘the adoption of an atomic approach’ but opted instead for an approach based on ‘modifying the  
31 selection and treatment of topics within the traditional organization’. In practice this resulted in  
32 following the traditional treatment in the case of Mechanics and Thermal Physics but adopting a  
33 somewhat hybrid version of the PSSC approach when it came to Electromagnetism. The atomistic  
34 aspect of the approach to Electromagnetism can be seen in the way current is described in terms  
35 of electron motion, Coulomb’s law is treated as applying exclusively to charges in vacuum and  
36 dielectric materials are introduced *ab initio* as comprising atomic dipoles.  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

50 This new canon of topics became widely accepted, particularly in the English-speaking world<sup>24</sup> and  
51 is currently adopted in the majority of English language textbooks on introductory physics.  
52  
53  
54  
55  
56  
57  
58  
59  
60



#### IV. CONCLUSIONS

It is important that nomenclature should conform to internationally agreed conventions. The terms electric flux and electric flux density should be confined to the usage represented by definition (1) above (that is, electric flux measured in coulomb). Should it be desired to continue to consider the quantity represented by definition (2) as a ‘flux’, different terminology should be employed as in Continental European practice. Furthermore, the current tendency to use the term ‘electric field’ (instead of *electric field strength*  $\mathbf{E}$ ) and ‘magnetic field’ (instead of *magnetic flux density*  $\mathbf{B}$ ), both also in violation of agreed international terminology, should be discouraged.

#### V. ACKNOWLEDGEMENTS

The author wishes to thank former colleagues Michel Vandyck, Garrett Barden, Stephen Fahy, and the late Frank Fahy for helpful discussions over many years; also Bogdan Żóltowski of the Technical University of Łódź for information on the nomenclature used in Continental European textbooks.

- 
- <sup>1</sup> Bureau International des Poids et Mesures, *Comptes Rendus des Séances de la Onzième Conférence Générale des Poids et Mesures*, (Paris: Gauthier-Villars & Cie 1960).
  - <sup>2</sup> Bureau International des Poids et Mesures, *The International System of Units (SI)*, 8th edition 2006, updated 2014, Table 4, [http://www.bipm.org/utis/common/pdf/si\\_brochure\\_8\\_en.pdf](http://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf) } BIPM.org, Retrieved 2018-02-22.
  - <sup>3</sup> E. R. Cohen and P. Giacomo, *Symbols, Units, Nomenclature and Fundamental Constants in Physics*, (Document IUPAP-25; SUNAMCO 87-1 1987); *Physica*, **146A**, 1–68 (1987).
  - <sup>4</sup> E. R. Cohen et al, *Quantities, Units and Symbols in Physical Chemistry*, IUPAC Green Book 3rd Edition, 2nd printing (IUPAC & RSC Publishing, Cambridge, 2008).
  - <sup>5</sup> Cambridge University Library <http://www.lib.cam.ac.uk/>, Retrieved 2018-02-22.
  - <sup>6</sup> A. Thompson and B. N. Taylor *Guide for the Use of the International System of Units (SI)*, NIST Special Publication 811 2008 Edition, Table 4, <http://physics.nist.gov/cuu/pdf/sp811.pdf> } NIST.gov, Retrieved 2018-02-22.
  - <sup>7</sup> J. C. Maxwell (1856). “Analogies in nature”; in *The scientific letters and papers of James Clerk Maxwell* (P. M. Harman, ed.), Vol. 1, pp. 376383 Cambridge, UK: Cambridge University Press (1990).
  - <sup>8</sup> J. C. Maxwell . “On Faraday’s lines of force”, *Trans. Camb. Phil. Soc.* **10**, 155188 (1856).

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60
- 9 M. S. Longair, “ ‘...a paper ...I hold to be great guns’: a commentary on Maxwell (1865) ‘A dynamical theory of the electromagnetic field’ ”, *Philos. Trans. R. Soc.* **A373**, 20140473 (2015).
- 10 The latter condition also necessitates that the component of  $\mathbf{D}$  perpendicular to an interface is continuous across the interface.
- 11 See, for example, D. J. Griffiths *Introduction to Electrodynamics, 3rd ed.*, (Prentice Hall, Upper Saddle River NJ, 1999), Figure 14.10, p 169; O. D. Jefimenko *Electricity and Magnetism, 2nd ed.*, (Electret Scientific Company, Star City WV, 1969), Fig. 8.16, p. 254.
- 12 D. J. Griffiths, op cit, Figure 4.27, p. 187; O. D. Jefimenko op cit, Fig. 8.11, p. 244.
- 13 This situation can be remedied, of course, by the introduction of ‘surface charges’ that are sources of electric field but not of electric displacement. From a macroscopic perspective such sources are ‘fictitious’ entities but can be understood as real in the context of a microscopic model.
- 14 Physical Science Study Committee, “The Physical Science Study Committee A Planning Conference Report, *Physics Today* 28–9 (March 1957).
- 15 Physical Science Study Committee, *Physics*, (D. C. Heath and Company, Boston, 1960).
- 16 “PSSC: 50 Years Later”, <http://www.compadre.org/portal/pssc/pssc.cfm?view=author> Compadre.org, Retrieved 2017-07-14.
- 17 A. J. Moore, “Harvard project physics—A cogent approach”, *Science Education*, **52**, 4, 337–345 (October 1968).
- 18 G. Holton, “Harvard Project Physics: a report on its aims and current status”, *Physics Education*, **4**, 1, 19–25 (January 1969).
- 19 G. Holton, “The Project Physics Course: Then and Now”, *Science & Education*, **12**, 8, 779-786 (November 2003).
- 20 G. C. Finlay, “Secondary School Physics: The Physical Science Study Committee”, *Am. J. Phys.* **28**, 286–293 (March 1960).
- 21 F. W. Sears, *Principles of Physics I, II and III*, (Addison-Wesley Press, Cambridge MA, 1946–7).
- 22 F. Sears and M. Zemansky, *College Physics Parts 1 and 2*, (Addison-Wesley Press, Cambridge MA, 1948); *University Physics*, (Addison-Wesley Press, Cambridge MA, 1949).
- 23 D. Halliday and R. Resnick, *Physics for Students of Science and Engineering*, (John Wiley and Sons, New York, 1960).
- 24 There were a few notable exceptions to this approach; for example, Marshall, Pounder and Stewart’s *Physics* (Macmillan of Canada 1967) which, while fully adopting SI and the IUPAP recommendations, followed the traditional historical sequencing even in electromagnetism