

Title	Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin
Authors	Arndt, Jovanna;Sciare, Jean;Mallet, Marc;Roberts, Greg C.;Marchand, Nicolas;Sartelet, Karine;Sellegri, Karine;Dulac, Francois;Healy, Robert M.;Wenger, John C.
Publication date	2017
Original Citation	Arndt, J., Sciare, J., Mallet, M., Roberts, G. C., Marchand, N., Sartelet, K., Sellegri, K., Dulac, F., Healy, R. M. and Wenger, J. C. (2017) 'Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin', Atmospheric Chemistry and Physics, 17(11), (27pp). doi: 10.5194/acp-17-6975-2017
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.atmos-chem-phys.net/17/6975/2017/ - 10.5194/acp-17-6975-2017
Rights	© 2017, the Author(s). This work is distributed under the Creative Commons Attribution 3.0 License. - https://creativecommons.org/licenses/by/3.0/
Download date	2025-04-25 22:26:16
Item downloaded from	https://hdl.handle.net/10468/4790



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Supplement of Atmos. Chem. Phys., 17, 6975–7001, 2017
<https://doi.org/10.5194/acp-17-6975-2017-supplement>
© Author(s) 2017. This work is distributed under
the Creative Commons Attribution 3.0 License.



Supplement of

Sources and mixing state of summertime background aerosol in the north-western Mediterranean basin

Jovanna Arndt et al.

Correspondence to: John C. Wenger (j.wenger@ucc.ie)

The copyright of individual parts of the supplement might differ from the CC BY 3.0 License.




Figure 1. Schematic overview of ATOFMS data analysis.

Table 1. Pearson's correlation coefficient (R^2) between mass concentrations from ATOFMS ($PM_{2.5}$), TEOM (PM_{10} & PM_1), ACSM (PM_1), PILS (PM_{10}) and MAAP ($PM_{2.5}$) measurements and OPS number concentrations ($\#/cm^3$) for the full sampling period, and during specific periods.

R^2	ATOFMS total	ATOFMS EC-rich	ATOFMS K-rich	PM_{10}	PM_1	BC	ACSM total	ACSM SO_4^{2-}	ACSM NH_4^+	ACSM SV-OOA	ACSM LV-OOA	PILS-IC SO_4^{2-}	PILS-IC NH_4^+	OPS 0.3-0.579 μm particles	*PILS Oxalate	*WSOC	**ATOFMS fresh sea salt	** PILS SSA	**OPS 0.579-2.156 μm particles	*** PILS MSA	*** ACSM NO_3^-	*** PILS NO_3^-	
ATOFMS total	1																						
ATOFMS EC-rich	0.73	1																					
ATOFMS K-rich	0.48	0.28	1																				
PM_{10}	0.21	0.20	0.09	1																			
PM_1	0.44	0.46	0.30	0.17	1																		
BC	0.55	0.50	0.37	0.19	0.40	1																	
ACSM total	0.72	0.66	0.46	0.17	0.54	0.70	1																
ACSM SO_4^{2-}	0.66	0.61	0.38	0.14	0.46	0.48	0.81	1															
ACSM NH_4^+	0.65	0.62	0.37	0.12	0.44	0.47	0.81	0.93	1														
ACSM SV-OOA	0.46	0.43	0.35	0.11	0.38	0.57	0.69	0.33	0.32	1													
ACSM LV-OOA	0.59	0.59	0.46	0.17	0.50	0.67	0.88	0.61	0.61	0.63	1												
PILS-IC SO_4^{2-}	0.58	0.52	0.25	0.12	0.41	0.41	0.61	0.81	0.75	0.21	0.42	1											
PILS-IC NH_4^+	0.44	0.43	0.23	0.08	0.30	0.30	0.46	0.53	0.53	0.18	0.33	0.68	1										
OPS 0.3-0.579 μm particles	0.73	0.69	0.49	0.24	0.54	0.57	0.82	0.71	0.70	0.54	0.75	0.60	0.46	1									
*PILS Oxalate	0.35	0.41	0.25	0.14	0.36	0.37	0.50	0.28	0.29	0.41	0.54	0.27	0.23	0.42	1								
*WSOC	0.44	0.37	0.29	0.24	0.42	0.46	0.50	0.19	0.18	0.60	0.58	0.19	0.09	0.44	0.55	1							
**ATOFMS fresh sea salt	0.04	0.07	0.05	0.04	0.02	0.04	0.12	0.07	0.05	0.15	0.16	0.06	0.18	0.02	0.01	N/A	1						
**PILS SSA	0.11	0.01	0.02	0.35	0.00	0.00	0.09	0.05	0.06	0.13	0.17	0.02	0.25	0.01	0.04	N/A	0.81	1					
**OPS 0.579-2.156 μm particles	0.42	0.03	0.02	0.24	0.03	0.01	0.01	0.00	0.00	0.03	0.07	0.01	0.08	0.03	0.00	N/A	0.81	0.88	1				
***PILS MSA	0.18	0.19	0.06	0.05	0.16	0.06	0.21	0.35	0.37	0.001	0.17	0.48	0.54	0.20	0.08	0.03	0.06	0.00	0.02	1			
***ACSM NO_3^-	0.58	0.53	0.34	0.25	0.54	0.41	0.75	0.71	0.75	0.35	0.66	0.75	0.55	0.65	0.35	0.28	0.05	0.02	0.04	0.46	1		
***PILS NO_3^-	0.07	0.06	0.02	0.10	0.04	0.00	0.04	0.13	0.14	0.02	0.03	0.34	0.33	0.13	0.15	0.00	0.01	0.24	0.36	0.53	0.20	1	

*Correlations calculated from 21st June-4th August.

**Correlations calculated from 20-27th June.

***Correlations calculated from 23rd July-5th August




Figure 2. Individual HYSPLIT120-hour back trajectories for each cluster for Period 1 during ADRIMED and SAF-MED.




Figure 3. Daytime average aerosol optical depth at 550 nm (AOD_{550}) derived from MSG/SEVIRI (Thieuleux et al., 2005) from 17th to 20th June 2013 showing a dust plume transport over the western Mediterranean basin (produced by <http://www.icare.univ-lille1.fr>). Land and cloudy pixels in dark and light grey, respectively.

5