

Title	Deprescribing in multi-morbid older people with polypharmacy: agreement between STOPPFrail explicit criteria and gold standard deprescribing using 100 standardized clinical cases
Authors	Curtin, Denis;Dukelow, Tim;James, Kirstyn;O'Donnell, Desmond;O'Mahony, Denis;Gallagher, Paul F.
Publication date	2018-11-12
Original Citation	Curtin, D., Dukelow, T., James, K., O'Donnell, D., O'Mahony, D. and Gallagher, P. (2018) 'Deprescribing in multi-morbid older people with polypharmacy: agreement between STOPPFrail explicit criteria and gold standard deprescribing using 100 standardized clinical cases', European Journal of Clinical Pharmacology. doi: 10.1007/s00228-018-2598-y
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1007/s00228-018-2598-y
Rights	© 2018, Springer-Verlag GmbH Germany, part of Springer Nature. All rights reserved. The final publication is available at Springer via https://dx.doi.org/10.1007/s00228-018-2598-y
Download date	2025-04-29 15:26:27
Item downloaded from	https://hdl.handle.net/10468/7152



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

		Scott's algorithm		Total
		Deprescribe	Continue	
STOPPFrail	Deprescribe	368	44	412
	Continue	156	426	582
Total		524	470	994
Sensitivity (368/524)		70.2% (95% CI, 66.3% to 74.1%)		
Specificity (426/470)		90.6% (95% CI, 88% to 93.2%)		
PPV (368/412)		89.3% (95% CI, 86.4% to 92.2%)		
NPV (426/582)		73.2% (95% CI, 69.6% to 76.8%)		

Supplementary appendix 2: Contingency table of frequencies for medications deprescribed using Scott's algorithm and STOPPFrail. CI = Confidence interval; PPV = Positive predictive value; NPV = Negative predictive value.