Title	Too hot to handle? An urgent need to understand climate change impacts on the biogeochemistry of tropical coastal waters
Authors	Carreira, Cátia;Joyce, Patrick W. S.;Morán, Xosé Anxelu G.;Carvalho, Susana;Falkenberg, Laura;Lønborg, Christian
Publication date	2023-12-12
Original Citation	Carreira, C., Joyce, P. W. S., Morán, X. A. G., Carvalho, S., Falkenberg, L. and Lønborg, C. (2023) 'Too hot to handle? An urgent need to understand climate change impacts on the biogeochemistry of tropical coastal waters', Global Change Biology, 30, e17074 (5pp). https://doi.org/10.1111/gcb.17074
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://doi.org/10.1111/gcb.17074
Rights	© 2023, John Wiley & Sons, Ltd. This is the peer reviewed version of the following article: Carreira, C., Joyce, P. W. S., Morán, X. A. G., Carvalho, S., Falkenberg, L. and Lønborg, C. (2023) 'Too hot to handle? An urgent need to understand climate change impacts on the biogeochemistry of tropical coastal waters', Global Change Biology, 30, e17074 (5pp), which has been published in final form at: https://doi.org/10.1111/gcb.17074 This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions. This article may not be enhanced, enriched or otherwise transformed into a derivative work, without express permission from Wiley or by statutory rights under applicable legislation. Copyright notices must not be removed, obscured or modified. The article must be linked to Wiley's version of record on Wiley Online Library and any embedding, framing or otherwise making available the article or pages thereof by third parties from platforms, services and websites other than Wiley Online Library must be prohibited.
Download date	2025-03-22 00:33:21
Item downloaded from	https://hdl.handle.net/10468/15352

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Too hot to handle? An urgent need to understand climate change impacts on the biogeochemistry of tropical coastal waters

Cátia Carreira[1*], Patrick W.S. Joyce[2,3], Xosé Anxelu G. Morán[4,5], Susana Carvalho[4], Laura Falkenberg[2,6], and Christian Lønborg[7]

[1]Centre for Environmental and Marine Studies, Department of Biology (CESAM), University of Aveiro, Campus de Santiago, 3810-193 Aveiro, Portugal

[2]Simon F.S. Li Marine Science Laboratory, School of Life Sciences, The Chinese University of Hong Kong, Hong Kong SAR, China

[3]School of Biological, Earth and Environmental Science & Environmental Research Institute, University College Cork, Ireland

[4]Marine Science Program, Biological and Environmental Science and Engineering Division, King Abdullah University of Science and Technology (KAUST), Saudi Arabia

[5]Centro Oceanográfico de Gijón/Xixón (IEO-CSIC), Gijón/Xixón, Spain

[6]UniSA STEM, University of South Australia, Australia

[7]Section for Marine Diversity and Experimental Ecology, Department of Ecoscience, Aarhus University, Roskilde, Denmark

[*]Corresponding author: ccd.carreira@gmail.com

ORCID

Cátia Carreira: 0000-0002-1520-9320

Patrick W.S. Joyce: 0000-0003-1058-7901

Xosé Anxelu G. Morán: 0000-0002-9823-5339

Susana Carvalho: 0000-0003-1300-1953

27 Laura Falkenberg: 0000-0002-5868-2310

28 Christian Lønborg: 0000-0001-8380-0238

Abstract

Tropical regions contain ecologically and socio-economically important habitats, and are home to about 3.8 billion people, many of which directly depend on tropical coastal waters for their well-being. At the basis of these ecosystems are biogeochemical processes. Climate change is expected to have a greater impact in the tropics compared to temperate regions because of the relatively stable environmental conditions found there. However, it was surprising to find only 660 research articles published focusing on the impact of climate change on the biogeochemistry of coastal tropical waters compared to 4823 for temperate waters. In this perspective, we highlight important topics in need of further research. Specifically, we suggest that in tropical regions compared to temperate counterparts climate change stressors will be experienced differently, that organisms have a lower acclimation capacity, and that long-term baseline biogeochemical datasets useful for quantifying future changes are lacking. The low number of research papers on the impacts of climate change in coastal tropical regions is likely due to a mix of reasons including limited resources for research and limited number of long time series in many developing tropical countries. Finally, we propose some action points that we hope will stimulate more studies in tropical coastal waters.

Keywords: tropic, biogeochemistry, coastal waters, climate change, impact, knowledge gap, stressors, acclimation, datasets

Introduction

The region between the tropics of Cancer and Capricorn is home to an estimated 3.8 billion people, with about 500 million people directly dependent on tropical coastal waters and ecosystems for their livelihoods and well-being (Tropics, 2020). As such, tropical coastal regions harbour a range of ecologically and socio-economically important habitats. While coral reefs are perhaps the most recognisable, others include mangroves, seagrasses, and non-vegetated soft sediment. The functioning of all these habitats relies upon an array of biogeochemical processes, which transfer energy and nutrients across trophic levels, thereby sustaining the respective ecosystems.

The regulation of biogeochemical processes is influenced by biological (e.g. microbial degradation) and environmental conditions (e.g. temperature), thus climate change may induce major impacts on the processes themselves and on their associated organisms. Climate change is expected to have greater impacts in the tropics due to the relatively stable environmental conditions compared to temperate regions (Newbold et al., 2020). For example, temperate bivalve species were found to have greater lethal thermal windows than those of a tropical area, which appeared to reflect the greater temperature variation measured in temperate sediments, supporting the climate variability hypothesis (Compton et al., 2007).

While effects of climate change on biogeochemical processes have been extensively documented (Hutchins & Capone, 2022), how much do we actually know about these processes in tropical coastal waters? We suggest that our understanding of the effects of climate change on biogeochemical processes in tropical regions is scarce, thus hindering our ability to predict impacts on ecosystems and sustain these important hotspots of biodiversity and productivity. Therefore, in this perspective article

we: 1) highlight some knowledge gaps of how climate change impacts the biogeochemistry in tropical coastal waters, 2) discuss why these gaps persist, and 3) suggest some action points which we anticipate will inspire further studies on the biogeochemistry in tropical coastal waters and the response to climate change.

Climate change in tropical coastal waters: What do we know?

A Web of Science search to determine the number of studies addressing the impacts of climate changes on the biogeochemistry of coastal tropical waters (string: ALL = (("climate change" or "global change") and coast* and (respiration or product* or biogeochem*) not land not soil not crop AND tropic* not (polar* or ice or glac* or Arctic or Antarctic)) returned only 660 research articles (as of July 2023; Fig. 1). In comparison, the same string excluding 'tropic*' (i.e., NOT tropic*) returned 4823 research articles, indicating greater study efforts in temperate regions (Fig. 1). In fact, there are more than double the number of studies on the impacts of climate change on biogeochemistry conducted in remote polar regions (string excluding 'tropic*' but including 'and (polar* or ice or glac* or Arctic or Antarctic)'; 1385 research articles; Fig. 1) than in the tropics, where half of the world's population live. It should be noted that Web of Science mainly searches articles written in English, which is a more prominent language (Bitetti & Ferreras, 2016), thus we are likely missing publications in other languages found in tropical areas. Our aim here, however, is to highlight that the impact of climate change on the biogeochemistry of tropical coastal waters is not being sufficiently considered by the world's scientific community, despite their importance. Therefore, we advocate for an increased effort to study biogeochemical processes in tropical coastal waters.

Climate change stressors will be experienced differently in tropical coastal regions

Stressors commonly associated with climate change such as warming, acidification, marine heatwaves, sea level rise and increased magnitude of extreme weather events (i.e. cyclones), will have large impacts in tropical coastal regions compared to other regions (Cooley et al., 2022). For example, peak increases in marine heatwaves in tropical waters are suggested to have decreased phytoplankton blooms with implications for biogeochemical cycling and ecosystem dynamics (Hayashida et al., 2020). Furthermore, it is predicted that more extreme cyclones will impact tropical regions, possibly resulting in increased precipitation and material flushing from land to coastal waters (Knutson et al., 2010), which will change the cycling of matter of these systems (McCabe et al., 2021). Nonetheless, impacts on tropical coastal waters still need to be further investigated.

Tropical organisms have a lower acclimation capacity

Tropical regions have relatively stable environmental conditions (e.g., temperature, air humidity) compared to other regions. These conditions have been suggested to limit tropical species' tolerance to environmental changes, and hence it is particularly important when considering climate driven changes in tropical regions. Studies have demonstrated that warming tolerance and acclimation ability of tropical species (including fish and crustaceans) is lower than for closely related temperate species (Vinagre et al., 2016). Further, warming oceans have a lower oxygen supply that will likely increase the vulnerability of marine organisms to reduced oxygen concentrations (Vaquer-Sunyer & Duarte, 2010). With tropical ecosystems already suffering from anoxic events (Altieri et al., 2017), further reductions in oxygen

availability in these regions will possibly make organisms more susceptible to hypoxia than in temperate systems.

Limited long-term biogeochemical datasets available in tropical waters

To detect biogeochemical and ecological changes in response to long-term climate change in aquatic ecosystems, and distinguish these from natural variability, at least decadal observation periods are necessary. Long-term time-series stations are therefore valuable tools to obtain a baseline from which to determine future climate change impacts. The Joint Global Ocean Flux study established several open ocean time series stations focused on biogeochemical processes across the globe in the late 1980's, a few of which are still active (e.g. Bermuda Atlantic Time-series Study (BATS)) and have provided essential information on the impact of climate change (Ducklow et al., 2009). However, these time series are focused on open oceans. Furthermore, there are many biogeochemical time series in temperate coastal waters (e.g. Sylt Roads Marine Observatory, Western Channel Observatory, Santa Barbara Coastal Long Term Ecological Research). To the knowledge of the authors, there is only one coastal tropical time series, the Cairns Time Series (CaTS; Lønborg et al., 2016), focused on biogeochemistry, which has been running since 1989 in the Great Barrier Reef (Australia). Other than that, such long-term monitoring series are non-existent in tropical coastal areas, hampering our ability to anticipate and assess future changes.

Why the gap?

Whether it is the number of publications or sampling bias, there appears to be an underrepresentation of tropical studies (Stroud & Feeley, 2017), particularly

149 regarding the impacts of climate change on the biogeochemistry of tropical coastal
150 waters. While there are a myriad of reasons for such skewed research results, we
151 highlight a few key points that play a major role in this pattern. Many developing
152 countries are found within tropical regions and these countries often lack funds, human
153 resources, and facilities for conducting research and publishing. Anglo-Saxon and
154 European countries have a much higher publication rate compared to the rest of the
155 world as these countries are regarded as producing 'better quality research', and so
156 have a better chance of publishing (Skopec et al., 2020). Further, researchers in
157 developing countries can find several barriers at the manuscript preparation and
158 submission level due to lack of fluency in the English language, use of analytical tools,
159 or experience with editorial processes (Freeman & Robbins, 2006). Consequently,
160 there is a risk that research conducted in tropical coastal waters is not reaching the
161 global research community.
162
163 **What about the future?**
164 Although there is currently a lack of information about the impacts of climate
165 change on biogeochemical processes in tropical coastal waters, we suggest a few
166 action points. Establishing collaborations between countries with more resources and
167 those without should be promoted to increase research capacity in tropical regions,
168 taking care to avoid 'parachute science' (Genda et al., 2022). While this would require
169 changes in funding schemes and political efforts, such collaborations would foster
170 increased research outputs by supporting not only sampling and laboratory work, but
171 also analytical tools and editorial support for producing publications. 'AuthorAid' is a
172 free global network of researchers offering 'support, mentoring and training for
173 researchers in low- and middle-income countries' (Freeman & Robbins, 2006), already

facilitating some of this work. Another important activity is to improve our knowledge by establishing more long-term biogeochemical time-series stations in tropical coastal waters. Such efforts could be coordinated through the International Ocean Carbon Coordination (IOCCP) project and/or the Integrated Marine Biosphere Research (IMBeR) project, with the latter already funding a study group on the Northwest Pacific and Indo-Pacific regional seas, which includes many tropical nations. A good starting point to many of these action points would be the creation of a working group through funding from for example the Scientific Committee on Oceanic Research (SCOR) that could help initiate and coordinate efforts.

Overall, there is a clear need to increase our knowledge of how climate change will affect the biogeochemistry in tropical coastal waters. Collectively such knowledge will be essential for our capacity to understand and predict ecosystem impacts at local, regional, and global scales.

Acknowledgements

The idea for this manuscript grew out of a special session on how climate changes impact subtropical and tropical coastal waters hosted at the ASLO (Association for the Sciences of Limnology and Oceanography) 2021 Aquatic Science Meeting. We thank our colleagues who contributed with interesting presentations to this session and who made the enormity of the current knowledge gap obvious to us. CL was supported by the Independent Research Fund Denmark Grant (1127-00033B) during the writing of this manuscript. This manuscript is dedicated to the memory of A. David McKinnon, a scientist and mentor that devoted his career to the study of tropical coastal waters. He is dearly missed.

198 **Figures**

199

200 **Figure 1.** Number of research articles published over time focused on the
201 biogeochemistry of polar, temperate, and tropical regions. As of July 2023, tropical
202 regions have 660 publications, polar 1385, and temperate 4823. Data extracted from
203 Web of Science.

References

Altieri, A. H., Harrison, S. B., Seemann, J., Collin, R., Diaz, R. J., & Knowlton, N. (2017). Tropical dead zones and mass mortalities on coral reefs. *PNAS, 144*(14), 3660-3665. doi:10.1073/pnas.1621517114

Bitetti, M. S. D., Ferreras, J. A. (2017). Publish (in English) or perish: The effect on citation rate of using languages other than English in scientific publications. Ambio 46, 121-127. doi:10.1007/s13280-016-0820-7

Compton, T. J., Rijkenberg, M. J. A., Drent, J., Piersma, T. (2007). Thermal tolerance ranges and climate variability: A comparison between bivalves from differing climates. *Journal of Experimental Marine Biology and Ecology, 352*, 200-211. doi: 10.1016/j.jembe.2007.07.010

Cooley, S., D. Schoeman, Bopp, L., Boyd, P., Donner, S., Ghebrehiwet, D. Y., Ito, S.-I., . . . Skern-Mauritzen, M. (2022). Ocean and Coastal Ecosystems and their Services. In D. C. R. H.-O. Pörtner, M. Tignor, E.S. Poloczanska, K. Mintenbeck, A. Alegría, M. Craig, S. Langsdorf, S. Löschke, V. Möller, A. Okem, B. Rama (Ed.), *Climate Change 2022: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (pp. 379-550). Cambridge, UK and New York, NY, USA: Cambridge University Press.

Ducklow, H., Doney, S. C., & Steinberg, D. K. (2009). Contributions of long-term research and time-series observations to marine ecology and biogeochemistry. *Annual Review of Marine Science, 1*, 279-302. doi:10.1146/annurev.marine.010908.163801

Freeman, P., & Robbins, A. (2006). The publishing gap between rich and poor: The focus of AuthorAID. *Journal of Public Health Policy, 27*, 196-203. doi:10.1057/palgrave.jphp.3200071

Genda, P. A., Ngoteya, H. C., Caro, T., Mulder, M. B. (2022) Looking up and down: Strong collaboration is only the first step in tackling parachute science. *Conservation Science and Practice*. e12677. doi: 10.1111/csp2.12677

Hayashida, H., Matear, R. J., & Strutton, P. G. (2020). Background nutrient concentration determines phytoplankton bloom response to marine heatwaves. *Global Change Biology, 26*, 4800-4811. doi:10.1111/gcb.15255

Hutchins, D. A., & Capone, D. G. (2022). The marine nitrogen cycle: new developments and global change. *Nature Reviews Microbiology, 20*, 401-414. doi:https://doi.org/10.1038/s41579-022-00687-zKnutson, T. R., Mcbride, J. l., Chan, J., Emanuel, K., Holland, G., Landsea, C., . . . Sugi, M. (2010). Tropical cyclones and climate change. *Nature Geoscience, 3*, 157-163. doi:10.1038/ngeo779

Lønborg C, Devlin M, Brinkman R, Costello P, da Silva E, Davidson J, Gunn K, Logan M, Petus C, Schaffelke B, Skuza M, Tonin H, Tracey D, Waterhouse J, Wright M and Zagorskis I (2016) Reef Rescue Marine Monitoring Program. Annual Report of AIMS and JCU Activities 2014 to 2015– Inshore water quality monitoring. Report for the Great Barrier Reef Marine Park Authority. Australian Institute of Marine Science and JCU TropWATER, Townsville.170 p. Doi: 10.13140/RG.2.2.27591.85928

McCabe, K. M., Smith, E. M., Lang, S. Q., Osburn, C. L., & Benitez-Nelson, C. R. (2021). Particulate and dissolved organic matter in stormwater runoff influences oxygen demand in urbanized headwater catchments. *Environmental Science and Technology, 55*(2), 952-961. doi:10.1021/acs.est.0c04502

Newbold, T., Oppenheimer, P., Etard, A., & Williams, J. J. (2020). Tropical and Mediterranean biodiversity is disproportionately sensitive to land-use and climate change. *Nature ecology and evolution, 4*, 1630-1638. doi:https://doi.org/10.1038/s41559-020-01303-0

Skopec, M., Issa, H., Reed, J., & Harris, M. (2020). The role of geographic bias in knowledge diffusion: a systematic review and narrative synthesis. *Research Integraty and Peer Review, 5*(2). doi:https://doi.org/10.1186/s41073-019-0088-0

Stroud, J. T., & Feeley, K. J. (2017). Neglect of the tropics is widespread in ecology and evolution: a comment on Clarke et al. *Trends in Ecology and Evolution, 32*(9), 626-628

State of the Tropics (2020) State of the Tropics 2020 Report. James Cook University, Townsville, Australia.

Vaquer-Sunyer, R., & Duarte, C. M. (2010). Temperature effects on oxygen thresholds for hypoxia in marine benthic organisms. *Global Change Biology, 17*(5), 1788-1797. doi:10.1111/j.1365-2486.2010.02343.x

Vinagre, C., Leal, I., Mendonça, V., Madeira, D., Narciso, L., Diniz, M. S., & Flores, A. A. V. (2016). Vulnerability to climate warming and acclimation capacity of tropical and temperate coastal organisms. *Ecological Indicators, 62*, 317-327. doi:http://dx.doi.org/10.1016/j.ecolind.2015.11.010



Number of research articles published focused on the biogeochemistry of polar, temperate, and tropical regions. As of July 2023, tropical regions have 639 publications, polar 1349, and temperate 4677. Data extracted from Web of Science.

387x387mm (236 x 236 DPI)