

Title	Prospective validation of a checklist to predict short-term death in older patients after emergency department admission in Australia and Ireland
Authors	Cardona, Magnolia;O'Sullivan, Michael;Lewis, Ebony T.;Turner, Robin M.;Garden, Frances;Alkhour, Hatem;Asha, Stephen;Mackenzie, John;Perkins, Margaret;Suri, Sam;Holdgate, Anna;Winoto, Luis;Chang, David C. W.;Gallego-Luxan, Blanca;McCarthy, Sally;Hillman, Ken;Breen, Dorothy
Publication date	2018-11-14
Original Citation	Cardona, M., O'Sullivan, M., Lewis, E.T., Turner, R.M., Garden, F., Alkhour, H., Asha, S., Mackenzie, J., Perkins, M., Suri, S. and Holdgate, A. (2018) 'Prospective Validation of a Checklist to Predict Short-term Death in Older Patients After Emergency Department Admission in Australia and Ireland'. Academic Emergency Medicine, 26 (6), pp. 610-620. doi:10.1111/acem.13664
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://onlinelibrary.wiley.com/doi/full/10.1111/acem.13664 - 10.1111/acem.13664
Rights	© 2018 The Authors. Academic Emergency Medicine published by Wiley Periodicals, Inc. on behalf of Society for Academic Emergency Medicine (SAEM). This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited. - https://creativecommons.org/licenses/by/4.0/
Download date	2025-04-25 22:30:59
Item downloaded from	https://hdl.handle.net/10468/9183



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Data Supplement S1. Supplemental material.**Table S1. Accuracy of CriSTAL short-term death predictions: sample cut-off probabilities for both Australian and Irish final models including frailty as CFS (Rockwood)**

Predictive probability	Sensitivity (%)	Specificity (%)	PPV (%)	NPV (%)
cut-off Australia				
(short-term death)				
0.74 [§]	4.9	99.8	66.7	91.9
0.50	14.8	99.4	70.6	92.7
0.25	32.1	95.8	41.3	93.9
0.10	66.7	80.3	23.8	96.3
0.05	84.0	56.2	15.0	97.4
Predictive probability	Sensitivity (%)	Specificity (%)	PPV (%)	NPV (%)
cut-off Ireland				
(short-term death)				
0.62 [§]	2.2	100.0	1000.0	87.4
0.50	4.4	100.0	100.0	87.6
0.25	42.2	89.1	36.5	91.2
0.10	84.4	54.6	21.6	96.0
0.05	91.1	33.6	16.9	96.2

[§] available probability closest to 75% in this patient sample

Table S2. Secondary outcome: Predictors of in-hospital mortality**Table S2.1 Adjusted CrISTAL predictors of in-hospital mortality in the Australian cohort (panel A) and Irish cohort (panel B) based on logistic regression, bootstrap resampling. Final models with Frailty as CFS**

Effect	A. Model with Australian data				A. Model with Irish data			
	OR	95% Wald Confidence Limits		p value	OR	95% Wald Confidence Limits		p value
Intercept	0.0015	0.0004	0.004	<0.0001	0.0001	0.000001	0.03	<0.0001
Male	3.09	1.75	5.99	0.0004	0.68	0.22	1.66	0.4163
Age	1.03	0.99	1.07	0.166	1.04	0.98	1.10	0.2021
Frailty as CFS	1.79	1.47	2.27	<0.0001	2.67	1.65	5.92	<0.0001
Advanced Malignancy	3.76	1.50	8.56	0.0013				
AUROC	0.799 (0.746 - 0.859)				0.81 (0.731-0.898)			

Table S2.2 Accuracy of CrISTAL predictions for in-hospital death: sample cut-off probabilities for both Australian and Irish final models with Frailty as CFS

Predictive probability	Sensitivity (%)	Specificity (%)	PPV (%)	NPV (%)
cut-off Australia (in-hospital death)				
0.70 [‡]	1.8	1.0	100.0	94.7
0.50	7.1	99.6	50.0	94.6
0.25	17.9	97.8	33.3	95.0
0.10	48.2	87.8	19.7	96.5
0.05	80.4	69.0	13.8	98.3
cut-off Ireland (in-hospital death)				
0.51 [‡]	4.2	100.0	100.0	93.4
0.25	25.0	97.2	40.0	94.6
0.10	66.7	80.0	19.8	97.1
0.05	91.7	55.4	13.2	98.9

[‡]maximum probability of death in the in-hospital sample