

Title	Cu-Doped TiO ₂ : Visible light assisted photocatalytic antimicrobial activity
Authors	Mathew, Snehamol;Ganguly, Priyanka;Rhatigan, Stephen;Kumaravel, Vignesh;Byrne, Ciara;Hinder, Steven J.;Bartlett, John;Nolan, Michael;Pillai, Suresh C.
Publication date	2018-10-26
Original Citation	Mathew, S., Ganguly, P., Rhatigan, S., Kumaravel, V., Byrne, C., Hinder, S., Bartlett, J., Nolan, M. and Pillai, S., 2018. Cu-doped TiO ₂ : visible light assisted photocatalytic antimicrobial activity. Applied Sciences, 8(11), (2067). DOI:10.3390/app8112067
Type of publication	Article (peer-reviewed)
Link to publisher's version	https://www.mdpi.com/2076-3417/8/11/2067 - 10.3390/app8112067
Rights	© 2018 by the authors. Licensee MDPI, Basel, Switzerland - https://creativecommons.org/licenses/by/4.0/
Download date	2024-11-05 16:15:55
Item downloaded from	https://hdl.handle.net/10468/8433



UCC

University College Cork, Ireland
 Coláiste na hOllscoile Corcaigh

Supplementary Materials

Table S1. Summarise glance of literature of Cu-TiO₂ for Antimicrobial disinfection.

Sample	Synthesis Process	Concentration	Illumination	Reference
CuO/TiO ₂	sol-gel electrospinning technique	5 wt%	Visible light	[33]
Cu/TiO ₂	Dip-coating technique	-	UV light	[34]
Cu ₀ -TiO ₂	electrospinning technique and hydrothermal process	0.025M	Visible light	[35]
Cu-TiO ₂	Modified ammonia-evaporation-induced synthetic method	2 %	Visible light	[36]
F, Cu co doped TiO ₂	Sol-Gel synthesis	-	Visible light	[37]
Cu-TiO ₂	Sol-Gel synthesis	3 mol%	Visible light	[38]
Cu/TiO ₂	Sol-Gel synthesis	3 %	Visible light	[39]




Figure S1. XRD profiles of undoped TiO₂ at different temperatures.