

Title	The signature of fine scale local adaptation in Atlantic salmon revealed from common garden experiments in nature
Authors	O'Toole, Ciar;Reed, Thomas E.;Bailie, Deborah;Bradley, Caroline;Cotter, Deirdre;Coughlan, Jamie P.;Cross, Thomas F.;Dillane, Eileen;McEvoy, Sarah;Ó Maoiléidigh, Niall;Prodöhl, Paulo A.;Rogan, Ger;McGinnity, Philip
Publication date	2015-07-24
Original Citation	O'Toole, C. L., Reed, T. E., Bailie, D., Bradley, C., Cotter, D., Coughlan, J., Cross, T., Dillane, E., McEvoy, S., Ó Maoiléidigh, N., Prodöhl, P., Rogan, G. and McGinnity, P. (2015) 'The signature of fine scale local adaptation in Atlantic salmon revealed from common garden experiments in nature', <i>Evolutionary Applications</i> , 8(9), pp. 881-900. doi:10.1111/eva.12299
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.1111/eva.12299
Rights	© 2015, the Authors. <i>Evolutionary Applications</i> published by John Wiley & Sons Ltd. This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.
Download date	2023-09-21 19:48:04
Item downloaded from	https://hdl.handle.net/10468/5707



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh




Fig. S1: Progeny fork length and mass versus mean eyed-egg diameter and dam fork length, plotted separately for each life/sampling stage. Top row of panels: pre-flood emigrants. Second row from top: flood emigrants. Third row from top: electrofished parr. Third row from bottom: wild smolts. Second row from bottom: hatchery-produced ranched smolts. Bottom row: returning adults. Lines show predicted effects from LMMs, where significant.